

DIN EN 10247:2007-07 (E)

Micrographic examination of the non-metallic inclusion content of steels using standard pictures

Contents		Page
Foreword		5
Introduction		6
1	Scope	7
2	Normative references	7
3	Principles	7
4	Terms and definitions	8
4.1	General	8
4.2	Proximity	9
4.3	Parameters	9
4.4	Classes	10
4.5	Others	10
5	Symbols and abbreviations	11
6	Sampling	13
6.1	General	13
6.2	Minimum reduction	13
6.3	Size and location of test area	13
6.4	Number of specimens	14
6.5	Preparation of specimens	14
7	Test method	14
7.1	Magnification	14
7.2	Field of view	15
7.3	Definition of the pictures of the chart	15
7.3.1	Size and Shape	15
7.3.2	Parameters	15
7.3.3	Arrangement of the pictures	15
7.4	Procedure	15
7.4.1	General	15
7.4.2	Several inclusions of mixed sizes in one field	16
7.4.3	Scanning	16
7.4.4	Assessment and evaluation	16
7.4.5	Evaluation of different types of inclusions	17
7.4.6	Default assumptions	17
7.4.7	Recording of results	17
8	Types of assessment	17
8.1	Worst inclusion method: method P	17
8.1.1	Principle	17
8.1.2	Evaluation of PL (worst length)	17
8.1.3	Evaluation of Pd (worst diameter)	18
8.1.4	Evaluation of Pa (worst area)	18
8.2	Worst field method: method M	18
8.2.1	Principle	18
8.2.2	Evaluation of Mn (rating according to number)	18

8.2.3	Evaluation of ML (rating according to length)	18
8.2.4	Evaluation of Md (rating according to diameter)	18
8.2.5	Evaluation of Ma (rating according to area)	18
8.3	Average field method: method K	19
8.3.1	Principle	19
8.3.2	Scanning of a specimen for average field assessment	19
8.3.3	Evaluation	20
8.3.4	Evaluation of Kn, KL for elongated and Kn, Kd for globular inclusions	20
8.3.5	Evaluation of Kn and Ka	20
9	Test report	21
Annex A (normative) Type of inclusions		34
Annex B (normative) Parameters and assessments to be used if not otherwise specified		36
Annex C (informative) Examples for inclusions of different types		37
Annex D (informative) Shape factor		41
Annex E (informative) Examples for magnification		42
Annex F (informative) Details of the eyepiece graticules		44
Annex G (normative) Manufacturing of eyepiece graticule		45
G.1	General	45
G.2	Narrow field microscopes	45
G.3	Broad field microscopes	46
Annex H (normative) Calculation basis for the pictures of the chart		49
Annex K (normative) Rules for classification		51
K.1	Definition of classes	51
K.2	Classification of length	51
K.3	Classification of width	51
K.4	Classification of diameter	51
K.5	Classification of area	52
Annex L (informative) Comparison of inclusion types in different standards		53
Annex M (informative) Worst inclusion assessment		54
Annex N (informative) Worst field assessment		56
N.1	General	56
N.2	Evaluation of Mn	56
N.3	Evaluation of Mn, ML and Md	56
N.4	Evaluation of Mn and Ma	57
Annex P (informative) Average field assessment		60
P.1	General	60
P.2	Evaluation of Kn, KL and Kd	60
P.3	Evaluation of Kn and Ka	60
P.4	Restricted values	60
Annex Q (normative) Calculation basis for the assessment		69
Q.1	Worst inclusion assessment	69
Q.2	Worst field assessment	69

Q.2.1	Calculation of Mn	69
Q.2.2	Calculation of ML	69
Q.2.3	Calculation of Md	70
Q.2.4	Calculation of Ma	70
Q.3	Average field	70
Annex R (normative) Determination of precision and scanning parameters for average field assessment		72
Annex S (informative) Edge Errors correction		75
S.1	General	75
S.2	Field by field measurement	75
Annex T (normative) Calculation of average values of parameters for one class		77
Annex U (normative) Average values of parameters		79
Annex V (informative) Comments of the working group		80
V.1	General	80
V.2	Length	80
V.3	Width	80
V.4	Number	80
V.5	Resolution	80
V.6	Area	81
V.7	Description of inclusions	81
V.8	Globular particles	82
V.9	Shape factor	82
V.10	Combined inclusions	83
V.11	Measuring frame	83
Bibliography		84