

DIN EN 15485:2007-11 (E)

Ethanol as a blending component for petrol - Determination of sulfur content - Wavelength dispersive X-ray fluorescence spectrometric method

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | 3 |
| 1 | Scope | 4 |
| 2 | Normative references | 4 |
| 3 | Principle | 4 |
| 4 | Reagents and materials | 4 |
| 5 | Apparatus | 4 |
| 6 | Samples and sampling | 5 |
| 7 | Preparation of calibration solutions | 5 |
| 7.1 | Blank calibration solution | 5 |
| 7.2 | Stock solution | 5 |
| 7.3 | Calibration solutions | 5 |
| 7.4 | Storage and stability of the calibration solutions | 6 |
| 8 | Settings | 6 |
| 8.1 | Measuring parameters | 6 |
| 8.2 | Optimization | 6 |
| 8.3 | Performance check of the spectrometer | 6 |
| 9 | Calibration | 6 |
| 9.1 | General | 6 |
| 9.2 | Calibration solutions | 7 |
| 9.3 | Calibration curves | 7 |
| 9.4 | Checking | 7 |
| 10 | Procedure | 7 |
| 11 | Expression of results | 8 |
| 12 | Precision | 8 |
| 12.1 | Repeatability | 8 |
| 12.2 | Reproducibility | 8 |
| 13 | Test report | 8 |
| Bibliography | | 9 |