

# DIN EN ISO 13628-5:2010-05 (E)

Petroleum and natural gas industries - Design and operation of subsea production systems - Part 5: Subsea umbilicals (ISO 13628-5:2009); English version EN ISO 13628-5:2009, only on CD-ROM

---

Inhalt	Seite
Foreword .....	8
Introduction.....	9
1 Scope .....	10
2 Normative references .....	10
3 Terms, abbreviated terms and definitions .....	12
3.1 Terms and definitions .....	12
3.2 Abbreviated terms .....	18
4 Functional requirements.....	19
4.1 General requirements .....	19
4.1.1 Umbilical.....	19
4.1.2 End terminations and ancillary equipment.....	19
4.2 Project-specific requirements.....	20
5 Safety, design and testing philosophy.....	20
5.1 Application .....	20
5.2 Safety objective .....	20
5.3 Systematic review .....	20
5.4 Fundamental requirements .....	20
5.4.1 General .....	20
5.4.2 Quality assurance.....	21
5.5 Design philosophy .....	21
5.5.1 Design principles.....	21
5.5.2 Design basis .....	21
5.5.3 Design methodology .....	22
5.6 Testing .....	22
5.6.1 General .....	22
5.6.2 Qualification testing .....	23
5.6.3 Verification testing .....	23
5.6.4 Acceptance testing.....	23
6 Design requirements.....	24
6.1 General .....	24
6.2 Loads .....	24
6.2.1 Load classification .....	24
6.2.2 Functional loads .....	24
6.2.3 Environmental loads .....	25
6.2.4 Accidental loads .....	25
6.2.5 Load combinations and conditions.....	26
6.3 Load effect analysis .....	28
6.3.1 General .....	28
6.3.2 Global load-effect analysis.....	30
6.3.3 On bottom stability analysis .....	30
6.3.4 Pull-out analysis .....	30
6.3.5 Vortex-induced vibration analysis.....	31
6.3.6 Interference analysis.....	31
6.3.7 Free spanning analysis.....	32
6.3.8 Pull-in analyses .....	32
6.3.9 Structural analysis .....	33

6.4	Installation analysis .....	34
6.5	Fatigue life .....	35
7	Component design, manufacture and test.....	35
7.1	General.....	35
7.1.1	Design verification.....	35
7.1.2	Quality plan .....	35
7.1.3	Materials selection.....	36
7.2	Electric cables.....	36
7.2.1	General.....	36
7.2.2	Operating voltages .....	36
7.2.3	Power cables .....	36
7.2.4	Signal cables .....	37
7.2.5	Construction.....	37
7.2.6	Performance requirements .....	39
7.2.7	Structural analysis.....	40
7.2.8	Manufacturing .....	40
7.2.9	Verification/qualification testing .....	42
7.2.10	Acceptance testing .....	44
7.3	Hoses .....	47
7.3.1	General.....	47
7.3.2	Hose sizing .....	47
7.3.3	Hose construction .....	47
7.3.4	Performance requirements .....	49
7.3.5	Structural analysis.....	50
7.3.6	Manufacturing .....	50
7.3.7	Verification/qualification testing .....	51
7.3.8	Component factory acceptance tests.....	56
7.4	Optical-fibre cable.....	58
7.4.1	General.....	58
7.4.2	Fibre type.....	58
7.4.3	Fibre construction .....	58
7.4.4	Cable construction .....	58
7.4.5	Termination interface .....	59
7.4.6	Performance requirements .....	59
7.4.7	Jointing .....	60
7.4.8	Structural analysis.....	60
7.4.9	Manufacturing .....	60
7.4.10	Verification/qualification testing .....	60
7.4.11	Acceptance testing .....	61
7.4.12	Delivery testing .....	62
7.5	Metallic tubes .....	62
7.5.1	General.....	62
7.5.2	Tube size.....	62
7.5.3	Materials selection.....	66
7.5.4	Corrosion/erosion protection .....	67
7.5.5	Hydrogen embrittlement .....	68
7.5.6	Tube manufacture.....	68
7.5.7	Tube welding.....	71
7.5.8	Steel tube testing.....	73
8	Terminations and ancillary equipment design .....	78
8.1	Design principles .....	78
8.2	Design process .....	79
8.3	Armour terminations .....	79
8.4	Tube and hose terminations.....	79
8.5	Cable terminations.....	80
8.6	Pull-in head.....	80
8.7	Topside hang-off.....	81
8.8	Subsea termination interface .....	81
8.9	Subsea umbilical termination.....	81
8.10	Bend restrictors .....	82
8.11	Bend stiffeners.....	82

8.11.1	General .....	82
8.11.2	Dynamic bend stiffeners.....	82
8.11.3	Static bend stiffeners .....	83
8.12	Ancillary equipment .....	83
8.12.1	Joint box.....	83
8.12.2	Weak link .....	83
8.12.3	Buoyancy attachments .....	84
8.12.4	Centralizers .....	84
8.12.5	Vortex-induced vibration strakes .....	84
8.12.6	Riser-tube seals.....	84
8.12.7	Tie-back clamps.....	85
8.12.8	Temporary hold-back clamps .....	85
8.12.9	Bellmouth .....	85
8.12.10	Riser clamps .....	85
9	Umbilical design .....	85
9.1	Temperature range .....	85
9.2	Maximum tensile load .....	86
9.3	Ultimate tensile load.....	86
9.4	Minimum bend radius .....	86
9.5	Cross-sectional arrangement.....	86
9.6	Lay-up.....	86
9.7	Sub-bundles .....	86
9.8	Inner sheath .....	87
9.9	Armouring .....	87
9.10	Outer sheath .....	88
9.11	Length marking.....	88
10	Umbilical manufacture and test .....	88
10.1	Umbilical manufacture .....	88
10.1.1	General .....	88
10.1.2	Lay-up.....	88
10.1.3	Inner sheath .....	89
10.1.4	Armouring .....	90
10.1.5	Outer sheath .....	90
10.2	Qualification and verification tests.....	90
10.2.1	General .....	90
10.2.2	Monitoring during full scale umbilical tests .....	91
11	Factory acceptance tests .....	91
11.1	General .....	91
11.2	Visual and dimensional inspection .....	92
11.3	Electrical continuity at the termination .....	92
11.4	Trial termination fit-up .....	92
11.5	Electric cable .....	92
11.6	Optical fibre cables .....	92
11.7	Hoses .....	92
11.8	Tubes .....	93
11.9	Terminations .....	93
11.10	Continuity check.....	93
12	Storage .....	93
12.1	General .....	93
12.2	Protection of unterminated umbilical components .....	94
12.2.1	Electrical cables .....	94
12.2.2	Optical-fibre cables .....	94
12.2.3	Hydraulic hoses or tubes .....	94
12.3	Spare length .....	94
12.4	Repair kits .....	94
12.5	Handling for integration tests .....	94
13	Pre-installation activity .....	95
13.1	Umbilical information.....	95
13.2	Route information.....	96

13.3	Terminations and ancillary equipment information .....	96
13.4	Host facility information.....	96
13.5	Subsea structure information.....	97
13.6	Host facility visit .....	97
14	Load-out.....	97
14.1	General.....	97
14.2	Technical audit of load-out facilities.....	97
14.3	Load-out procedure .....	98
14.4	Pre-load-out meetings .....	98
14.5	Pre-load-out tests .....	99
14.5.1	General.....	99
14.5.2	Electric cables.....	99
14.5.3	Optical fibre cables.....	99
14.5.4	Hoses/tubes.....	100
14.6	Load-out operation .....	100
14.7	Stopping and starting the load-out.....	100
14.8	Handling of the umbilical .....	100
14.8.1	General.....	100
14.8.2	Twist.....	100
14.8.3	Bending.....	101
14.8.4	Lifting the umbilical .....	101
14.8.5	Transfer across spans .....	101
14.8.6	Terminations .....	101
14.8.7	Weak link .....	101
14.9	Load-out monitoring.....	101
14.9.1	General.....	101
14.9.2	Electric cables.....	101
14.9.3	Optical fibre cables.....	102
14.9.4	Hoses/tubes.....	102
14.9.5	Visual examination .....	102
14.9.6	Umbilical length .....	102
14.10	Load-out on a reel or carousel .....	102
14.11	Post-load-out tests .....	102
15	Installation operations .....	103
15.1	General.....	103
15.2	Requirements for installation vessel and equipment.....	103
15.3	Pre-installation survey .....	104
15.3.1	General.....	104
15.3.2	Requirements of survey.....	104
15.3.3	Reporting .....	105
15.4	I-tube or J-tube pull-in operations .....	105
15.4.1	General.....	105
15.4.2	Preparatory work .....	105
15.4.3	Weather window for pull-in.....	105
15.4.4	Initiation of pull-in operations .....	105
15.4.5	Visual survey.....	106
15.4.6	Recovery of the messenger wire.....	106
15.4.7	First end pull-in .....	106
15.4.8	Securing the umbilical on the host facility .....	107
15.4.9	I- or J-tube sealing and chemical protection .....	107
15.4.10	Second end pull-in.....	107
15.4.11	Movement of vessel away from the host facility .....	107
15.5	Lay-down of subsea termination (first end).....	107
15.6	Lay route.....	108
15.7	Handling requirements for the main lay .....	108
15.8	Vessel positioning to achieve required touch-down .....	108
15.9	Control and monitoring of length laid .....	109
15.10	Integrity monitoring during lay.....	110
15.10.1	General.....	110
15.10.2	Electric cables.....	110
15.10.3	Optical fibre cables.....	110

15.10.4 Hoses/tubes .....	110
15.10.5 Visual inspection .....	110
15.10.6 In-line termination .....	110
15.11 Burial operations .....	111
15.11.1 General .....	111
15.11.2 Monitoring during the burial operation .....	111
15.11.3 Interaction with umbilical .....	111
15.12 Approach to subsea termination position (second end).....	112
15.13 Lay-down of subsea termination .....	112
15.14 Pull-in of subsea termination .....	112
15.15 Pipeline crossings .....	113
15.16 Buoyancy attachments .....	113
15.17 Arming of the weak link .....	113
15.18 Post-lay survey .....	114
15.19 Post-burial survey .....	114
15.20 Post-pull-in test .....	114
15.21 Post-hook-up test .....	115
15.22 Retrieval of installation aids.....	115
15.23 Contingencies.....	115
15.24 Repairs .....	115
15.25 Post-installation survey .....	116
<b>Annex A (informative) Information that should be provided in a purchaser's functional specification.....</b>	<b>117</b>
A.1 General .....	117
A.2 Information that should be provided.....	117
A.2.1 Scope of development .....	117
A.2.2 Scope of supply .....	117
A.2.3 Applicable codes, standards and regulations.....	118
A.2.4 Operating environment.....	118
A.2.5 Specific purchaser requirements .....	118
A.2.6 One-off functional requirements.....	120
A.2.7 Interfaces.....	121
A.2.8 Installation requirements.....	121
A.2.9 Responsibilities .....	121
A.3 Design basis document .....	122
<b>Annex B (informative) Umbilical testing .....</b>	<b>124</b>
B.1 Schedule of tests performed as part of the manufacturer's quality assurance programme.....	124
B.2 Schedule of tests performed as part of the installer's load-out and installation program .....	126
<b>Annex C (informative) Hose and tube preferred sizes .....</b>	<b>128</b>
<b>Annex D (normative) Characterization tests for hoses and umbilicals .....</b>	<b>129</b>
D.1 Hose .....	129
D.1.1 Volumetric expansion test.....	129
D.1.2 Dynamic hose response test.....	130
D.2 Umbilical bend stiffness test.....	132
<b>Annex E (informative) Fatigue testing .....</b>	<b>133</b>
<b>Annex F (informative) Load-effect analysis.....</b>	<b>135</b>
F.1 Structural analysis .....	135
F.1.1 General .....	135
F.1.2 Overview of structural analysis methods .....	135
F.1.3 Calibration of structural analysis methods .....	137
F.2 Comparison of umbilical designs.....	138
F.3 Fatigue analysis strategies .....	138
F.4 Global load effect analysis methodology .....	140
F.4.1 General .....	140
F.4.2 Cross-sectional modelling in global analyses .....	142
F.4.3 Global modelling considerations.....	144
F.5 Installation analysis .....	145
<b>Annex G (informative) Umbilical full-scale tests .....</b>	<b>147</b>

<b>G.1</b>	<b>Umbilical full scale tests</b> .....	<b>147</b>
<b>G.2</b>	<b>Example procedure detail: Umbilical squeeze/crush test</b> .....	<b>151</b>
<b>G.2.1</b>	<b>Purpose</b> .....	<b>151</b>
<b>G.2.2</b>	<b>Test procedure</b> .....	<b>151</b>
<b>G.2.3</b>	<b>Acceptance criteria</b> .....	<b>152</b>
<b>G.2.4</b>	<b>Reporting</b> .....	<b>152</b>
<b>Annex H</b>	<b>(informative) Tube material matrix</b> .....	<b>153</b>
<b>H.1</b>	<b>General</b> .....	<b>153</b>
<b>Annex I</b>	<b>(informative) Tube-wall thickness example calculation</b> .....	<b>165</b>
<b>I.1</b>	<b>General</b> .....	<b>165</b>
<b>I.2</b>	<b>SI units</b> .....	<b>165</b>
<b>I.2.1</b>	<b>Input details</b> .....	<b>165</b>
<b>I.2.2</b>	<b>Design calculation</b> .....	<b>166</b>
<b>I.2.3</b>	<b>Design check</b> .....	<b>167</b>
<b>I.3</b>	<b>Calculations in USC units</b> .....	<b>168</b>
<b>I.3.1</b>	<b>Input details</b> .....	<b>168</b>
<b>I.3.2</b>	<b>Design calculation</b> .....	<b>169</b>
<b>I.3.3</b>	<b>Design check</b> .....	<b>170</b>
<b>Annex J</b>	<b>(informative) Buckling of metallic tubes</b> .....	<b>172</b>
<b>J.1</b>	<b>Displacement controlled bending</b> .....	<b>172</b>
<b>J.2</b>	<b>Collapse</b> .....	<b>172</b>
<b>J.3</b>	<b>Propagating buckling</b> .....	<b>174</b>
	<b>Bibliography</b> .....	<b>175</b>