

ISO 19901-3:2010-12 (E)

Petroleum and natural gas industries - Specific requirements for offshore structures - Part 3: Topsides structure

Contents		Page
Foreword		vi
Introduction		viii
1	Scope	1
2	Normative references	2
3	Terms and definitions	3
4	Symbols and abbreviated terms	7
4.1	Symbols	7
4.2	Abbreviated terms	8
5	Overall considerations	9
5.1	Design situations	9
5.2	Codes and standards	9
5.3	Deck elevation and green water	10
5.4	Exposure level	10
5.5	Operational considerations	11
5.6	Selecting the design environmental conditions	11
5.7	Assessment of existing topsides structures	11
5.8	Reuse of topsides structure	11
5.9	Modifications and refurbishment	11
6	Design requirements	11
6.1	General	11
6.2	Materials selection	12
6.3	Design conditions	12
6.4	Structural interfaces	12
6.5	Design for serviceability limit states (SLS)	12
6.6	Design for ultimate limit states (ULS)	14
6.7	Design for fatigue limit states (FLS)	15
6.8	Design for accidental limit states (ALS)	15
6.9	Robustness	15
6.10	Corrosion control	16
6.11	Design for fabrication and inspection	16
6.12	Design considerations for structural integrity management	17
6.13	Design for decommissioning, removal and disposal	17
7	Actions	17
7.1	General	17
7.2	In-place actions	18
7.3	Action factors	19
7.4	Vortex-induced vibrations	21
7.5	Deformations	21
7.6	Wave and current actions	21
7.7	Wind actions	22
7.8	Seismic actions	22
7.9	Actions during fabrication and installation	23
7.10	Accidental situations	23

7.11	Other actions	33
8	Strength and resistance of structural components	34
8.1	Use of local building standards	34
8.2	Cylindrical tubular member design	35
8.3	Design of non-cylindrical sections	35
8.4	Connections	36
8.5	Castings	37
9	Structural systems	37
9.1	Topsides design	37
9.2	Topsides structure design models	38
9.3	Support structure interface	39
9.4	Flare towers, booms, vents and similar structures	39
9.5	Helicopter landing facilities (helidecks)	40
9.6	Crane support structure	43
9.7	Derrick design	45
9.8	Bridges	46
9.9	Bridge bearings	46
9.10	Anti-vibration mountings for modules and major equipment skids	46
9.11	System interface assumptions	47
9.12	Fire protection systems	47
9.13	Penetrations	47
9.14	Difficult-to-inspect areas	48
9.15	Drainage	48
9.16	Actions due to drilling operations	48
9.17	Strength reduction due to heat	48
9.18	Walkways, laydown areas and equipment maintenance	48
9.19	Muster areas and lifeboat stations	48
10	Materials	49
10.1	General	49
10.2	Carbon steel	49
10.3	Stainless steel	52
10.4	Aluminium alloys	52
10.5	Fibre-reinforced composites	53
10.6	Timber	54
11	Fabrication, quality control, quality assurance and documentation	54
11.1	Assembly	54
11.2	Welding	55
11.3	Fabrication inspection	55
11.4	Quality control, quality assurance and documentation	55
11.5	Corrosion protection	55
12	Corrosion control	56
12.1	General	56
12.2	Forms of corrosion, associated corrosion rates and corrosion damage	56
12.3	Design of corrosion control	56
12.4	Fabrication and installation of corrosion control	57
12.5	In-service inspection, monitoring and maintenance of corrosion control	58
13	Loadout, transportation and installation	58
14	In-service inspection and structural integrity management	59
14.1	General	59
14.2	Particular considerations applying to topsides structures	59
14.3	Topsides structure default inspection scopes	59
15	Assessment of existing topsides structures	61
16	Reuse of topsides structure	61

Annex A (informative) Additional information and guidance	62
A.1 Scope	62
A.2 Normative references	62
A.3 Terms and definitions	62
A.4 Symbols and abbreviated terms	62
A.5 Overall considerations	62
A.6 Design requirements	63
A.7 Actions	67
A.8 Strength and resistance of structural components	93
A.9 Structural systems	95
A.10 Materials	100
A.11 Fabrication, quality control, quality assurance and documentation	101
A.12 Corrosion control	102
A.13 Loadout, transportation and installation	102
A.14 In-service inspection and structural integrity management	103
A.15 Assessment of existing topsides structures	104
A.16 Reuse of topsides structure	105
Annex B (informative) Example calculation of building code correspondence factor	106
B.1 General	106
B.2 Basic data	106
B.4 Design and utilizations to ANSI/AISC 360-05[2]	109
Annex C (informative) Regional information	112
Bibliography	113