

# DIN EN ISO 10414-2:2011-09 (E)

Petroleum and natural gas industries - Field testing of drillings fluids - Part 2: Oil-based fluids (ISO 10414-2:2011); English version EN ISO 10414-2:2011, only on CD-ROM

---

## Contents

Page

Foreword .....	7
Introduction.....	8
1 Scope .....	9
2 Normative references.....	10
3 Terms and definitions .....	10
4 Symbols and abbreviated terms .....	11
4.1 Symbols.....	11
4.2 Abbreviated terms .....	16
5 Determination of drilling fluid density (mud weight).....	17
5.1 Principle .....	17
5.2 Apparatus .....	17
5.3 Procedure.....	18
5.4 Calculation .....	18
6 Alternative method for determination of drilling fluid density .....	20
6.1 Principle .....	20
6.2 Apparatus .....	20
6.3 Procedure.....	21
6.4 Calculation .....	22
7 Viscosity and gel strength.....	22
7.1 Principle .....	22
7.2 Determination of viscosity using the Marsh funnel.....	22
7.2.1 Apparatus .....	22
7.2.2 Procedure.....	22
7.3 Determination of viscosity and gel strength using a direct-reading viscometer .....	23
7.3.1 Apparatus .....	23
7.3.2 Procedure .....	24
7.3.3 Calculation .....	24
8 Static filtration .....	26
8.1 Principle .....	26
8.2 High-temperature/high-pressure test up to 175 °C (350 °F).....	26
8.2.1 Apparatus .....	26
8.2.2 Procedure.....	27
8.2.3 Calculation .....	29
8.3 High-temperature/high-pressure test 175 °C (350 °F) up to and including 230 °C (450 °F) .....	29
8.3.1 Apparatus .....	29
8.3.2 Procedure .....	30
8.3.3 Calculation .....	31
9 Retort test for oil, water and solids concentrations .....	31
9.1 Principle .....	31
9.2 Apparatus .....	32
9.2.1 Retort instrument, as specified below.....	32
9.3 Procedure — Volumetric method .....	33
9.4 Calculation — Volumetric method.....	34
9.5 Procedure — Gravimetric method .....	35

9.6	<b>Calculation — Gravimetric method.....</b>	38
9.7	<b>Calculation — Volume fractions of oil, water and solids .....</b>	39
10	<b>Chemical analysis of oil-based drilling fluids.....</b>	40
10.1	<b>Principle.....</b>	40
10.2	<b>Reagents and apparatus .....</b>	42
10.3	<b>Base alkalinity demand, <math>V_B</math> .....</b>	42
10.3.1	<b>Procedure .....</b>	42
10.3.2	<b>Calculation.....</b>	43
10.4	<b>Whole-drilling-fluid alkalinity, <math>V_K</math>.....</b>	43
10.4.1	<b>Procedure .....</b>	43
10.4.2	<b>Calculation.....</b>	44
10.5	<b>Whole-drilling-fluid chloride concentration .....</b>	45
10.5.1	<b>Procedure .....</b>	45
10.5.2	<b>Calculation.....</b>	46
10.6	<b>Whole-drilling-fluid calcium concentration.....</b>	46
10.6.1	<b>Procedure .....</b>	46
11	<b>Electrical stability test.....</b>	47
11.1	<b>Principle.....</b>	47
11.2	<b>Apparatus .....</b>	47
11.3	<b>Equipment calibration/performance test.....</b>	48
11.4	<b>Procedure .....</b>	48
12	<b>Lime, salinity and solids calculations .....</b>	49
12.1	<b>Principle .....</b>	49
12.2	<b>Apparatus .....</b>	50
12.3	<b>Whole-drilling-fluid calculations .....</b>	50
12.3.1	<b>Whole-drilling-fluid lime concentration.....</b>	50
12.3.2	<b>Whole-drilling-fluid calcium chloride and sodium chloride concentrations .....</b>	50
12.4	<b>Aqueous phase calculations .....</b>	52
12.5	<b>Soluble and insoluble whole-drilling-fluid sodium chloride calculations .....</b>	56
12.6	<b>Calculation — Solids in the whole drilling fluid .....</b>	57
12.6.1	<b>Corrected solids concentration.....</b>	57
12.6.2	<b>Calculation — Oil-to-water ratio .....</b>	58
12.6.3	<b>Calculation — Oil-to-brine ratio.....</b>	59
12.6.4	<b>Calculation — Solids concentration and density .....</b>	59
12.6.5	<b>Calculation — Volume fraction and concentration of weighting material and low-gravity solids.....</b>	60
	<b>Annex A (informative) Measurement of shear strength using shearometer tube .....</b>	62
A.1	<b>Principle .....</b>	62
A.2	<b>Apparatus .....</b>	62
A.3	<b>Procedure .....</b>	62
A.4	<b>Calculation.....</b>	63
	<b>Annex B (informative) Determination of oil and water retained on cuttings.....</b>	64
B.1	<b>Principle .....</b>	64
B.2	<b>Apparatus .....</b>	64
B.3	<b>Procedure .....</b>	65
B.4	<b>Calculations.....</b>	67
	<b>Annex C (informative) Determination of aqueous-phase activity of emulsified water using an electrohygrometer .....</b>	69
C.1	<b>Principle .....</b>	69
C.2	<b>Reagents and apparatus .....</b>	69
C.2.1	<b>Standard saturated salt solutions.....</b>	69
C.3	<b>Procedure .....</b>	70
C.3.1	<b>Calibration of hygrometer .....</b>	70
C.3.2	<b>Measurement of oil-based drilling fluid activity, <math>a_{DF}</math>.....</b>	71
C.4	<b>Calculation — Drilling fluid activity, <math>a_{DF}</math>.....</b>	71
	<b>Annex D (informative) Determination of aniline point .....</b>	72
D.1	<b>Principle .....</b>	72

D.2	Reagents and apparatus .....	72
D.3	Procedure .....	73
<b>Annex E</b> (informative) Lime, salinity and solids calculations .....	75	
E.1	Principle .....	75
E.2	Test data used in examples .....	75
E.3	Drilling fluid containing only CaCl <sub>2</sub> salt (drilling fluid A) .....	76
E.4	Drilling fluid containing only NaCl salt (drilling fluid B) .....	78
E.5	Drilling fluid containing both CaCl <sub>2</sub> and NaCl salts (drilling fluid C) .....	80
E.6	Drilling fluid containing both CaCl <sub>2</sub> and excess NaCl salts (drilling fluid D) .....	83
E.7	Calculation in spreadsheet — Drilling fluid A to drilling fluid D .....	86
<b>Annex F</b> (informative) Sampling, inspection and rejection of drilling materials .....	96	
F.1	Principle .....	96
F.2	Sampling of powdered material in packages .....	96
F.3	Sampling powdered material in bulk .....	96
F.4	Preparation of test sample .....	96
F.5	Test .....	97
F.6	Inspection .....	97
F.7	Rejection .....	97
F.8	Retesting .....	97
<b>Annex G</b> (informative) Rig-site sampling .....	98	
G.1	Principle .....	98
G.2	Bottom-flow sampling (preferred) .....	98
G.2.1	Apparatus .....	98
G.2.2	Procedure .....	98
G.3	Grab sampling .....	99
G.3.1	Apparatus .....	99
G.3.2	Procedure .....	99
<b>Annex H</b> (informative) Determination of cutting activity by the Chenevert method .....	101	
H.1	Principle .....	101
H.2	Reagents and apparatus .....	101
H.2.1	Standard saturated salt solutions .....	101
H.3	Procedure .....	102
H.3.1	Calibration of hygrometer .....	102
H.3.2	Measurement of oil-contaminated cuttings activity, $a_C$ .....	103
H.4	Calculation — Cuttings activity, $a_C$ .....	103
<b>Annex I</b> (informative) Chemical analysis of active sulfides by the Garrett gas train method .....	104	
I.1	Principle .....	104
I.2	Reagents and apparatus .....	104
I.3	Procedure .....	106
I.4	Calculation .....	108
<b>Annex J</b> (informative) Calibration and verification of glassware, thermometers, viscometers, retort kit cup and drilling fluid balances .....	109	
J.1	Principle .....	109
J.2	Calibration of apparatus .....	109
J.2.1	Volumetric glassware .....	109
J.2.2	Thermometers .....	109
J.2.3	Viscometers .....	109
J.2.4	Drilling fluid balances .....	109
J.2.5	Retort kit cups .....	109
J.3	Procedure — Calibration of graduated cylinders .....	110
J.4	Procedure — Calibration of thermometers .....	110
J.5	Procedure — Calibration of viscometers .....	112
J.6	Procedure — Calibration of retort kit cups .....	113
J.7	Procedure — Calibration of filter press gasket and O-rings .....	113

<b>Annex K (informative) High-temperature/high-pressure filtration testing of oil-based drilling fluids using the permeability plugging apparatus and cells equipped with set-screw secured end caps .....</b>	114
K.1 Principle .....	114
K.2 Safety considerations .....	114
K.3 Apparatus — Permeability plugging apparatus (PPA) with set-screw-secured end caps .....	116
K.4 Procedure for high-temperature, high-pressure (HTHP) filtration .....	118
K.4.1 Preheating the heating jacket .....	118
K.4.2 Loading the filtration cell .....	118
K.4.3 Pressurizing the cell .....	119
K.4.4 Conducting the filtration test .....	121
K.5 Test conclusion and disassembly .....	121
K.6 Calculation — Data reporting .....	123
K.6.1 Filtrate reporting .....	123
K.6.2 Spurt loss .....	123
K.6.3 Calculation .....	123
K.6.4 Filter cake reporting .....	123
<b>Annex L (informative) High-temperature/high-pressure filtration testing of oil-based drilling fluids using the permeability plugging apparatus and cells equipped with threaded end caps .....</b>	124
L.1 Principle .....	124
L.2 Safety considerations .....	124
L.3 Apparatus — Permeability plugging apparatus (PPA) with threaded end caps .....	126
L.4 Procedure for high-temperature, high-pressure (HTHP) filtration .....	128
L.4.1 Preheating the heating jacket .....	128
L.4.2 Loading the filtration cell .....	128
L.4.3 Pressurizing the cell .....	129
L.4.4 Conducting the filtration test .....	130
L.5 Test conclusion and disassembly .....	130
L.6 Calculating — Data reporting .....	132
L.6.1 Filtrate reporting .....	132
L.6.2 Spurt loss .....	132
L.6.3 Calculation .....	132
L.6.4 Filter cake reporting .....	132
<b>Annex M (informative) Compatibility of elastomeric materials with non-aqueous-based drilling fluids .....</b>	133
M.1 Principle .....	133
M.2 Apparatus and reagents .....	134
M.2.1 Standard reference elastomers .....	134
M.2.2 Standard reference test liquids .....	134
M.3 Procedure — Test specimen preparation .....	134
M.4 Procedure — Elastomer physical changes after immersion .....	134
M.4.1 Principle .....	134
M.4.2 Summary of immersion procedure .....	135
M.4.3 Summary of change in volume procedure .....	135
M.4.4 Summary of changes in tensile strength, elongation and hardness procedures .....	136
M.5 Procedure — Effect of immersion on a stressed elastomer specimen .....	136
<b>Annex N (informative) Sand content procedure for non-aqueous fluids .....</b>	137
N.1 Principle .....	137
N.2 Apparatus .....	137
N.3 Procedure .....	137
N.4 Calculation .....	137
<b>Annex O (informative) Identification and monitoring of weight-material sag .....</b>	138
O.1 Principle .....	138
O.2 Guidelines on using sag monitoring methods .....	138
O.3 Surface monitoring of weight-material sag .....	139
O.3.1 Principle .....	139
O.3.2 Apparatus .....	140
O.3.3 Procedure .....	140
O.3.4 Calculation .....	140

O.3.5	Data reporting .....	141
O.4	Field sag monitoring based on downhole density.....	143
O.4.1	Principle .....	143
O.4.2	Measurements of downhole pressure.....	143
O.4.3	Weight-material signatures using downhole pressure tools.....	144
O.4.4	Downhole pressure changes that are not caused by weight-material sag .....	146
O.4.5	Theoretical downhole density excluding effects in O.4.4 .....	149
O.4.6	Weight-material sag events caused by drillpipe rotation only .....	149
O.5	Dynamic weight-material sag test — VSST method .....	150
O.5.1	Principle .....	150
O.5.2	Apparatus .....	151
O.5.3	Procedure.....	152
O.5.4	Calculation .....	153
O.6	Rheological measurements of drilling fluids exhibiting weight-material sag.....	154
O.6.1	Principle .....	154
O.6.2	Scope .....	154
O.6.3	Apparatus .....	154
O.6.4	Sample preparation .....	155
O.6.5	Potential rheological tests.....	155
O.6.6	Data interpretation.....	156
O.7	Field sag monitoring based on critical wall shear stress .....	158
O.7.1	Principle .....	158
O.7.2	Predictive model.....	158
O.7.3	Comparison of laboratory and field data .....	160
O.8	Additional resource literature .....	160
	Annex P (informative) Oil-based drilling fluid report form .....	161
	Bibliography.....	162