

# DIN EN ISO 19905-1:2012-11 (E)

Petroleum and natural gas industries - Site-specific assessment of mobile offshore units - Part 1: Jack-ups (ISO 19905-1:2012); English version EN ISO 19905-1:2012, only on CD-ROM

---

Inhalt	Seite
Foreword .....	8
Introduction.....	9
1 Scope .....	11
2 Normative references .....	11
3 Terms and definitions .....	12
4 Symbols and abbreviated terms .....	23
4.1 Symbols.....	23
4.2 Abbreviated terms .....	24
5 Overall considerations.....	25
5.1 General .....	25
5.1.1 Competency .....	25
5.1.2 Planning .....	25
5.1.3 Assessment situations and associated criteria .....	25
5.1.4 Reporting.....	26
5.1.5 Regulations .....	26
5.2 Assessment approach .....	26
5.3 Selection of limit states .....	28
5.4 Determination of assessment situations .....	28
5.4.1 General .....	28
5.4.2 Reaction point and foundation fixity.....	29
5.4.3 Extreme storm event approach angle .....	29
5.4.4 Weights and centre of gravity.....	29
5.4.5 Hull elevation .....	29
5.4.6 Leg length reserve.....	29
5.4.7 Adjacent structures.....	29
5.4.8 Other .....	30
5.5 Exposure levels .....	30
5.5.1 General .....	30
5.5.2 Life-safety categories.....	30
5.5.3 Consequence categories.....	31
5.5.4 Determination of exposure level.....	33
5.6 Analytical tools .....	33
6 Data to assemble for each site.....	34
6.1 Applicability .....	34
6.2 Jack-up data.....	34
6.3 Site and operational data.....	34
6.4 Metocean data.....	34
6.5 Geophysical and geotechnical data .....	35
6.6 Earthquake data.....	36
7 Actions .....	36
7.1 Applicability .....	36
7.2 General .....	36
7.3 Metocean actions .....	37
7.3.1 General .....	37
7.3.2 Hydrodynamic model.....	37

7.3.3	Wave and current actions .....	37
7.3.4	Wind actions.....	37
7.4	Functional actions .....	38
7.5	Displacement dependent effects.....	38
7.6	Dynamic effects .....	38
7.7	Earthquakes .....	38
7.8	Other actions.....	38
8	Structural modelling.....	38
8.1	Applicability.....	38
8.2	Overall considerations .....	38
8.2.1	General.....	38
8.2.2	Modelling philosophy.....	39
8.2.3	Levels of FE modelling.....	39
8.3	Modelling the leg.....	39
8.3.1	General.....	39
8.3.2	Detailed leg.....	39
8.3.3	Equivalent leg (stick model) .....	39
8.3.4	Combination of detailed and equivalent leg .....	40
8.3.5	Stiffness adjustment .....	40
8.3.6	Leg inclination.....	40
8.4	Modelling the hull .....	40
8.4.1	General.....	40
8.4.2	Detailed hull model.....	40
8.4.3	Equivalent hull model.....	40
8.5	Modelling the leg-to-hull connection .....	40
8.5.1	General.....	40
8.5.2	Guide systems .....	40
8.5.3	Elevating system.....	40
8.5.4	Fixation system.....	41
8.5.5	Shock pad – floating jacking systems.....	41
8.5.6	Jackcase and associated bracing.....	41
8.6	Modelling the spudcan and foundation.....	41
8.6.1	Spudcan structure .....	41
8.6.2	Seabed reaction point .....	41
8.6.3	Foundation modelling .....	41
8.7	Mass modelling.....	42
8.8	Application of actions .....	42
8.8.1	Assessment actions .....	42
8.8.2	Functional actions due to fixed load and variable load.....	44
8.8.3	Hull sagging .....	44
8.8.4	Metocean actions.....	44
8.8.5	Inertial actions.....	44
8.8.6	Large displacement effects .....	45
8.8.7	Conductor actions .....	45
8.8.8	Earthquake actions.....	45
9	Foundations .....	45
9.1	Applicability.....	45
9.2	General.....	45
9.3	Geotechnical analysis of independent leg foundations .....	46
9.3.1	Foundation modelling and assessment .....	46
9.3.2	Leg penetration during preloading .....	46
9.3.3	Yield interaction .....	47
9.3.4	Foundation stiffnesses .....	47
9.3.5	Vertical-horizontal foundation capacity envelopes.....	47
9.3.6	Acceptance checks .....	48
9.4	Other considerations.....	49
9.4.1	Skirted spudcans .....	49
9.4.2	Hard sloping strata .....	49
9.4.3	Footprint considerations .....	50
9.4.4	Leaning instability .....	50
9.4.5	Leg extraction difficulties .....	50

9.4.6	Cyclic mobility .....	50
9.4.7	Scour.....	50
9.4.8	Spudcan interaction with adjacent infrastructure .....	50
9.4.9	Geohazards .....	51
9.4.10	Carbonate material .....	51
10	Structural response.....	51
10.1	Applicability .....	51
10.2	General considerations.....	51
10.3	Types of analyses and associated methods .....	52
10.4	Common parameters.....	52
10.4.1	General .....	52
10.4.2	Natural periods and affecting factors.....	52
10.4.3	Damping .....	54
10.4.4	Foundations .....	54
10.4.5	Storm excitation .....	54
10.5	Storm analysis .....	54
10.5.1	General .....	54
10.5.2	Two-stage deterministic storm analysis .....	55
10.5.3	Stochastic storm analysis .....	56
10.5.4	Initial leg inclination .....	56
10.5.5	Limit state checks .....	56
10.6	Fatigue analysis.....	57
10.7	Earthquake analysis.....	57
10.8	Accidental situations .....	58
10.9	Alternative analysis methods.....	58
10.9.1	Ultimate strength analysis.....	58
10.9.2	Types of analysis.....	58
11	Long-term applications.....	58
11.1	Applicability .....	58
11.2	Assessment data .....	59
11.3	Special requirements .....	59
11.3.1	Fatigue assessment .....	59
11.3.2	Weight control .....	59
11.3.3	Corrosion protection.....	59
11.3.4	Marine growth.....	59
11.3.5	Foundations .....	59
11.4	Survey requirements.....	60
12	Structural strength .....	60
12.1	Applicability .....	60
12.1.1	General .....	60
12.1.2	Truss type legs .....	61
12.1.3	Other leg types .....	61
12.1.4	Fixation system and/or elevating system .....	61
12.1.5	Spudcan strength including connection to the leg .....	61
12.1.6	Overview of the assessment procedure .....	61
12.2	Classification of member cross-sections .....	61
12.2.1	Member types .....	61
12.2.2	Material yield strength .....	61
12.2.3	Classification definitions .....	62
12.3	Section properties of non-circular prismatic members .....	62
12.3.1	General .....	62
12.3.2	Plastic and compact sections .....	62
12.3.3	Semi-compact sections .....	63
12.3.4	Slender sections.....	63
12.3.5	Cross-section properties for the assessment.....	63
12.4	Effects of axial force on bending moment.....	63
12.5	Strength of tubular members .....	63
12.6	Strength of non-circular prismatic members .....	63
12.7	Assessment of joints .....	64
13	Acceptance criteria .....	64

13.1	Applicability.....	64
13.1.1	General.....	64
13.1.2	Ultimate limit states .....	64
13.1.3	Serviceability and accidental limit states.....	65
13.1.4	Fatigue limit states .....	65
13.2	General formulation of the assessment check.....	65
13.3	Leg strength assessment .....	66
13.4	Spudcan strength assessment.....	66
13.5	Holding system strength assessment.....	66
13.6	Hull elevation assessment.....	66
13.7	Leg length reserve assessment .....	66
13.8	Overturning stability assessment.....	67
13.9	Foundation integrity assessment .....	67
13.9.1	Foundation capacity check.....	67
13.9.2	Displacement check .....	68
13.10	Interaction with adjacent infrastructure .....	68
13.11	Temperatures .....	68
Annex A	(informative) Additional information and guidance .....	69
A.1	Scope .....	69
A.2	Normative references .....	69
A.3	Terms and definitions .....	69
A.4	Symbols .....	69
A.4.1	Symbols used in A.1.....	69
A.4.2	Symbols used in A.2.....	69
A.4.3	Symbols used in A.3.....	69
A.4.4	Symbols used in A.4.....	69
A.4.5	Symbols used in A.5.....	69
A.4.6	Symbols used in A.6.....	70
A.4.7	Symbols used in A.7.....	71
A.4.8	Symbols used in A.8.....	73
A.4.9	Symbols used in Clause A.9.....	73
A.4.10	Symbols used in A.10.....	76
A.4.11	Symbols used in A.11.....	77
A.4.12	Symbols used in A.12.....	77
A.5	Overall considerations .....	81
A.6	Data assembled for each site .....	81
A.6.1	Scope .....	81
A.6.2	Jack-up data .....	81
A.6.3	Site data .....	81
A.6.4	Metocean data.....	81
A.6.5	Geophysical and geotechnical data.....	90
A.6.6	Earthquake data .....	93
A.7	Actions.....	93
A.7.1	Applicability.....	93
A.7.2	General.....	93
A.7.3	Metocean actions.....	93
A.7.4	Functional actions .....	112
A.7.5	Displacement dependent actions.....	113
A.7.6	Dynamic effects .....	113
A.7.7	Earthquakes .....	113
A.7.8	Other actions.....	113
A.8	Structural modelling .....	113
A.8.1	Applicability.....	113
A.8.2	Overall considerations .....	113
A.8.3	Modelling the leg.....	116
A.8.4	Modelling the hull .....	120
A.8.5	Modelling the leg-to-hull connection.....	120
A.8.6	Modelling the spudcan and foundation.....	129
A.8.7	Mass modelling.....	130
A.8.8	Application of actions .....	130
A.9	Foundations .....	134

<b>A.9.1</b>	<b>Applicability</b> .....	<b>134</b>
<b>A.9.2</b>	<b>General</b> .....	<b>134</b>
<b>A.9.3</b>	<b>Geotechnical analysis of independent leg foundations</b> .....	<b>134</b>
<b>A.9.4</b>	<b>Other considerations</b> .....	<b>179</b>
<b>A.10</b>	<b>Structural response</b> .....	<b>184</b>
<b>A.10.1</b>	<b>Applicability</b> .....	<b>184</b>
<b>A.10.2</b>	<b>General considerations</b> .....	<b>184</b>
<b>A.10.3</b>	<b>Types of analyses and associated methods</b> .....	<b>184</b>
<b>A.10.4</b>	<b>Common parameters</b> .....	<b>186</b>
<b>A.10.5</b>	<b>Storm analysis</b> .....	<b>195</b>
<b>A.10.6</b>	<b>Fatigue analysis</b> .....	<b>209</b>
<b>A.10.7</b>	<b>Earthquake analysis</b> .....	<b>209</b>
<b>A.10.8</b>	<b>Accidental situations</b> .....	<b>211</b>
<b>A.10.9</b>	<b>Alternative analysis methods</b> .....	<b>211</b>
<b>A.11</b>	<b>Long-term applications</b> .....	<b>212</b>
<b>A.11.1</b>	<b>Applicability</b> .....	<b>212</b>
<b>A.11.2</b>	<b>Assessment data</b> .....	<b>212</b>
<b>A.11.3</b>	<b>Special requirements</b> .....	<b>212</b>
<b>A.11.4</b>	<b>Survey requirements</b> .....	<b>216</b>
<b>A.12</b>	<b>Structural strength</b> .....	<b>217</b>
<b>A.12.1</b>	<b>Applicability</b> .....	<b>217</b>
<b>A.12.2</b>	<b>Classification of member cross-sections</b> .....	<b>218</b>
<b>A.12.3</b>	<b>Section properties of non-circular prismatic members</b> .....	<b>226</b>
<b>A.12.4</b>	<b>Effects of axial force on bending moment</b> .....	<b>231</b>
<b>A.12.5</b>	<b>Strength of tubular members</b> .....	<b>234</b>
<b>A.12.6</b>	<b>Strength of non-circular prismatic members</b> .....	<b>239</b>
<b>A.12.7</b>	<b>Assessment of joints</b> .....	<b>251</b>
<b>A.13</b>	<b>Acceptance checks</b> .....	<b>251</b>
<b>Annex B</b>	<b>(normative) Summary of partial action and partial resistance factors</b> .....	<b>252</b>
<b>Annex C</b>	<b>(informative) Additional information on structural modelling and response analysis</b> .....	<b>254</b>
<b>C.1</b>	<b>Guidance on 8.5 — Modelling the leg-to-hull connections</b> .....	<b>254</b>
<b>C.2</b>	<b>Guidance on A.10.5.3.4 — Methods for determining the MPME</b> .....	<b>255</b>
<b>C.2.1</b>	<b>Guidance on the first method of Table A.10.5-1 — Fitting Weibull distributions to the results of a number of time domain simulations to determine responses at the required probability level and average the results</b> .....	<b>255</b>
<b>C.2.2</b>	<b>Guidance on the second method of Table A.10.5-1: Fitting Gumbel distribution to histogram of absolute maximum responses from a number of time domain simulations to determine responses at required probability level</b> .....	<b>257</b>
<b>C.2.3</b>	<b>Guidance on the third method of Table A.10.5-1 — Application of Winterstein's Hermite polynomial method to the results of time domain simulation(s)</b> .....	<b>258</b>
<b>C.2.4</b>	<b>Guidance on the fourth method of Table A.10.5-1: Application of drag-inertia method to determine the base shear and overturning moment DAF from time domain simulation</b> .....	<b>260</b>
<b>Annex D</b>	<b>(informative) Foundations — Recommendations for the acquisition of site-specific geotechnical data</b> .....	<b>264</b>
<b>Annex E</b>	<b>(informative) Foundations — Additional information and alternative approaches</b> .....	<b>270</b>
<b>E.1</b>	<b>Guidance on A.9.3.2.2: — Penetration in clays — Bearing capacity factors of Houlsby and Martin</b> .....	<b>270</b>
<b>E.2</b>	<b>Guidance on A.9.3.2.4 — Penetration in silica sands</b> .....	<b>277</b>
<b>E.3</b>	<b>Guidance on A.9.3.2.6.4 — Punch-through — Sand overlying clay — Further details on alternate methods</b> .....	<b>279</b>
<b>Annex F</b>	<b>(informative) Informative annex on Clause A.12 — Structural strength</b> .....	<b>283</b>
<b>F.1</b>	<b>Guidance on A.12.6.2.4 — Axial compressive column buckling strength</b> .....	<b>283</b>
<b>F.2</b>	<b>Guidance on A.12.6.3.2 — Interaction equation approach — Determination of <math>\eta</math></b> .....	<b>284</b>
<b>F.3</b>	<b>Guidance on A.12.6.3.3 — Interaction surface approach</b> .....	<b>285</b>
<b>Annex G</b>	<b>(informative) Contents list for typical site-specific assessment report</b> .....	<b>297</b>
<b>Annex H</b>	<b>(informative) Regional information</b> .....	<b>304</b>
<b>H.1</b>	<b>General</b> .....	<b>304</b>
<b>H.2</b>	<b>Norway</b> .....	<b>304</b>

H.2.1	Description of region.....	304
H.2.2	Regulatory framework.....	304
H.2.3	Technical requirements .....	304
H.2.4	Technical commentary.....	306
H.2.5	Additional national requirements.....	306
H.3	US Gulf of Mexico .....	306
H.3.1	Description of region.....	306
H.3.2	Regulatory framework.....	307
H.3.3	Metocean conditions .....	307
	Bibliography.....	313