

# ISO 21809-3:2016-03 (E)

## Petroleum and natural gas industries - External coatings for buried or submerged pipelines used in pipeline transportation systems - Part 3: Field joint coatings

---

<b>Contents</b>		<b>Page</b>
Foreword .....		ix
Introduction .....		x
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>4</b>
<b>4</b>	<b>Symbols and abbreviated terms .....</b>	<b>6</b>
4.1	Symbols .....	6
4.2	Abbreviated terms .....	7
<b>5</b>	<b>General requirements .....</b>	<b>8</b>
5.1	Responsibility of the end user .....	8
5.2	Rounding .....	8
5.3	Compliance, testing and quality .....	8
<b>6</b>	<b>Information to be supplied by the purchaser .....</b>	<b>8</b>
6.1	General information .....	8
6.2	Additional information .....	8
<b>7</b>	<b>Application procedures and qualification .....</b>	<b>9</b>
7.1	Application procedure specification (APS) .....	9
7.2	Coating materials .....	10
7.3	Procedure qualification trial (PQT) .....	10
7.4	Pre-production trial (PPT) .....	11
7.5	Qualification of coating and inspection personnel .....	12
7.6	Production testing and inspection .....	12
7.7	Inspection documents and traceability .....	12
<b>8</b>	<b>Classification of field joint coatings .....</b>	<b>12</b>
<b>9</b>	<b>General requirements for surface preparation, coating application, testing and repair .....</b>	<b>13</b>
9.1	Surface preparation .....	13
9.1.1	General .....	13
9.1.2	Preparation of the steel substrate .....	14
9.1.3	Preparation of the adjacent plant-applied coating .....	15
9.2	Application of the coating .....	15
9.3	Visual inspection of the applied coating .....	15
9.4	Testing of the field joint coating .....	16
9.5	Repairs .....	16
9.6	Verification, handling and storage of coating materials .....	16
<b>10</b>	<b>Hot-applied bituminous tape coatings .....</b>	<b>16</b>
10.1	Coating identification .....	16
10.2	Description of the coatings .....	16
10.3	Surface preparation .....	16
10.4	Coating application .....	16
10.4.1	General .....	16

10.4.2	Application of the primer .....	16
10.4.3	Application of the bituminous tapes .....	17
10.4.4	Overlap .....	17
10.5	Testing of the applied coatings .....	17
10.5.1	General .....	17
10.5.2	Thickness .....	17
10.5.3	Holiday detection .....	18
10.5.4	Impact resistance .....	18
10.5.5	Indentation resistance .....	18
10.5.6	Specific electrical insulation resistance .....	18
10.5.7	Cathodic disbondment .....	18
10.5.8	Peel strength to pipe surface and plant coating .....	18
10.5.9	Hot-water immersion test .....	18
10.5.10	Lap shear strength .....	18
11	Petrolatum and wax-based tape coatings .....	22
11.1	Coating identification .....	22
11.2	Description of the coatings .....	22
11.2.1	Petrolatum tapes (Type 11A) .....	22
11.2.2	Wax-based tapes (Type 11B) .....	22
11.3	Surface preparation .....	22
11.4	Coating application .....	22
11.4.1	General .....	22
11.4.2	Application of the primer .....	22
11.4.3	Application of petrolatum or wax-based tapes .....	23
11.4.4	Overlap .....	23
11.5	Testing of the applied coatings .....	23
11.5.1	General .....	23
11.5.2	Thickness .....	23
11.5.3	Holiday detection .....	23
11.5.4	Impact resistance .....	23
11.5.5	Indentation resistance .....	24
11.5.6	Specific electrical insulation resistance .....	24
11.5.7	Cathodic disbondment .....	24
11.5.8	Peel strength to pipe surface and plant coating .....	24
11.5.9	Hot-water immersion test .....	24
11.5.10	Drip resistance .....	24
12	Cold-applied polymeric tape coatings .....	26
12.1	Coating identification .....	26
12.2	Description of the coatings .....	26
12.3	Surface preparation .....	26
12.4	Coating application .....	26
12.4.1	General .....	26
12.4.2	Application of the primer .....	26
12.4.3	Application of polymeric tapes .....	26
12.4.4	Overlap .....	27
12.5	Testing of the applied coatings .....	27
12.5.1	General .....	27
12.5.2	Thickness .....	27
12.5.3	Holiday detection .....	27
12.5.4	Impact resistance .....	27
12.5.5	Indentation resistance .....	27
12.5.6	Cathodic disbondment .....	28
12.5.7	Peel strength between tape layers of polymeric tapes .....	28
12.5.8	Peel strength to pipe surface and plant coating .....	28
12.5.9	Hot-water immersion test .....	28
12.5.10	Lap shear strength .....	28
12.5.11	Thermal ageing resistance .....	28
13	Non-crystallinelow-viscositypolyolefinbasedcoatings .....	29

13.1	Coating identification .....	29
13.2	Description of the coatings .....	30
13.3	Surface preparation .....	30
13.4	Application of the coatings .....	31
13.4.1	General .....	31
13.4.2	Overlap .....	31
13.5	Testing of the applied coating .....	31
13.5.1	General .....	31
13.5.2	Thickness .....	31
13.5.3	Holiday detection .....	31
13.5.4	Impact resistance .....	32
13.5.5	Indentation resistance .....	32
13.5.6	Specific electrical insulation resistance .....	32
13.5.7	Cathodic disbondment resistance .....	32
13.5.8	Peel strength between layers of outer wrap .....	32
13.5.9	Adhesion to pipe surface and plant coating .....	32
13.5.10	Thermal ageing resistance .....	33
13.5.11	Resistance to lap shear .....	33
13.5.12	Hot-water immersion test .....	33
13.5.13	Glass transition and crystallization temperatures .....	33
13.5.14	Drip resistance .....	33
14	Coatings based on heat-shrinkable materials .....	37
14.1	Coating identification .....	37
14.2	Description of the coatings .....	37
14.2.1	General .....	37
14.2.2	Type 14A .....	37
14.2.3	Types 14B, 14C and 14D .....	37
14.3	Surface preparation .....	38
14.4	Application of the coatings .....	38
14.4.1	General .....	38
14.4.2	Application of the primer .....	38
14.4.3	Application of heat-shrinkable materials .....	38
14.4.4	Overlap .....	39
14.5	Testing of the applied coatings .....	39
14.5.1	General .....	39
14.5.2	Thickness .....	39
14.5.3	Holiday detection .....	39
14.5.4	Peel strength .....	40
14.5.5	Cathodic disbondment .....	40
14.5.6	Hot-water immersion test .....	40
14.5.7	Impact resistance .....	40
14.5.8	Indentation resistance .....	40
14.5.9	Lap shear strength .....	40
14.5.10	Thermal ageing resistance and thermal stability .....	40
14.5.11	Bursting strength .....	40
14.5.12	Oxidation induction time .....	41
15	Hot-applied microcrystalline wax coatings .....	45
15.1	Coating identification .....	45
15.2	Description of the coating .....	45
15.3	Surface preparation .....	45
15.4	Application of the coating .....	45
15.4.1	General .....	45
15.4.2	Application of the microcrystalline wax .....	45
15.4.3	Application of the outer wrap .....	46
15.4.4	Application of wax top coat .....	46
15.5	Testing of the applied coatings .....	46
15.5.1	General .....	46
15.5.2	Thickness .....	46
15.5.3	Holiday detection .....	46
15.5.4	Adhesion .....	46

15.5.5	Hardness .....	46
16	Elastomeric coatings .....	48
16.1	Coating identification .....	48
16.2	Description of the coatings .....	48
16.3	Surface preparation .....	48
16.4	Application of the coatings .....	48
16.4.1	General .....	48
16.4.2	In situ vulcanization method .....	48
16.4.3	Ambient-cure adhesive method .....	49
16.5	Testing of the applied coatings .....	49
16.5.1	General .....	49
16.5.2	Visual appearance .....	49
16.5.3	Coating thickness .....	49
16.5.4	Holiday detection .....	49
16.5.5	Hardness .....	49
16.5.6	Adhesion .....	49
16.5.7	Hot-water immersion test .....	50
16.5.8	Cathodic disbondment .....	50
16.5.9	Density .....	50
16.5.10	Rheometer curve -- Oscillating disc .....	50
16.5.11	Tensile strength .....	50
16.5.12	Elongation at break .....	50
16.5.13	Tear strength .....	50
16.5.14	Electrical volume resistivity .....	50
16.5.15	Ozone resistance .....	51
16.5.16	Resistance to seawater .....	51
17	Fusion-bonded epoxy (FBE) powder coatings .....	53
17.1	Coating identification .....	53
17.2	Description of the coatings .....	53
17.3	Surface preparation .....	53
17.4	Application of the coatings .....	54
17.4.1	General .....	54
17.4.2	Transport and storage of epoxy powder .....	54
17.4.3	Heating .....	54
17.4.4	Application of epoxy powder .....	54
17.5	Testing of the applied coatings .....	55
17.5.1	General .....	55
17.5.2	Visual appearance .....	55
17.5.3	Thickness .....	55
17.5.4	Holiday detection .....	55
17.5.5	Adhesion .....	55
17.5.6	Degree of cure .....	55
17.5.7	Impact resistance .....	55
17.5.8	Cathodic disbondment .....	55
17.5.9	Hot-water immersion test .....	56
17.5.10	Flexibility .....	56
18	Liquid-applied coatings .....	56
18.1	Coating identification .....	56
18.2	Description of the coatings .....	56
18.2.1	Liquid epoxy -- 18A .....	56
18.2.2	Liquid polyurethane -- 18B .....	56
18.2.3	Fibre reinforced epoxy -- 18C .....	56
18.2.4	Fibre reinforced vinyl ester -- 18D .....	56
18.2.5	Cast polyurethane -- 18E .....	57
18.3	Surface preparation .....	57
18.4	Application of the coatings .....	57
18.4.1	General .....	57
18.4.2	Heating .....	57
18.4.3	Liquid coatings application .....	57

18.5	Testing of the applied coatings .....	58
18.5.1	General .....	58
18.5.2	Thickness .....	58
18.5.3	Holiday detection .....	58
18.5.4	Adhesion .....	58
18.5.5	Impact resistance .....	58
18.5.6	Hardness .....	58
18.5.7	Cathodic disbondment .....	58
18.5.8	Hot-water immersion test .....	59
18.5.9	Flexibility .....	59
18.5.10	Indentation resistance .....	59
18.5.11	Specific electrical insulation resistance .....	59
18.5.12	Compressive strength .....	59
18.5.13	Electrical volume resistivity .....	59
18.5.14	Water absorption .....	59
19	Hot-applied polyolefin-based coatings .....	62
19.1	Coating identification .....	62
19.2	Description of the coatings .....	62
19.2.1	Flame-sprayed polypropylene -- Type 19A .....	62
19.2.2	Hot-applied polypropylene tapes/sheets -- Type 19B .....	62
19.2.3	Injection-moulded polypropylene -- Type 19C .....	63
19.2.4	Flame-sprayed polyethylene -- Type 19D .....	63
19.2.5	Hot-applied polyethylene tapes/sheets -- Type 19E .....	63
19.2.6	Thickness of the epoxy primer .....	63
19.3	Surface preparation .....	64
19.4	Application of the coating .....	64
19.4.1	General .....	64
19.4.2	Heating .....	64
19.4.3	Application of the epoxy layer .....	64
19.4.4	Application of the chemically modified PP or PE .....	65
19.4.5	Application of the polyolefin top coat .....	65
19.5	Testing of the applied coatings .....	65
19.5.1	General .....	65
19.5.2	Thickness .....	66
19.5.3	Holiday detection .....	66
19.5.4	Peel strength .....	66
19.5.5	Adhesion to plant coating .....	66
19.5.6	Hot-water immersion test .....	66
19.5.7	Degree of cure .....	66
19.5.8	Cathodic disbondment .....	66
19.5.9	Impact resistance .....	67
19.5.10	Indentation resistance .....	67
19.5.11	Oxidation induction time .....	67
19.5.12	Flexibility .....	67
20	Thermal spray aluminium (TSA) coatings .....	70
20.1	Coating identification .....	70
20.2	Description of the coating .....	70
20.3	Qualification .....	70
20.4	Surface preparation .....	71
20.5	Application of the coating .....	71
20.5.1	General .....	71
20.5.2	Aluminium .....	71
20.5.3	Sealer .....	71
20.6	Testing of the applied coating .....	71
20.6.1	General .....	71
20.6.2	Visual inspection .....	72
20.6.3	TSA porosity .....	72
20.6.4	Coating thickness .....	72
20.6.5	Bend test .....	72
20.6.6	Pull-off adhesion test .....	72

<b>20.6.7</b>	<b>Sealer penetration .....</b>	<b>72</b>
<b>Annex A (normative)</b>	<b>Test programmes for procedure qualification trials (PQT), pre- production trials (PPT) or production testing .....</b>	<b>74</b>
<b>Annex B (normative)</b>	<b>Inspection of thickness .....</b>	<b>79</b>
<b>Annex C (normative)</b>	<b>Holiday detection test .....</b>	<b>80</b>
<b>Annex D (normative)</b>	<b>Impact test .....</b>	<b>81</b>
<b>Annex E (normative)</b>	<b>Indentation test .....</b>	<b>83</b>
<b>Annex F (normative)</b>	<b>Specific electrical insulation resistance .....</b>	<b>85</b>
<b>Annex G (normative)</b>	<b>Cathodic disbondment test .....</b>	<b>87</b>
<b>Annex H (normative)</b>	<b>Peel strength test .....</b>	<b>93</b>
<b>Annex I (normative)</b>	<b>Hot water immersion test .....</b>	<b>99</b>
<b>Annex J (normative)</b>	<b>Lap shear strength .....</b>	<b>102</b>
<b>Annex K (normative)</b>	<b>Drip resistance .....</b>	<b>105</b>
<b>Annex L (normative)</b>	<b>Peel strength between layers .....</b>	<b>106</b>
<b>Annex M (normative)</b>	<b>Thermal ageing resistance .....</b>	<b>109</b>
<b>Annex N (normative)</b>	<b>Thermal stability test (Hot air ageing) .....</b>	<b>114</b>
<b>Annex O (normative)</b>	<b>Bursting strength of reinforced backing .....</b>	<b>115</b>
<b>Annex P (normative)</b>	<b>Thermal analysis of epoxy power and cured coating film (FBE) .....</b>	<b>116</b>
<b>Annex Q (normative)</b>	<b>Adhesion test -- Resistance to removal .....</b>	<b>120</b>
<b>Bibliography .....</b>		<b>122</b>