

DIN EN ISO 21809-3:2016-08 (E)

Petroleum and natural gas industries - External coatings for buried or submerged pipelines used in pipeline transportation systems - Part 3: Field joint coatings (ISO 21809-3:2016); English version EN ISO 21809-3:2016

Contents	Page
Foreword	ix
Introduction	x
1 Scope	1
2 Normative references	1
3 Terms and definitions	4
4 Symbols and abbreviated terms	6
4.1 Symbols.....	6
4.2 Abbreviated terms.....	7
5 General requirements	8
5.1 Responsibility of the end user.....	8
5.2 Rounding.....	8
5.3 Compliance, testing and quality.....	8
6 Information to be supplied by the purchaser	8
6.1 General information.....	8
6.2 Additional information.....	8
7 Application procedures and qualification	9
7.1 Application procedure specification (APS).....	9
7.2 Coating materials.....	10
7.3 Procedure qualification trial (PQT).....	10
7.4 Pre-production trial (PPT).....	11
7.5 Qualification of coating and inspection personnel.....	12
7.6 Production testing and inspection.....	12
7.7 Inspection documents and traceability.....	12
8 Classification of field joint coatings	12
9 General requirements for surface preparation, coating application, testing and repair	13
9.1 Surface preparation.....	13
9.1.1 General.....	13
9.1.2 Preparation of the steel substrate.....	14
9.1.3 Preparation of the adjacent plant-applied coating.....	15
9.2 Application of the coating.....	15
9.3 Visual inspection of the applied coating.....	15
9.4 Testing of the field joint coating.....	16
9.5 Repairs.....	16
9.6 Verification, handling and storage of coating materials.....	16
10 Hot-applied bituminous tape coatings	16
10.1 Coating identification.....	16
10.2 Description of the coatings.....	16
10.3 Surface preparation.....	16
10.4 Coating application.....	16
10.4.1 General.....	16
10.4.2 Application of the primer.....	16
10.4.3 Application of the bituminous tapes.....	17
10.4.4 Overlap.....	17

10.5	Testing of the applied coatings.....	17
10.5.1	General.....	17
10.5.2	Thickness.....	17
10.5.3	Holiday detection.....	18
10.5.4	Impact resistance.....	18
10.5.5	Indentation resistance.....	18
10.5.6	Specific electrical insulation resistance.....	18
10.5.7	Cathodic disbondment.....	18
10.5.8	Peel strength to pipe surface and plant coating.....	18
10.5.9	Hot-water immersion test.....	18
10.5.10	Lap shear strength.....	18
11	Petrolatum and wax-based tape coatings.....	22
11.1	Coating identification.....	22
11.2	Description of the coatings.....	22
11.2.1	Petrolatum tapes (Type 11A).....	22
11.2.2	Wax-based tapes (Type 11B).....	22
11.3	Surface preparation.....	22
11.4	Coating application.....	22
11.4.1	General.....	22
11.4.2	Application of the primer.....	22
11.4.3	Application of petrolatum or wax-based tapes.....	23
11.4.4	Overlap.....	23
11.5	Testing of the applied coatings.....	23
11.5.1	General.....	23
11.5.2	Thickness.....	23
11.5.3	Holiday detection.....	23
11.5.4	Impact resistance.....	23
11.5.5	Indentation resistance.....	24
11.5.6	Specific electrical insulation resistance.....	24
11.5.7	Cathodic disbondment.....	24
11.5.8	Peel strength to pipe surface and plant coating.....	24
11.5.9	Hot-water immersion test.....	24
11.5.10	Drip resistance.....	24
12	Cold-applied polymeric tape coatings.....	26
12.1	Coating identification.....	26
12.2	Description of the coatings.....	26
12.3	Surface preparation.....	26
12.4	Coating application.....	26
12.4.1	General.....	26
12.4.2	Application of the primer.....	26
12.4.3	Application of polymeric tapes.....	26
12.4.4	Overlap.....	27
12.5	Testing of the applied coatings.....	27
12.5.1	General.....	27
12.5.2	Thickness.....	27
12.5.3	Holiday detection.....	27
12.5.4	Impact resistance.....	27
12.5.5	Indentation resistance.....	27
12.5.6	Cathodic disbondment.....	28
12.5.7	Peel strength between tape layers of polymeric tapes.....	28
12.5.8	Peel strength to pipe surface and plant coating.....	28
12.5.9	Hot-water immersion test.....	28
12.5.10	Lap shear strength.....	28
12.5.11	Thermal ageing resistance.....	28

13	Non-crystalline low-viscosity polyolefin based coatings	29
13.1	Coating identification	29
13.2	Description of the coatings	30
13.3	Surface preparation	30
13.4	Application of the coatings	31
13.4.1	General	31
13.4.2	Overlap	31
13.5	Testing of the applied coating	31
13.5.1	General	31
13.5.2	Thickness	31
13.5.3	Holiday detection	31
13.5.4	Impact resistance	32
13.5.5	Indentation resistance	32
13.5.6	Specific electrical insulation resistance	32
13.5.7	Cathodic disbondment resistance	32
13.5.8	Peel strength between layers of outer wrap	32
13.5.9	Adhesion to pipe surface and plant coating	32
13.5.10	Thermal ageing resistance	33
13.5.11	Resistance to lap shear	33
13.5.12	Hot-water immersion test	33
13.5.13	Glass transition and crystallization temperatures	33
13.5.14	Drip resistance	33
14	Coatings based on heat-shrinkable materials	37
14.1	Coating identification	37
14.2	Description of the coatings	37
14.2.1	General	37
14.2.2	Type 14A	37
14.2.3	Types 14B, 14C and 14D	37
14.3	Surface preparation	38
14.4	Application of the coatings	38
14.4.1	General	38
14.4.2	Application of the primer	38
14.4.3	Application of heat-shrinkable materials	38
14.4.4	Overlap	39
14.5	Testing of the applied coatings	39
14.5.1	General	39
14.5.2	Thickness	39
14.5.3	Holiday detection	39
14.5.4	Peel strength	40
14.5.5	Cathodic disbondment	40
14.5.6	Hot-water immersion test	40
14.5.7	Impact resistance	40
14.5.8	Indentation resistance	40
14.5.9	Lap shear strength	40
14.5.10	Thermal ageing resistance and thermal stability	40
14.5.11	Bursting strength	40
14.5.12	Oxidation induction time	41
15	Hot-applied microcrystalline wax coatings	45
15.1	Coating identification	45
15.2	Description of the coating	45
15.3	Surface preparation	45
15.4	Application of the coating	45
15.4.1	General	45
15.4.2	Application of the microcrystalline wax	45
15.4.3	Application of the outer wrap	46
15.4.4	Application of wax top coat	46

15.5	Testing of the applied coatings.....	46
15.5.1	General.....	46
15.5.2	Thickness.....	46
15.5.3	Holiday detection	46
15.5.4	Adhesion	46
15.5.5	Hardness.....	46
16	Elastomeric coatings	48
16.1	Coating identification.....	48
16.2	Description of the coatings.....	48
16.3	Surface preparation	48
16.4	Application of the coatings	48
16.4.1	General.....	48
16.4.2	<i>In situ</i> vulcanization method.....	48
16.4.3	Ambient-cure adhesive method.....	49
16.5	Testing of the applied coatings.....	49
16.5.1	General.....	49
16.5.2	Visual appearance.....	49
16.5.3	Coating thickness	49
16.5.4	Holiday detection	49
16.5.5	Hardness.....	49
16.5.6	Adhesion	49
16.5.7	Hot-water immersion test	50
16.5.8	Cathodic disbondment.....	50
16.5.9	Density.....	50
16.5.10	Rheometer curve — Oscillating disc.....	50
16.5.11	Tensile strength	50
16.5.12	Elongation at break.....	50
16.5.13	Tear strength.....	50
16.5.14	Electrical volume resistivity.....	50
16.5.15	Ozone resistance	51
16.5.16	Resistance to seawater	51
17	Fusion-bonded epoxy (FBE) powder coatings	53
17.1	Coating identification.....	53
17.2	Description of the coatings.....	53
17.3	Surface preparation	53
17.4	Application of the coatings	54
17.4.1	General.....	54
17.4.2	Transport and storage of epoxy powder.....	54
17.4.3	Heating.....	54
17.4.4	Application of epoxy powder	54
17.5	Testing of the applied coatings.....	55
17.5.1	General.....	55
17.5.2	Visual appearance.....	55
17.5.3	Thickness.....	55
17.5.4	Holiday detection	55
17.5.5	Adhesion	55
17.5.6	Degree of cure	55
17.5.7	Impact resistance	55
17.5.8	Cathodic disbondment.....	55
17.5.9	Hot-water immersion test.....	56
17.5.10	Flexibility.....	56

18	Liquid-applied coatings	56
18.1	Coating identification.....	56
18.2	Description of the coatings.....	56
18.2.1	Liquid epoxy — 18A.....	56
18.2.2	Liquid polyurethane — 18B.....	56
18.2.3	Fibre reinforced epoxy — 18C.....	56
18.2.4	Fibre reinforced vinyl ester — 18D.....	56
18.2.5	Cast polyurethane — 18E.....	57
18.3	Surface preparation.....	57
18.4	Application of the coatings.....	57
18.4.1	General.....	57
18.4.2	Heating.....	57
18.4.3	Liquid coatings application.....	57
18.5	Testing of the applied coatings.....	58
18.5.1	General.....	58
18.5.2	Thickness.....	58
18.5.3	Holiday detection.....	58
18.5.4	Adhesion.....	58
18.5.5	Impact resistance.....	58
18.5.6	Hardness.....	58
18.5.7	Cathodic disbondment.....	58
18.5.8	Hot-water immersion test.....	59
18.5.9	Flexibility.....	59
18.5.10	Indentation resistance.....	59
18.5.11	Specific electrical insulation resistance.....	59
18.5.12	Compressive strength.....	59
18.5.13	Electrical volume resistivity.....	59
18.5.14	Water absorption.....	59
19	Hot-applied polyolefin-based coatings	62
19.1	Coating identification.....	62
19.2	Description of the coatings.....	62
19.2.1	Flame-sprayed polypropylene — Type 19A.....	62
19.2.2	Hot-applied polypropylene tapes/sheets — Type 19B.....	62
19.2.3	Injection-moulded polypropylene — Type 19C.....	63
19.2.4	Flame-sprayed polyethylene — Type 19D.....	63
19.2.5	Hot-applied polyethylene tapes/sheets — Type 19E.....	63
19.2.6	Thickness of the epoxy primer.....	63
19.3	Surface preparation.....	64
19.4	Application of the coating.....	64
19.4.1	General.....	64
19.4.2	Heating.....	64
19.4.3	Application of the epoxy layer.....	64
19.4.4	Application of the chemically modified PP or PE.....	65
19.4.5	Application of the polyolefin top coat.....	65
19.5	Testing of the applied coatings.....	65
19.5.1	General.....	65
19.5.2	Thickness.....	66
19.5.3	Holiday detection.....	66
19.5.4	Peel strength.....	66
19.5.5	Adhesion to plant coating.....	66
19.5.6	Hot-water immersion test.....	66
19.5.7	Degree of cure.....	66
19.5.8	Cathodic disbondment.....	66
19.5.9	Impact resistance.....	67
19.5.10	Indentation resistance.....	67
19.5.11	Oxidation induction time.....	67
19.5.12	Flexibility.....	67

20	Thermal spray aluminium (TSA) coatings	70
20.1	Coating identification.....	70
20.2	Description of the coating.....	70
20.3	Qualification.....	70
20.4	Surface preparation.....	71
20.5	Application of the coating.....	71
20.5.1	General.....	71
20.5.2	Aluminium.....	71
20.5.3	Sealer.....	71
20.6	Testing of the applied coating.....	71
20.6.1	General.....	71
20.6.2	Visual inspection.....	72
20.6.3	TSA porosity.....	72
20.6.4	Coating thickness.....	72
20.6.5	Bend test.....	72
20.6.6	Pull-off adhesion test.....	72
20.6.7	Sealer penetration.....	72
Annex A (normative) Test programmes for procedure qualification trials (PQT), pre-production trials (PPT) or production testing		74
Annex B (normative) Inspection of thickness		79
Annex C (normative) Holiday detection test		80
Annex D (normative) Impact test		81
Annex E (normative) Indentation test		83
Annex F (normative) Specific electrical insulation resistance		85
Annex G (normative) Cathodic disbondment test		87
Annex H (normative) Peel strength test		93
Annex I (normative) Hot water immersion test		99
Annex J (normative) Lap shear strength		102
Annex K (normative) Drip resistance		105
Annex L (normative) Peel strength between layers		106
Annex M (normative) Thermal ageing resistance		109
Annex N (normative) Thermal stability test (Hot air ageing)		114
Annex O (normative) Bursting strength of reinforced backing		115
Annex P (normative) Thermal analysis of epoxy powder and cured coating film (FBE)		116
Annex Q (normative) Adhesion test — Resistance to removal		120
Bibliography		122