ISO 19904-1:2019 (E)

Petroleum and natural gas industries — Floating offshore structures — Part 1: Ship-shaped, semi-submersible, spar and shallow-draught cylindrical structures

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

4 Symbols and abbreviated terms

4.1 Symbols
4.2 Abbreviated terms

5 Overall considerations

5.1 General
5.2 Safety requirements
5.3 Planning requirements
5.3.1 General
5.3.2 Exposure level
5.3.3 Basis of design
5.3.4 Design practices
5.3.5 Inspection and maintenance philosophy
5.3.6 Documentation
5.3.7 Extreme weather preparedness
5.3.8 Disconnectable floating platforms
5.4 Additional standards and specifications
5.4.1 General
5.4.2 Use for project application
5.5 General requirements
5.5.1 Functional requirements
5.5.2 Structural design philosophy
5.5.3 Design criteria
5.5.4 Hydrostatic stability and compartmentation
5.5.5 Weight control
5.5.6 Global response
5.5.7 Stationkeeping
5.5.8 Materials
5.5.9 Topsides layout — safety considerations
5.6 Independent verification
5.7 Analytical tools
5.8 In-service inspection and maintenance
5.9 Assessment, re#use and life extension

6 Basic design requirements

6.1 General
6.2 Limit states
6.2.1 General
6.2.2 Limit states for floating structures
6.3 Design situations
6.3.1 General
6.3.2 ULS situations

6.3.3 SLS situations
6.3.4 FLS situations
6.3.5 ALS situations
6.3.6 Temporary phases

7 Actions and action effects

7.1 General
7.2 Permanent actions (G)
7.3 Variable actions (Q)
7.4 Environmental actions (Ee)
7.4.1 General
7.4.2 Environmental site-specific data
7.4.3 Wind actions
7.4.3.1 General
7.4.3.2 Mean wind action
7.4.3.3 Dynamic wind actions
7.4.3.4 Wind-induced instability
7.4.4 Current actions
7.4.5 Wave actions
7.4.5.1 General
7.4.5.2 Actions on large-volume bodies
7.4.5.3 Actions on slender components
7.4.5.4 Slamming on slender components
7.4.5.5 Higher-order non-linear wave actions
7.4.5.6 Wave enhancement effects
7.4.5.7 Shallow water effects
7.4.5.8 Slamming and green water actions
7.4.6 Vortex-induced vibrations and motions
7.4.7 Direct ice action
7.4.8 Temperature effects
7.4.9 Tidal effects
7.4.10 Geotechnical hazards
7.5 Accidental actions (A)
7.5.1 General
7.5.2 Collision
7.5.3 Dropped objects
7.5.4 Fire and blast
7.6 Other actions
7.6.1 Stationkeeping actions
7.6.2 Sloshing actions
7.7 Repetitive actions
7.8 Action combinations

8 Global analysis

8.1 General
8.2 Static and mean response analyses
8.2.1 General
8.2.2 Static equilibrium in still-water condition
8.2.3 Mean response analysis
8.3 Global dynamic behaviour
8.3.1 General
8.3.2 Analysis models
8.3.3 Mass
8.3.4 Damping
8.3.5 Stiffness
8.3.6 Action classification
8.3.7 Turret moored systems
8.4 Frequency domain analysis
8.5 Time domain analysis
8.6 Uncoupled analysis
8.7 Coupled analysis
8.8 Resonant excitation and response
8.9 Platform offset
8.10 Air gap and wave crest assessment

8.10.1 Air gap
8.10.2 Wave crest effects
8.11 Platform motions and accelerations
8.12 Model tests
8.13 Structural analysis
8.13.1 General
8.13.2 Short-term response analysis
8.13.3 Long-term response analysis
8.13.4 Design wave analysis

9 Structural modelling, analysis and design

9.1 General
9.2 Representative values of actions
9.2.1 General
9.2.2 Representative values of actions for operating phases
9.2.3 Representative values of actions for temporary phases
9.2.4 Actions at interfaces
9.3 Scantlings
9.4 Modelling
9.4.1 General
9.4.2 Global models
9.4.3 Local models
9.4.4 Response evaluation
9.4.5 Model verification
9.5 Structural analysis
9.5.1 General principles
9.5.2 Linear analysis
9.5.3 Non-linear analysis
9.5.3.1 General
9.5.3.2 ULS analysis
9.5.3.3 ALS analysis
9.5.4 Vibration analysis
9.6 Structural strength
9.6.1 Representative strength values
9.6.2 Yield strength
9.6.3 Buckling strength
9.7 Design verification
9.7.1 General
9.7.2 SLS deflection limits
9.7.3 Partial factor design format
9.7.3.1 General
9.7.3.2 Partial action factors
9.7.3.3 Partial resistance and material factors
9.7.4 Working stress design format
9.7.4.1 General
9.7.4.2 Action combination factors
9.7.4.3 Acceptable safety factors and allowable utilization factors
9.7.5 Reliability-based methods
9.8 Special design issues
9.8.1 General
9.8.2 Slamming
9.8.3 Green water
9.8.4 Sloshing
9.8.5 Wave impact on deck
9.8.6 Local structure and components
9.9 Materials
9.9.1 General
9.9.2 Material selection
9.9.3 Through-thickness tension
9.9.4 Aluminium substructures
9.9.5 Cement grout
9.9.6 Elastomeric material
9.10 Corrosion protection of steel
9.10.1 General

9.10.2 Electrical bonding and isolation
9.11 Fabrication and construction
9.11.1 General
9.11.2 Inspection and testing during fabrication and construction
9.11.3 Fabrication details
9.11.4 Welding
9.12 Marine operations
9.13 Topsides/hull interface

10 Fatigue analysis and design

10.1 General
10.2 Fatigue damage factors
10.3 Outline of approach
10.4 Metocean data for fatigue
10.5 Structural modelling
10.6 Hydrostatic analyses
10.7 Response amplitude operators and combinations of actions
10.8 Stresses and SCFs
10.9 Stress range counting and distribution
10.10 Fatigue resistance
10.11 Damage accumulation
10.12 Fracture mechanics methods
10.13 Fatigue-sensitive components and connections

11 Ship-shaped structures

11.1 General
11.2 General design criteria
11.2.1 Collision protection
11.2.2 Deckhouse requirements
11.2.3 Sloshing
11.2.4 Green water
11.3 Structural strength
11.3.1 General
11.3.2 Scantlings
11.3.3 ULS-a and ULS-b longitudinal strength design verification
11.3.3.1 General
11.3.3.2 Partial factor design format
11.3.3.3 Working stress design format
11.3.4 Local strength and details
11.3.5 Topsides structural support
11.3.6 Load monitoring

12 Semi-submersibles

12.1 General
12.2 General design criteria
12.2.1 General
12.2.2 Limitations
12.2.3 Damage tolerance
12.3 Structural strength
12.3.1 Critical connections
12.3.2 Structural detailing

13 Spars

13.1 General
13.2 General design requirements
13.2.1 Model testing
13.2.2 Static equilibrium position
13.2.3 Global action effects
13.2.4 Local action effects
13.3 Structural strength
13.3.1 Critical interfaces
13.3.2 Fatigue
13.3.3 Structural details

14 Shallow-draught cylindrical structures

14.1 General
14.2 General design criteria
14.2.1 Collision protection
14.2.2 Deckhouse requirements
14.2.3 Global response
14.2.4 Local action effects
14.2.5 Model testing
14.2.6 Temporary phases
14.2.6.1 General
14.2.6.2 Fabrication site activities
14.2.6.3 Transit/transport conditions
14.2.7 In-service conditions
14.2.7.1 ULS
14.2.7.2 ALS
14.3 Structural strength
14.3.1 Global strength
14.3.2 Local strength
14.3.3 Capacity verification
14.3.4 Fatigue
14.4 Damage stability

15 Conversion and re-use

15.1 General
15.2 Minimum design, construction and maintenance standards
15.3 Pre-conversion structural survey
15.4 Effects of prior service
15.4.1 General
15.4.2 Ship-shaped structures
15.4.3 Semi-submersibles
15.4.4 Fatigue damage from prior service
15.4.5 Repair of defects, dents, pitting, grooving and cracks
15.5 Corrosion protection and material suitability
15.5.1 Corrosion protection
15.5.2 Material suitability
15.6 Addition of new components
15.7 Inspection and maintenance

16 Stability, watertight integrity and compartmentation

16.1 General
16.2 Inclining test
16.3 Compartmentation
16.4 Watertight and weathertight appliances
16.5 Damage stability

17 Mechanical systems

17.1 General
17.2 Hull systems
17.2.1 General
17.2.2 Bilge system
17.2.2.1 General
17.2.2.2 Arrangement
17.2.2.3 Valves
17.2.2.4 Pumps
17.2.2.5 Piping
17.2.2.6 Chain lockers
17.2.2.7 Void compartments
17.2.2.8 Bilge suction from hazardous areas
17.2.2.9 Special considerations for semi-submersibles
17.2.2.10 Special considerations for spars
17.2.3 Ballast system
17.2.3.1 General
17.2.3.2 Arrangement

17.2.3.3 Valves
17.2.3.4 Piping
17.2.3.5 Special considerations for semi-submersibles
17.2.3.6 Special considerations for spars
17.2.4 Tank sounding and venting system
17.2.5 Cargo handling system
17.2.5.1 General
17.2.5.2 Atmospheric tanks
17.2.5.3 Water displaced tanks
17.2.5.4 Arrangement
17.2.5.5 Pumps
17.2.6 Inert gas system
17.2.6.1 General
17.2.6.2 Piping system
17.2.7 Crude oil washing system
17.2.8 Production vent/flare systems
17.2.9 Electrical systems
17.3 Import and export systems
17.3.1 General
17.3.2 Riser functions
17.3.3 Export systems
17.3.3.1 General
17.3.3.2 Pipeline export
17.3.3.3 Tanker export
17.3.3.3.1 General
17.3.3.3.2 Tanker stationkeeping systems
17.3.3.3.3 Alongside transfer
17.3.3.3.4 Tandem transfer
17.3.3.3.5 Direct transfer
17.3.4 Material handling
17.3.5 Lifting appliances
17.4 Fire protection systems
17.4.1 General
17.4.2 Structural fire protection systems
17.4.3 Firewater systems
17.4.4 Fixed fire-extinguishing systems
17.4.5 Alarms

18 Stationkeeping systems

18.1 General
18.2 Mooring equipment
18.2.1 Winches
18.2.2 Fairleads and chain stoppers
18.2.3 Monitoring and control equipment
18.3 Turret
18.3.1 General
18.3.2 Turret structure
18.3.3 Bearing system
18.3.3.1 General
18.3.3.2 Forces on the bearing system
18.3.3.3 Alternative bearing designs
18.3.3.4 Inspection, maintenance and repair
18.3.4 Turning and locking systems
18.4 Disconnectable structures
18.4.1 General
18.4.2 Categorization
18.4.3 Threshold events
18.4.4 Operational mode
18.4.5 Connected mode
18.4.5.1 General
18.4.5.2 Design criteria
18.4.6 Disconnected mode

19 In-service inspection, monitoring and maintenance

19.1 General
19.2 Structural integrity management system philosophies
19.2.1 General
19.2.2 Database development and data acquisition
19.2.3 Evaluation
19.2.4 Planning
19.2.5 Implementation
19.3 Planning considerations
19.3.1 General
19.3.2 Inspection categories
19.3.2.1 General
19.3.2.2 Scheduled inspections
19.3.2.3 Unscheduled inspections
19.4 Implementation issues
19.4.1 Personnel qualifications
19.4.2 Equipment certification
19.4.3 Inspection programmes
19.4.4 Preparations for inspections
19.4.4.1 Access
19.4.4.2 Cleaning
19.4.5 Inspection results and actions
19.4.6 Maintenance programmes
19.4.7 Monitoring programmes
19.5 Minimum requirements
19.5.1 General
19.5.2 Minimum inspection requirements for main structure
19.5.2.1 General
19.5.2.2 General visual inspection (GVI)
19.5.2.3 Close-up visual inspection (CVI)
19.5.2.4 Thickness measurements (TM)
19.5.2.5 Weld inspections (WI)
19.5.2.6 Cathodic protection (CP) system inspection
19.5.3 Minimum inspection requirements for structural and non-structural attachments
19.5.4 Inspection results and actions
19.5.5 Tank testing and watertightness

20 Assessment of existing floating structures

20.1 General
20.2 Assessment procedures
20.2.1 Scope of assessment
20.2.2 Assessment conditions
20.2.3 Assessment procedure
20.2.4 Acceptance criteria
20.3 Mitigation

21 Other hulls

21.1 General
21.2 Structural steel design
21.3 Stability and watertight integrity

Annex A (informative) Additional information and guidance

A.1 Scope
A.2 Normative references
A.3 Terms and definitions
A.4 Symbols and abbreviated terms
A.5 Overall considerations
A.5.1 General
A.5.2 Safety requirements
A.5.3 Planning requirements
A.5.3.1 General
A.5.3.2 Exposure level
A.5.3.3 Basis of design
A.5.3.4 Design practices
A.5.3.5 Inspection and maintenance philosophy

A.5.3.6 Documentation
A.5.3.7 Extreme weather preparedness
A.5.3.8 Disconnectable floating platforms
A.5.4 Additional standards and specifications
A.5.5 General requirements
A.5.5.1 General
A.5.5.2 Structural design philosophy
A.5.5.3 Design criteria
A.5.5.4 Hydrostatic stability and compartmentation
A.5.5.5 Weight control
A.5.5.6 Global response
A.5.5.7 Stationkeeping
A.5.5.8 Materials
A.5.5.9 Topsides layout – safety considerations
A.5.6 Independent verification
A.5.7 Analytical tools
A.5.8 In-service inspection and maintenance
A.5.9 Assessment, re#use and life extension
A.6 Basic design requirements
A.6.1 General
A.6.2 Limit states
A.6.3 Design situations
A.6.3.1 General
A.6.3.2 ULS situations
A.6.3.3 SLS situations
A.6.3.4 FLS situations
A.6.3.5 ALS situations
A.6.3.6 Temporary phases
A.7 Actions and action effects
A.7.1 General
A.7.2 Permanent actions (G)
A.7.3 Variable actions (Q)
A.7.4 Environmental actions (Ee)
A.7.4.1 General
A.7.4.2 Environmental site-specific data
A.7.4.3 Wind actions
A.7.4.4 Current actions
A.7.4.5 Wave actions
A.7.4.5.1 General
A.7.4.5.2 Actions on large-volume bodies
A.7.4.5.3 Actions on slender components
A.7.4.5.4 Slamming on slender components
A.7.4.5.5 Higher-order non-linear wave actions
A.7.4.5.6 Wave enhancement effects
A.7.4.5.7 Shallow water effects
A.7.4.5.8 Slamming and green water actions
A.7.4.6 Vortex-induced vibrations and motions
A.7.4.6.1 Simplified assessment of vortex-induced vibrations and fatigue
A.7.4.6.2 Multi-modal response analysis based on empirical models
A.7.4.6.3 Modal response in the frequency domain
A.7.4.6.4 Response in the time domain
A.7.4.6.5 Methods based on solution of the Navier-Stokes equations
A.7.4.6.6 Methods for reduction of VIV
A.7.4.7 Direct ice action
A.7.4.8 Temperature effects
A.7.4.9 Tidal effects
A.7.4.10 Geotechnical hazards
A.7.5 Accidental actions (A)
A.7.5.1 General
A.7.5.2 Collision
A.7.5.3 Dropped object
A.7.5.4 Fire and blast
A.7.6 Other actions
A.7.6.1 Stationkeeping actions

A.7.6.2 Sloshing actions
A.7.7 Repetitive actions
A.7.8 Action combinations
A.8 Global analysis
A.8.1 General
A.8.2 Static and mean response analyses
A.8.2.1 General
A.8.2.2 Static equilibrium in still-water condition
A.8.2.3 Mean response analysis
A.8.3 Global dynamic behaviour
A.8.4 Frequency domain analysis
A.8.5 Time domain analysis
A.8.6 Uncoupled analysis
A.8.7 Coupled analysis
A.8.8 Resonant excitation and response
A.8.9 Platform offset
A.8.10 Air gap and wave crest assessment
A.8.11 Platform motions and accelerations
A.8.12 Model tests
A.8.13 Structural analysis
A.9 Structural modelling, analysis and design
A.9.1 General
A.9.2 Representative values of actions
A.9.2.1 General
A.9.2.2 Representative values of actions for operating phases
A.9.2.3 Representative values of actions for temporary phases
A.9.2.4 Actions at interfaces
A.9.3 Design scantlings
A.9.4 Modelling
A.9.4.1 General
A.9.4.2 Global models
A.9.4.3 Local models
A.9.4.4 Response evaluation
A.9.4.5 Model verification
A.9.5 Structural analysis
A.9.5.1 General principles
A.9.5.2 Linear analysis
A.9.5.3 Non-linear analysis
A.9.6 Structural strength
A.9.7 Design verification
A.9.7.1 General
A.9.7.2 SLS deflection limits
A.9.7.3 Partial factor design format
A.9.7.4 Working stress design format
A.9.7.5 Reliability-based methods
A.9.8 Special design issues
A.9.9 Materials
A.9.9.1 General
A.9.9.2 Material selection
A.9.9.3 Through-thickness tension
A.9.9.4 Aluminium substructures
A.9.9.5 Cement grout
A.9.9.6 Elastomeric material
A.9.10 Corrosion protection of steel
A.9.11 Fabrication and construction
A.9.12 Marine operations
A.9.12.1 General
A.9.12.2 Site survey
A.9.12.3 Installation plan
A.9.12.4 Installation of mooring system
A.9.12.5 Installation of riser systems
A.9.12.6 Well production, utility, process, and export systems
A.9.12.7 Commissioning and start-up
A.9.13 Topsides/hull interface

A.10 Fatigue analysis and design
A.10.1 General
A.10.2 Fatigue damage factors
A.10.3 Outline of approach
A.10.4 Metocean data for fatigue
A.10.5 Structural modelling
A.10.6 Hydrostatic analyses
A.10.7 Response amplitude operators and combinations of actions
A.10.8 Stresses and SCFs
A.10.9 Stress range counting and distribution
A.10.10 Fatigue resistance
A.10.11 Damage accumulation
A.10.12 Fracture mechanics methods
A.10.13 Fatigue-sensitive components and connections
A.11 Ship-shaped structures
A.11.1 General
A.11.2 General design criteria
A.11.2.1 Collision protection
A.11.2.2 Deckhouse requirements
A.11.2.3 Sloshing
A.11.2.4 Green water
A.11.3 Structural strength
A.11.3.1 General
A.11.3.2 Scantlings
A.11.3.3 ULS–a and ULS–b longitudinal strength design verification
A.11.3.3.1 General
A.11.3.3.2 Partial factor design format
A.11.3.3.3 Working stress design format
A.11.3.4 Local strength and details
A.11.3.5 Topsides structural support
A.11.3.6 Load monitoring
A.12 Semi-submersibles
A.12.1 General
A.12.2 General design criteria
A.12.3 Structural strength
A.13 Spars
A.13.1 General
A.13.2 General design requirements
A.13.3 Structural strength
A.14 Shallow-draught cylindrical structures
A.14.1 General
A.14.2 General design requirements
A.14.3 Structural strength
A.14.4 Damage stability
A.15 Conversion and re#use
A.15.1 General
A.15.2 Minimum design, construction and maintenance standards
A.15.3 Pre-conversion structural survey
A.15.4 Effects of prior service
A.15.4.1 General
A.15.4.2 Ship-shaped structures
A.15.4.3 Semi-submersibles
A.15.4.4 Fatigue damage from prior service
A.15.5 Corrosion protection and material suitability
A.15.6 Addition of new components
A.15.7 Inspection and maintenance
A.16 Stability, watertight integrity and compartmentation
A.16.1 General
A.16.2 Inclining test
A.16.3 Compartmentation
A.16.4 Watertight and weathertight appliances
A.16.5 Damage stability
A.17 Mechanical systems
A.17.1 General

A.17.2 Hull systems
A.17.2.1 General
A.17.2.2 Bilge system
A.17.2.3 Ballast system
A.17.2.4 Tank sounding and venting system
A.17.2.5 Cargo handling system
A.17.2.5.1 General
A.17.2.5.2 Atmospheric tanks
A.17.2.5.3 Water displaced tanks
A.17.2.5.4 Arrangement
A.17.2.5.5 Pumps
A.17.2.6 Inert gas system
A.17.2.6.1 General
A.17.2.6.2 Piping system
A.17.2.7 Crude oil washing system
A.17.2.8 Production vent/flare systems
A.17.2.9 Electrical systems
A.17.3 Import and export systems
A.17.3.1 General
A.17.3.2 Riser functions
A.17.3.3 Export systems
A.17.3.3.1 General
A.17.3.3.2 Pipeline export
A.17.3.3.3 Tanker export
A.17.3.3.3.1 General
A.17.3.3.3.2 Tanker stationkeeping systems
A.17.3.3.3.3 Alongside transfer
A.17.3.3.3.4 Tandem transfer
A.17.3.3.3.5 Direct transfer
A.17.3.4 Material handling
A.17.3.5 Lifting appliances
A.17.4 Fire protection systems
A.17.4.1 General
A.17.4.2 Structural fire protection systems
A.17.4.3 Firewater systems
A.17.4.4 Fixed fire extinguishing systems
A.17.4.5 Alarms
A.18 Stationkeeping systems
A.18.1 General
A.18.2 Mooring equipment
A.18.2.1 Winches
A.18.2.2 Fairleads and chain stoppers
A.18.2.3 Monitoring and control equipment
A.18.2.4 Disconnectable mooring
A.18.3 Turret
A.18.3.1 General
A.18.3.2 Turret structure
A.18.3.3 Bearing system
A.18.3.3.1 General
A.18.3.3.2 Forces on the bearing system
A.18.3.3.3 Alternative bearing designs
A.18.3.3.4 Inspection, maintenance and repair
A.18.3.4 Turning and locking systems
A.18.4 Disconnectable structures
A.19 In-service inspection, monitoring and maintenance
A.19.1 General
A.19.2 Structural integrity management system philosophies
A.19.2.1 General
A.19.2.2 Database development and data acquisition
A.19.2.3 Evaluation
A.19.2.4 Planning
A.19.2.5 Implementation
A.19.3 Planning considerations
A.19.3.1 General

A.19.3.2 Inspection categories
A.19.3.2.1 General
A.19.3.2.2 Scheduled inspections
A.19.3.2.3 Unscheduled inspections
A.19.4 Implementation issues
A.19.4.1 Personnel qualifications
A.19.4.2 Equipment certification
A.19.4.3 Inspection programmes
A.19.4.3.1 General
A.19.4.3.2 General visual inspection (GVI)
A.19.4.3.3 Close-up visual inspection (CVI)
A.19.4.3.4 Thickness measurements (TM)
A.19.4.3.5 Weld inspection (WI)
A.19.4.3.6 Flooded member detection (FMD)
A.19.4.3.7 Cathodic protection (CP) system inspection
A.19.4.4 Preparations for inspections
A.19.4.4.1 Access
A.19.4.4.2 Cleaning
A.19.4.5 Inspection results and actions
A.19.4.6 Maintenance programmes
A.19.4.7 Monitoring programmes
A.19.5 Minimum requirements
A.19.5.1 General
A.19.5.2 Minimum inspection requirements for main structure
A.19.5.2.1 General
A.19.5.2.2 General visual inspection (GVI)
A.19.5.2.3 Close-up visual inspection (CVI)
A.19.5.2.4 Thickness measurements (TM)
A.19.5.2.5 Weld inspections (WI)
A.19.5.2.6 Cathodic protection (CP) system inspection
A.19.5.3 Minimum inspection requirements for structural and non-structural attachments
A.19.5.4 Inspection results and actions
A.19.5.5 Tank testing and watertightness
A.20 Assessment of existing floating structures
A.21 Other hulls

Page count: 199