

ISO 19906:2019-07 (E)

Petroleum and natural gas industries - Arctic offshore structures

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | x |
| Introduction | | xi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Symbols and abbreviated terms | 10 |
| 4.1 | Symbols | 10 |
| 4.2 | Abbreviated terms | 10 |
| 5 | General requirements and conditions | 12 |
| 5.1 | Fundamental requirements | 12 |
| 5.2 | Design methods | 12 |
| 5.3 | Site-specific considerations | 13 |
| 5.4 | Construction, transportation and installation | 15 |
| 5.5 | Operational measures | 16 |
| 5.6 | Environmental protection | 16 |
| 5.7 | Serviceability requirements including vibration | 17 |
| 5.8 | Decommissioning and reclamation | 17 |
| 6 | Physical environmental conditions | 17 |
| 6.1 | General | 17 |
| 6.1.1 | Physical environment requirements | 17 |
| 6.1.2 | Physical environmental data monitoring programmes | 18 |
| 6.2 | Daylight hours | 18 |
| 6.3 | Meteorology | 18 |
| 6.3.1 | Air temperature | 18 |
| 6.3.2 | Wind | 19 |
| 6.3.3 | Wind chill | 19 |
| 6.3.4 | Snow | 19 |
| 6.3.5 | Ice accretion | 19 |
| 6.3.6 | Visibility | 20 |
| 6.3.7 | Polar lows | 20 |
| 6.4 | Oceanography | 20 |
| 6.4.1 | Water depth | 20 |
| 6.4.2 | Waves | 20 |
| 6.4.3 | Ocean currents | 20 |
| 6.4.4 | Other oceanographic factors | 21 |
| 6.5 | Sea ice and icebergs | 21 |
| 6.5.1 | General | 21 |
| 6.5.2 | Ice types | 22 |
| 6.5.3 | Ice morphology | 22 |
| 6.5.4 | Ice movement | 22 |
| 6.5.5 | Ice properties | 23 |
| 6.5.6 | Ice monitoring | 23 |
| 6.6 | Seabed considerations | 23 |
| 6.6.1 | Earthquakes | 23 |
| 6.6.2 | Permafrost | 23 |

| | | |
|-------|---|----|
| 6.6.3 | Ice gouge | 23 |
| 6.6.4 | Strudel scours | 23 |
| 7 | Reliability and limit states design | 24 |
| 7.1 | Design philosophy | 24 |
| 7.1.1 | Governing principles | 24 |
| 7.1.2 | Life-safety categories | 24 |
| 7.1.3 | Consequence categories | 24 |
| 7.1.4 | Exposure levels | 25 |
| 7.1.5 | Safety and reliability | 25 |
| 7.1.6 | Limit states | 25 |
| 7.1.7 | Alternative design methods | 25 |
| 7.2 | Limit states design method | 26 |
| 7.2.1 | Limit states | 26 |
| 7.2.2 | Actions | 28 |
| 7.2.3 | Principal and companion environmental actions | 29 |
| 7.2.4 | Combinations of actions and partial action factors | 31 |
| 8 | Events and actions | 33 |
| 8.1 | General | 33 |
| 8.2 | Ice events and actions | 33 |
| 8.2.1 | General principles for calculating ice actions | 33 |
| 8.2.2 | Representative values of ice actions | 34 |
| 8.2.3 | Ice events and design situations | 34 |
| 8.2.4 | Global ice actions | 35 |
| 8.2.5 | Local ice actions | 37 |
| 8.2.6 | Dynamic ice actions | 37 |
| 8.2.7 | Operational measures to reduce ice actions | 38 |
| 8.2.8 | Physical and mechanical properties of ice | 38 |
| 8.3 | Metocean related actions | 39 |
| 8.3.1 | Metocean actions on structures | 39 |
| 8.3.2 | Wave-induced velocity of ice features | 41 |
| 8.4 | Seismic actions | 41 |
| 8.4.1 | General | 41 |
| 8.4.2 | Companion seismic actions | 42 |
| 8.4.3 | Companion ice actions | 42 |
| 8.4.4 | Factors influencing seismic actions and effects | 42 |
| 8.4.5 | Seismic isolation and damping systems | 42 |
| 9 | Foundation design | 42 |
| 9.1 | General | 42 |
| 9.2 | Geotechnical data acquisition and identification of hazards | 43 |
| 9.2.1 | General | 43 |
| 9.2.2 | Marine soil investigations | 44 |
| 9.2.3 | Bathymetry survey | 44 |
| 9.2.4 | Geophysical survey | 44 |
| 9.3 | Representative values of soil properties | 44 |
| 9.4 | Design considerations | 45 |
| 9.4.1 | General | 45 |
| 9.4.2 | Action factors | 46 |
| 9.4.3 | Material and resistance factors | 46 |
| 9.4.4 | Dynamic action effect analysis | 46 |
| 9.4.5 | Ultimate limit states | 46 |
| 9.4.6 | Serviceability limit states | 47 |
| 9.4.7 | Fatigue limit states | 47 |
| 9.4.8 | Abnormal limit states | 47 |
| 9.4.9 | Construction and installation | 47 |
| 9.5 | Gravity-based structures | 48 |
| 9.5.1 | Arctic considerations for foundation design | 48 |
| 9.5.2 | Installation and removal | 48 |
| 9.6 | Piled structures | 49 |
| 9.7 | Design of anchors for floating systems | 49 |

| | | |
|--------|--|----|
| 9.7.1 | General | 49 |
| 9.7.2 | Drag anchors | 49 |
| 9.7.3 | Suction anchors | 50 |
| 9.7.4 | Piled anchors | 51 |
| 9.7.5 | Removal | 51 |
| 9.8 | Scour | 51 |
| 9.9 | Inspection and performance monitoring | 51 |
| 9.10 | Seismic analysis | 52 |
| 10 | Man-made islands | 52 |
| 10.1 | General | 52 |
| 10.2 | Island types | 52 |
| 10.3 | Design considerations | 53 |
| 10.3.1 | General design considerations | 53 |
| 10.3.2 | Considerations for man-made islands | 54 |
| 10.3.3 | Design for ice | 55 |
| 10.3.4 | Geotechnical considerations | 56 |
| 10.3.5 | Coastal engineering | 58 |
| 10.3.6 | Slope protection | 59 |
| 10.4 | Seismic design | 60 |
| 10.5 | Construction | 61 |
| 10.5.1 | Operational requirements | 61 |
| 10.5.2 | Fill quality control | 61 |
| 10.5.3 | Armour rock quality control | 62 |
| 10.6 | Monitoring and maintenance | 62 |
| 10.6.1 | General | 62 |
| 10.6.2 | Monitoring of the physical environment | 62 |
| 10.6.3 | Structural monitoring | 63 |
| 10.6.4 | Slope and slope-protection monitoring | 63 |
| 10.6.5 | Maintenance | 63 |
| 10.7 | Decommissioning and reclamation | 63 |
| 11 | Fixed steel structures | 64 |
| 11.1 | General | 64 |
| 11.2 | General design requirements | 64 |
| 11.2.1 | Plastic design | 64 |
| 11.2.2 | Resistance factors | 64 |
| 11.2.3 | Fracture control | 64 |
| 11.2.4 | Temperature effects | 65 |
| 11.2.5 | Damage due to freezing water | 65 |
| 11.3 | Structural modelling and analysis | 65 |
| 11.3.1 | General | 65 |
| 11.3.2 | Interactions | 65 |
| 11.3.3 | Dynamic analysis | 65 |
| 11.4 | Strength of tubular members and joints | 65 |
| 11.5 | Strength of stiffened-plate panels | 66 |
| 11.6 | Strength of steel-concrete composite walls | 66 |
| 11.6.1 | General | 66 |
| 11.6.2 | Analysis methods | 67 |
| 11.6.3 | Material properties | 67 |
| 11.6.4 | Design for out-of-plane actions | 67 |
| 11.6.5 | Design for in-plane actions | 68 |
| 11.7 | Seismic design | 69 |
| 11.7.1 | Framed structures | 69 |
| 11.7.2 | Stiffened-plate structures | 69 |
| 11.8 | Fatigue | 69 |
| 11.9 | Materials, testing and NDT | 69 |
| 11.9.1 | Material selection | 69 |
| 11.9.2 | Test temperature | 70 |
| 11.9.3 | Toughness and NDT | 70 |
| 11.10 | Coatings | 70 |
| 11.11 | Corrosion and abrasion protection | 70 |

| | | |
|---------|---|----|
| 11.11.1 | Cathodic protection | 70 |
| 11.11.2 | Ice abrasion | 70 |
| 11.11.3 | Knife-line corrosion | 70 |
| 11.12 | Welding | 70 |
| 12 | Fixed concrete structures | 71 |
| 12.1 | General requirements | 71 |
| 12.1.1 | General | 71 |
| 12.1.2 | Structural requirements | 71 |
| 12.1.3 | Material requirements | 71 |
| 12.2 | Actions and action effects | 71 |
| 12.3 | Structural analysis | 72 |
| 12.3.1 | Dynamic analysis | 72 |
| 12.3.2 | Loss of intended internal pressure | 72 |
| 12.3.3 | Physical representation | 72 |
| 12.3.4 | Types of analysis | 73 |
| 12.3.5 | Analysis requirements | 73 |
| 12.3.6 | Seismic design | 74 |
| 12.4 | Concrete works | 74 |
| 12.4.1 | Design | 74 |
| 12.4.2 | Materials | 77 |
| 12.4.3 | Execution | 80 |
| 12.5 | Mechanical systems | 81 |
| 12.5.1 | Introduction | 81 |
| 12.5.2 | Permanent mechanical systems | 82 |
| 12.5.3 | Mechanical systems -- Temporary ballasting/deballasting water systems | 82 |
| 12.5.4 | Attachments and penetrations | 82 |
| 12.5.5 | Mechanical systems -- Design of piping supports | 82 |
| 12.6 | Marine operations and construction afloat | 82 |
| 12.7 | Corrosion control | 83 |
| 12.8 | Inspection and condition monitoring | 83 |
| 13 | Floating systems | 83 |
| 13.1 | General | 83 |
| 13.2 | General methodology | 84 |
| 13.2.1 | Design and operational philosophy | 84 |
| 13.2.2 | Design and operational approaches | 84 |
| 13.2.3 | System considerations | 85 |
| 13.2.4 | Ice alert system | 85 |
| 13.3 | Environment | 85 |
| 13.4 | Actions | 86 |
| 13.4.1 | Applicability | 86 |
| 13.4.2 | Ice scenarios | 86 |
| 13.4.3 | System-specific ice actions | 87 |
| 13.4.4 | Determination of global ice action effects | 88 |
| 13.4.5 | Risk to adjacent structures | 89 |
| 13.4.6 | Other ice action considerations | 89 |
| 13.4.7 | Action variations | 90 |
| 13.5 | Hull integrity | 90 |
| 13.5.1 | Structural philosophy | 90 |
| 13.5.2 | Hull ductility | 91 |
| 13.5.3 | Structural analysis and design | 91 |
| 13.5.4 | Structural considerations | 91 |
| 13.5.5 | Condition monitoring | 92 |
| 13.6 | Hull stability | 92 |
| 13.6.1 | General considerations | 92 |
| 13.6.2 | Subdivision | 92 |
| 13.6.3 | Intact stability | 92 |
| 13.6.4 | Damaged stability | 92 |
| 13.7 | Stationkeeping | 93 |
| 13.7.1 | General | 93 |
| 13.7.2 | Design of the stationkeeping system | 93 |

| | | |
|---------|---|-----|
| 13.7.3 | Disconnection and reconnection | 93 |
| 13.7.4 | Stationkeeping system failures | 96 |
| 13.8 | Mechanical systems | 96 |
| 13.8.1 | General considerations | 96 |
| 13.8.2 | Hull systems | 98 |
| 13.8.3 | Offloading systems | 100 |
| 13.9 | Operations | 100 |
| 13.9.1 | General | 100 |
| 13.9.2 | Operations and emergency procedures manuals | 100 |
| 13.9.3 | Deck surfaces | 101 |
| 13.9.4 | Damage control | 101 |
| 13.9.5 | Equipment and doors | 101 |
| 13.9.6 | Inspection and maintenance | 101 |
| 13.9.7 | Planning and operations | 102 |
| 14 | Subsea production systems | 102 |
| 14.1 | General | 102 |
| 14.1.1 | System components | 102 |
| 14.1.2 | Exposure level for system components | 102 |
| 14.1.3 | General provisions for ice actions | 102 |
| 14.1.4 | Repair | 102 |
| 14.2 | Ice and seabed considerations | 103 |
| 14.2.1 | Interactions above the sea floor | 103 |
| 14.2.2 | Interactions for gouging ice features | 103 |
| 14.2.3 | Strudel scouring | 103 |
| 14.2.4 | Permafrost | 104 |
| 14.2.5 | Geohazards | 104 |
| 14.3 | Actions on subsea production systems | 104 |
| 14.3.1 | General action requirements | 104 |
| 14.3.2 | Ice protection structures | 104 |
| 14.3.3 | Mudline cellars | 105 |
| 14.3.4 | Risers and loading/unloading systems | 105 |
| 14.3.5 | Flowlines and umbilicals | 106 |
| 14.3.6 | Resistance to ice actions | 107 |
| 14.4 | Seismic design | 107 |
| 14.5 | Risk reduction | 107 |
| 15 | Topsides | 108 |
| 15.1 | Overall considerations | 108 |
| 15.1.1 | Design considerations for topsides facilities | 108 |
| 15.1.2 | Operational measures | 110 |
| 15.1.3 | Sparing philosophy | 110 |
| 15.2 | Design and operational requirements | 110 |
| 15.2.1 | General | 110 |
| 15.2.2 | HVAC, utilities, and power-generating equipment | 112 |
| 15.2.3 | Electrical | 112 |
| 15.2.4 | Instrumentation and controls | 112 |
| 15.2.5 | Mechanical equipment | 113 |
| 15.2.6 | Piping | 115 |
| 15.2.7 | Safety | 117 |
| 15.2.8 | Relief and flare systems | 118 |
| 15.2.9 | Storage tank valves | 119 |
| 15.2.10 | Actions on structure | 119 |
| 15.2.11 | Provisions supply and mechanical handling | 119 |
| 15.3 | Seismic design | 120 |
| 15.3.1 | General | 120 |
| 15.3.2 | Seismic design of the topsides structure | 120 |
| 15.3.3 | Seismic design of topsides equipment and supports | 120 |
| 15.3.4 | Seismic design of component interfaces | 121 |
| 15.3.5 | Passive protection systems for seismic design | 121 |
| 16 | Other ice engineering topics | 122 |

| | | |
|---|---|-----|
| 16.1 | Ice roads and supplies over ice | 122 |
| 16.1.1 | General | 122 |
| 16.1.2 | Floating ice design criteria | 122 |
| 16.1.3 | Ice flexural strength for design | 123 |
| 16.1.4 | Dynamic behaviour and dynamic amplification factor | 123 |
| 16.1.5 | Construction procedures | 123 |
| 16.1.6 | Safe use of ice roads | 124 |
| 16.1.7 | Grounded ice roads | 124 |
| 16.1.8 | Helicopter landings on ice | 124 |
| 16.2 | Man-made ice islands | 125 |
| 16.3 | Protection barriers | 125 |
| 16.3.1 | General | 125 |
| 16.3.2 | Ice protection structure | 125 |
| 16.3.3 | Methods for mitigating the effects of ice | 127 |
| 16.4 | Measurements of ice pressure and actions | 128 |
| 16.4.1 | General | 128 |
| 16.4.2 | Measurement techniques | 128 |
| 16.4.3 | Limitations and requirements for different techniques | 128 |
| 16.4.4 | Documentation of environmental conditions | 129 |
| 16.4.5 | Observations of the ice-structure interaction process | 129 |
| 16.4.6 | Ice load databases and synopses | 129 |
| 16.5 | Ice model tests | 129 |
| 16.5.1 | General | 129 |
| 16.5.2 | Scaling | 130 |
| 16.5.3 | Test methods | 130 |
| 16.5.4 | Model ice properties | 130 |
| 16.6 | Offloading in ice | 131 |
| 16.6.1 | General | 131 |
| 16.6.2 | System reliability | 131 |
| 16.6.3 | Requirements for the offloading terminal | 131 |
| 16.6.4 | Requirements for the tanker | 132 |
| 17 | Ice-specific operations | 132 |
| 17.1 | Operational measures for ice hazards | 132 |
| 17.1.1 | Mitigation of ice actions | 132 |
| 17.1.2 | Ice alert system | 132 |
| 17.2 | IM system | 132 |
| 17.2.1 | IM scope | 132 |
| 17.2.2 | Characterization of IM performance | 133 |
| 17.3 | Particular measures for floating systems | 133 |
| 17.3.1 | All systems | 133 |
| 17.3.2 | Specific requirements for different types of floating systems | 134 |
| 18 | Emergency response | 134 |
| 18.1 | Emergency response plans | 134 |
| 18.2 | Emergency response measures | 134 |
| 18.3 | Escape, evacuation and rescue | 135 |
| 18.3.1 | General | 135 |
| 18.3.2 | EER philosophy and strategy | 135 |
| 18.3.3 | Structure design for EER system | 135 |
| Annex A (informative) Additional information and guidance | | 136 |
| Annex B (informative) Regional information | | 389 |
| Bibliography | | 515 |