

ISO 19902:2020-11 (E)

Petroleum and natural gas industries - Fixed steel offshore structures

Contents		Page
Foreword.....		xiv
Introduction.....		xvii
1	Scope	1
2	Normative references	1
3	Terms and definitions.....	2
4	Symbols	10
5	Abbreviated terms	14
6	Overall considerations.....	16
6.1	Types of fixed steel offshore structure.....	16
6.1.1	General	16
6.1.2	Jackets	16
6.1.3	Towers.....	17
6.1.4	Jack-ups.....	17
6.2	Planning.....	18
6.2.1	General.....	18
6.2.2	Hazards	18
6.2.3	Designing for hazards	19
6.2.4	Design situations and criteria.....	19
6.2.5	Design for inspection and maintenance.....	19
6.2.6	Foundations and active geological processes	20
6.2.7	Regulations.....	20
6.3	Service and operational considerations	20
6.3.1	General considerations	20
6.3.2	Water depth.....	20
6.3.3	Structural configuration	20
6.3.4	Access and auxiliary systems	21
6.4	Safety considerations.....	21
6.5	Environmental considerations.....	21
6.5.1	General.....	21
6.5.2	Selecting design metocean parameters and action factors.....	22
6.6	Exposure levels	22
6.7	Assessment of existing structures.....	23
6.8	Structure reuse	23
7	General design requirements.....	23
7.1	General.....	23
7.2	Material properties for steel	24
7.3	Incorporating limit states	24
7.4	Determining design situations	24
7.5	Structural modelling and analysis	25
7.6	Design for pre-service and removal situations	25
7.7	Design for the in-place situation.....	25
7.8	Determination of component resistances	25
7.8.1	General.....	25
7.8.2	Physical testing to derive resistances.....	26
7.8.3	Resistances derived from computer simulations validated by physical testing.....	26

7.8.4	Resistances derived from computer simulations validated against design formulae.....	26
7.8.5	Resistances derived from unvalidated computer simulations	26
7.9	Strength and stability checks	26
7.9.1	Action and resistance factors	26
7.9.2	Strength and stability equations	26
7.9.3	Unfactored actions	27
7.10	Robustness	27
7.10.1	General	27
7.10.2	Damage tolerance	27
7.11	Reserve strength.....	28
7.11.1	New structures.....	28
7.11.2	Existing structures	29
7.12	Indirect actions.....	29
7.13	Structural reliability analysis.....	29
8	Actions for pre-service and removal situations.....	30
8.1	General	30
8.1.1	Coverage.....	30
8.1.2	Design situations.....	30
8.1.3	Actions	30
8.2	General requirements.....	31
8.2.1	Weight control	31
8.2.2	Dynamic effects.....	31
8.2.3	Action effects	31
8.3	Onshore lifting.....	33
8.3.1	General	33
8.3.2	Dynamic effects.....	33
8.3.3	Effect of tolerances	34
8.3.4	Multi-crane lift	34
8.3.5	Local factor.....	34
8.3.6	Member and joint strengths.....	35
8.3.7	Lifting attachments	35
8.3.8	Slings, shackles and fittings	36
8.4	Fabrication.....	36
8.5	Loadout.....	36
8.5.1	Direct lift	36
8.5.2	Horizontal movement onto vessel	36
8.5.3	Self-floating structures	37
8.6	Transportation	37
8.6.1	General	37
8.6.2	Metocean conditions.....	37
8.6.3	Determination of actions	37
8.6.4	Other considerations.....	38
8.7	Installation	38
8.7.1	Lifted structures.....	38
8.7.2	Launched structures	38
8.7.3	Crane assisted uprighting of structures	38
8.7.4	Submergence pressures	38
8.7.5	Member flooding.....	39
8.7.6	Actions on the foundation during installation	39
9	Actions for in-place situations.....	39
9.1	General	39
9.2	Permanent actions (<i>G</i>) and variable actions (<i>Q</i>)	40

9.2.1	Permanent action 1, G_1	40
9.2.2	Permanent action 2, G_2	40
9.2.3	Variable action 1, Q_1	40
9.2.4	Variable action 2, Q_2	41
9.2.5	Unintentional flooding	41
9.2.6	Position and range of permanent and variable actions	41
9.2.7	Carry down factors.....	41
9.2.8	Representation of actions from topsides.....	41
9.2.9	Weight control.....	41
9.3	Extreme metocean actions.....	42
9.3.1	General.....	42
9.3.2	Notation	42
9.4	Extreme quasi-static action due to wind, waves and current (E_e).....	42
9.4.1	Procedure for determining E_e	42
9.4.2	Direction of extreme wind, waves and current.....	43
9.4.3	Extreme global actions	44
9.4.4	Extreme local actions and action effects.....	44
9.4.5	Vortex induced vibrations (VIV).....	45
9.5	Extreme quasi-static action caused by waves only (E_{we}) or by waves and currents (E_{wce}).....	45
9.5.1	Procedure for determining E_{we} and E_{wce}	45
9.5.2	Models for hydrodynamic actions.....	46
9.5.3	Hydrodynamic models for appurtenances	50
9.6	Actions caused by current.....	50
9.7	Actions caused by wind	51
9.7.1	General	51
9.7.2	Determining actions caused by wind	51
9.7.3	Wind actions determined from models	52
9.8	Equivalent quasi-static action representing dynamic response caused by extreme wave conditions	52
9.8.1	General	52
9.8.2	Equivalent quasi-static action (D_e) representing the dynamic response.....	53
9.8.3	Global dynamic analysis in waves	53
9.9	Factored actions	55
9.9.1	General	55
9.9.2	Factored permanent and variable actions	55
9.9.3	Factored extreme metocean action	55
9.10	Design situations	56
9.10.1	General considerations on the ultimate limit state	56
9.10.2	Demonstrating sufficient RSR under metocean actions.....	56
9.10.3	Partial factor design format	57
9.11	Local hydrodynamic actions	58
10	Accidental and abnormal situations.....	59
10.1	General.....	59
10.1.1	Treatment of ALS events.....	59
10.1.2	Accidental events	60
10.1.3	Abnormal environmental events.....	60
10.2	Vessel collisions.....	60
10.2.1	General	60
10.2.2	Collision events	61
10.2.3	Collision process.....	61

10.3	Dropped objects	61
10.4	Fires and explosions	62
10.5	Abnormal environmental actions	62
10.6	Assessment of structures following damage	63
11	Seismic design considerations	63
11.1	General	63
11.2	Seismic design procedure	63
11.3	Seismic reserve capacity factor	64
11.4	Recommendations for ductile design	64
11.5	ELE requirements	66
11.5.1	Partial action factors	66
11.5.2	ELE structural and foundation modelling	66
11.6	ALE requirements	67
11.6.1	General	67
11.6.2	ALE structural and foundation modelling	68
11.6.3	Non-linear static pushover analysis	68
11.6.4	Time-history analysis	70
12	Structural modelling and analysis	70
12.1	Purpose of analysis	70
12.2	Analysis principles	71
12.2.1	Extent of analysis	71
12.2.2	Calculation methods	71
12.3	Modelling	71
12.3.1	General	71
12.3.2	Level of accuracy	71
12.3.3	Geometrical definition for framed structures	72
12.3.4	Modelling of material properties	75
12.3.5	Topsides structure modelling	75
12.3.6	Appurtenances	75
12.3.7	Soil-structure interaction	76
12.3.8	Other support conditions	77
12.3.9	Local analysis structural models	77
12.3.10	Actions	78
12.3.11	Mass simulation	78
12.3.12	Damping	79
12.4	Analysis requirements	79
12.4.1	General	79
12.4.2	Fabrication	81
12.4.3	Other pre-service and removal situations	81
12.4.4	In-place situations	84
12.5	Types of analysis	86
12.5.1	Natural frequency analysis	86
12.5.2	Dynamically responding structures	86
12.5.3	Static and quasi-static linear analysis	86
12.5.4	Static ultimate strength analysis	87
12.5.5	Dynamic linear analysis	87
12.5.6	Dynamic ultimate strength analysis	87
12.6	Non-linear analysis	88
12.6.1	General	88
12.6.2	Geometry modelling	88
12.6.3	Component strength	89
12.6.4	Models for member strength	89
12.6.5	Models for joint strength	89

12.6.6	Ductility limits.....	89
12.6.7	Yield strength of structural steel.....	90
12.6.8	Models for foundation strength	90
12.6.9	Investigating non-linear behaviour.....	90
13	Strength of tubular members.....	91
13.1	General.....	91
13.2	Tubular members subjected to tension, compression, bending, shear, torsion or hydrostatic pressure	93
13.2.1	General.....	93
13.2.2	Axial tension.....	93
13.2.3	Axial compression.....	94
13.2.4	Bending.....	95
13.2.5	Shear	97
13.2.6	Hydrostatic pressure	98
13.3	Tubular members subjected to combined forces without hydrostatic pressure	101
13.3.1	General.....	101
13.3.2	Axial tension and bending.....	101
13.3.3	Axial compression and bending.....	102
13.3.4	Axial tension or compression, bending, shear and torsion.....	103
13.3.5	Piles	105
13.4	Tubular members subjected to combined forces with hydrostatic pressure	105
13.4.1	General.....	105
13.4.2	Axial tension, bending and hydrostatic pressure.....	106
13.4.3	Axial compression, bending and hydrostatic pressure	107
13.4.4	Axial tension or compression, bending, hydrostatic pressure, shear and torsion.....	108
13.5	Effective lengths and moment reduction factors.....	108
13.6	Conical transitions.....	110
13.6.1	General.....	110
13.6.2	Design stresses.....	110
13.6.3	Strength requirements without external hydrostatic pressure.....	113
13.6.4	Strength requirements with external hydrostatic pressure	118
13.6.5	Ring design	118
13.7	Dented tubular members	121
13.7.1	General.....	121
13.7.2	Dented tubular members subjected to tension, compression, bending or shear	121
13.7.3	Dented tubular members subjected to combined forces.....	126
13.8	Corroded tubular members.....	129
13.9	Grouted tubular members	129
13.9.1	General.....	129
13.9.2	Grouted tubular members subjected to tension, compression or bending	129
13.9.3	Grouted tubular members subjected to combined forces.....	133
14	Strength of tubular joints.....	134
14.1	General.....	134
14.2	Design considerations	135
14.2.1	Materials.....	135
14.2.2	Design forces and joint flexibility.....	136
14.2.3	Minimum joint strength	136
14.2.4	Weld strength	136
14.2.5	Joint classification.....	136
14.2.6	Detailing practice	139

14.3	Simple tubular joints.....	142
14.3.1	General	142
14.3.2	Basic joint strength	143
14.3.3	Strength factor, Q_u	144
14.3.4	Chord force factor, Q_f	145
14.3.5	Effect of chord can length on joint strength	146
14.3.6	Strength check	147
14.4	Overlapping joints.....	148
14.5	Grouted joints	148
14.6	Ring stiffened joints.....	149
14.7	Other joint types	149
14.8	Damaged joints.....	149
14.9	Non-circular joints	150
14.10	Cast joints	150
15	Strength and fatigue resistance of other structural components.....	150
15.1	Grouted connections	150
15.1.1	General	150
15.1.2	Detailing requirements	152
15.1.3	Axial force.....	152
15.1.4	Reaction force from horizontal shear force and bending moment in piles.....	152
15.1.5	Interface transfer stress.....	153
15.1.6	Interface transfer strength.....	154
15.1.7	Strength check	157
15.1.8	Fatigue assessment	157
15.2	Mechanical connections	158
15.2.1	Types of mechanical connectors	158
15.2.2	Design requirements.....	158
15.2.3	Actions and forces on the connector.....	159
15.2.4	Resistance of the connector	159
15.2.5	Strength criteria	159
15.2.6	Fatigue criteria	160
15.2.7	Stress analysis validation	160
15.2.8	Threaded fasteners	161
15.2.9	Swaged connections.....	162
15.3	Clamps for strengthening and repair	163
15.3.1	General	163
15.3.2	Split sleeve clamps	163
15.3.3	Prestressed clamps	163
15.3.4	Forces on clamps.....	164
15.3.5	Clamp design	164
15.3.6	General requirements for bolted clamps.....	166
15.3.7	Bolting considerations.....	167
16	Fatigue.....	167
16.1	General	167
16.1.1	Applicability.....	167
16.1.2	The fatigue process	167
16.1.3	Fatigue assessment by analysis using $S-N$ data	167
16.1.4	Fatigue assessment by analysis using fracture mechanics methods	168
16.1.5	Fatigue assessment by other methods.....	168
16.2	General requirements.....	168
16.2.1	Applicability.....	168
16.2.2	Fatigue crack initiation and crack propagation	169

16.2.3	Sources of variable stresses causing fatigue	169
16.2.4	Service life and fatigue life.....	169
16.2.5	The nature of fatigue damage	170
16.2.6	Characterization of the stress range data governing fatigue	170
16.2.7	The long-term stress range history	170
16.2.8	Partial action and resistance factors.....	171
16.2.9	Fatigue resistance	171
16.2.10	Fatigue damage calculation	171
16.2.11	Weld improvement techniques.....	171
16.3	Description of the long-term wave environment	172
16.3.1	General.....	172
16.3.2	Wave scatter diagram.....	172
16.3.3	Mean wave directions.....	172
16.3.4	Wave frequency spectra	173
16.3.5	Wave directional spreading function.....	173
16.3.6	Periodic waves	173
16.3.7	Long-term distribution of individual wave heights.....	173
16.3.8	Current.....	173
16.3.9	Wind.....	173
16.3.10	Water depth.....	174
16.3.11	Marine growth.....	174
16.4	Performing the global stress analyses.....	174
16.4.1	General.....	174
16.4.2	Actions caused by waves.....	175
16.4.3	Quasi-static analyses.....	176
16.4.4	Dynamic analyses.....	176
16.5	Characterization of the stress range data governing fatigue	177
16.6	The long-term local stress range history.....	178
16.6.1	General.....	178
16.6.2	Probabilistic determination using spectral analysis methods.....	179
16.6.3	Deterministic determination using individual periodic waves	179
16.6.4	Approximate determination using simplified methods.....	180
16.7	Determining the long-term stress range distribution by spectral analysis.....	180
16.7.1	General.....	180
16.7.2	Stress transfer functions.....	181
16.7.3	Short-term stress range statistics	182
16.7.4	Long-term stress range statistics	182
16.8	Determining the long-term stress range distribution by deterministic analysis....	184
16.8.1	General.....	184
16.8.2	Wave height selection.....	184
16.8.3	Wave period selection	184
16.8.4	Long-term stress range distribution	184
16.9	Determining the long-term stress range distribution by approximate methods...	184
16.10	Geometric stress ranges	185
16.10.1	General.....	185
16.10.2	Stress concentration factors for tubular joints	185
16.10.3	Geometric stress ranges for other fatigue sensitive locations.....	186
16.11	Fatigue resistance of the material.....	187
16.11.1	Basic S-N curves.....	187
16.11.2	High strength steel.....	188
16.11.3	Cast joints	188
16.11.4	Thickness effect	188
16.12	Fatigue assessment.....	189
16.12.1	Cumulative damage and fatigue life	189

16.12.2	Fatigue damage design factors.....	190
16.12.3	Local experience factor.....	190
16.13	Other causes of fatigue damage than wave action.....	190
16.13.1	General	190
16.13.2	Vortex induced vibrations.....	191
16.13.3	Wind induced vibrations.....	191
16.13.4	Transportation	191
16.13.5	Installation	191
16.13.6	Risers.....	191
16.14	Further design considerations.....	192
16.14.1	General	192
16.14.2	Conductors, caissons and risers	192
16.14.3	Miscellaneous non-load carrying attachments.....	192
16.14.4	Miscellaneous load carrying attachments	192
16.14.5	Conical transitions.....	192
16.14.6	Members in the splash zone.....	192
16.14.7	Topsides structure	193
16.14.8	Inspection strategy.....	193
16.15	Fracture mechanics methods	193
16.15.1	General	193
16.15.2	Fracture assessment.....	194
16.15.3	Fatigue crack growth law.....	194
16.15.4	Stress intensity factors	195
16.15.5	Fatigue stress ranges.....	195
16.15.6	Castings.....	195
16.16	Fatigue performance improvement of existing components	195
Foundation design		195
17.1	General	195
17.2	Design of pile foundations.....	196
17.3	Pile wall thickness.....	198
17.3.1	General	198
17.3.2	Pile stresses	198
17.3.3	Pile design checks.....	198
17.3.4	Check for design situation due to weight of hammer during hammer placement.....	198
17.3.5	Stresses during driving.....	199
17.3.6	Minimum wall thickness	200
17.3.7	Allowance for underdrive and overdrive.....	200
17.3.8	Driving shoe.....	200
17.3.9	Driving head	200
17.4	Length of pile sections	200
17.5	Shallow foundations	201
17.5.1	General	201
17.5.2	Stability of shallow foundations.....	202
Corrosion control.....		202
18.1	General	202
18.2	Corrosion zones and environmental parameters affecting corrosivity	202
18.3	Forms of corrosion, associated corrosion rates and corrosion damage	203
18.4	Design of corrosion control.....	204
18.4.1	General	204
18.4.2	Considerations in design of corrosion control.....	204
18.4.3	Coatings, linings and wrappings.....	204
18.4.4	Cathodic protection.....	205

	18.4.5	Corrosion resistant materials.....	208
	18.4.6	Corrosion allowance	208
18.5		Fabrication and installation of corrosion control.....	209
	18.5.1	General.....	209
	18.5.2	Coatings and linings	209
	18.5.3	Cathodic protection.....	209
	18.5.4	Corrosion resistant materials.....	209
18.6		In-service inspection, monitoring and maintenance of corrosion control	209
	18.6.1	General.....	209
	18.6.2	Coatings and linings	210
	18.6.3	Cathodic protection.....	210
	18.6.4	Corrosion resistant materials.....	211
19		Materials.....	211
	19.1	General.....	211
	19.2	Lowest anticipated service temperature.....	212
	19.3	Chemical composition	212
	19.3.1	General.....	212
	19.3.2	Carbon equivalent.....	212
	19.3.3	Modified carbon equivalent	213
	19.4	Strength, toughness and other considerations	213
	19.4.1	Yield strength	213
	19.4.2	Toughness.....	213
	19.4.3	Other considerations	214
	19.5	Material category approach	214
	19.5.1	Steel selection philosophy	214
	19.5.2	Material characterization.....	214
	19.5.3	Material selection criteria.....	214
	19.5.4	Selection process.....	215
	19.5.5	Steel strength groups.....	216
	19.5.6	Toughness class	216
	19.5.7	Applicable steels.....	217
	19.6	Design class approach	217
	19.6.1	General.....	217
	19.6.2	DC component classification	218
	19.6.3	Materials.....	218
	19.6.4	Applicable steels.....	221
	19.7	Cement grout	221
	19.7.1	Grout materials.....	221
	19.7.2	Onshore grout trial	221
	19.7.3	Offshore grout trial.....	222
	19.7.4	Offshore quality control.....	222
20		Welding, weld inspection and fabrication.....	222
	20.1	General.....	222
	20.2	Welding.....	223
	20.2.1	Selected generic welding and fabrication standards	223
	20.2.2	Weld metal and HAZ properties.....	225
	20.2.3	Tubular T-, Y- and K-joints.....	229
	20.3	Inspection	229
	20.4	Fabrication	229
	20.4.1	General.....	229
	20.4.2	Weld requirements.....	230
	20.4.3	Forming.....	232
	20.4.4	Fabrication tolerances.....	232

	20.4.5	Grouted connections.....	233
21		Quality control, quality assurance and documentation	233
	21.1	General	233
	21.2	Quality management system	234
	21.3	Quality control plan	235
	21.3.1	General	235
	21.3.2	Inspector qualifications.....	235
	21.3.3	NDT personnel qualifications.....	235
	21.3.4	Inspection of materials	235
	21.3.5	Inspection of fabrication	236
	21.3.6	Inspection of welding	236
	21.4	Documentation	236
	21.4.1	General	236
	21.4.2	Calculations.....	237
	21.4.3	Weight and centre of gravity reports	237
	21.4.4	Fabrication inspection documentation	237
	21.5	Drawings and specifications.....	237
22		Loadout, transportation and installation	238
	22.1	General	238
	22.1.1	Planning	238
	22.1.2	Records and documentation.....	239
	22.1.3	Actions and required resistance	239
	22.1.4	Temporary bracing and rigging.....	239
	22.2	Loadout and transportation	239
	22.2.1	General	239
	22.2.2	Loadout.....	239
	22.2.3	Cargo and launch vessels	240
	22.2.4	Towing vessels.....	240
	22.2.5	Actions on the platform components	241
	22.2.6	Buoyancy and flooding systems	241
	22.3	Transfer of the structure from the transport vessel into the water	241
	22.3.1	General	241
	22.3.2	Lifting operations	241
	22.3.3	Launching	242
	22.4	Placement on the sea floor and assembly of the structure.....	242
	22.4.1	General	242
	22.4.2	Safety of navigation.....	243
	22.4.3	Stationkeeping.....	243
	22.4.4	Positioning of the structure	243
	22.5	Pile installation	244
	22.5.1	General	244
	22.5.2	Stabbing guides.....	244
	22.5.3	Lifting methods.....	244
	22.5.4	Field welds.....	245
	22.5.5	Driveability studies.....	245
	22.5.6	Drilled and grouted piles	245
	22.5.7	Grouting pile-to-sleeve connections and grouted repairs	245
	22.5.8	Pile installation records	245
	22.6	Installation of conductors.....	245
	22.7	Topsides installation	245
	22.7.1	General	245
	22.7.2	Alignment and tolerances.....	246
	22.7.3	Securing topsides.....	246

22.8	Grounding of installation welding equipment	246
22.8.1	General	246
22.8.2	Welding equipment	246
22.8.3	Monitoring remote ground efficiency	246
Annex A (informative)	Additional information and guidance.....	247
Annex B (normative)	Weld CTOD testing procedures.....	497
Annex C (informative)	Material category approach.....	502
Annex D (informative)	Design class approach.....	508
Annex E (informative)	Welding and weld inspection requirements — Material category approach	512
Annex F (informative)	Welding and weld inspection requirements - Design class approach...	516
Annex G (normative)	Fabrication tolerances	523
Annex H (informative)	Regional information	538
Bibliography	544