

ISO/TS 12835:2022-03 (E)

Qualification of casing connections for thermal wells

| Contents | | Page |
|---------------------|---|-------------|
| Foreword | | vi |
| Introduction | | vii |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Abbreviated terms and symbols | 5 |
| 4.1 | Abbreviated terms | 5 |
| 4.2 | Symbols | 6 |
| 5 | Program overview | 7 |
| 5.1 | Illustrations of selected definitions | 7 |
| 5.2 | Program flowchart | 7 |
| 6 | Overview and fundamental assumptions | 8 |
| 6.1 | General | 8 |
| 6.2 | Main features | 8 |
| 6.2.1 | Purpose | 8 |
| 6.2.2 | Applicability to service conditions | 9 |
| 6.2.3 | Rationale for development | 9 |
| 6.2.4 | Subject of evaluation | 9 |
| 6.2.5 | Application severity levels | 9 |
| 6.3 | Assessment philosophy and principles | 10 |
| 6.3.1 | Fundamental principles | 10 |
| 6.3.2 | Conservative evaluation procedure | 11 |
| 6.3.3 | Mandatory and optional tasks | 11 |
| 6.3.4 | Use of analysis and physical testing | 12 |
| 6.3.5 | Performance measures | 12 |
| 6.3.6 | Assessment criteria | 12 |
| 6.3.7 | Task outcomes — data categories | 13 |
| 6.3.8 | Prior evaluation data | 13 |
| 6.3.9 | Treatment of confidential design information | 13 |
| 6.3.10 | Interpretation of evaluation results | 14 |
| 6.3.11 | Avoiding perception of conflict of interest | 14 |
| 6.4 | Evaluation variables | 14 |
| 6.4.1 | Connection loading | 14 |
| 6.4.2 | Impacts of contributing variables | 14 |
| 6.4.3 | Pin-box interferences and tapers | 16 |
| 6.4.4 | Material yield strength | 16 |
| 6.5 | Evaluation procedure | 17 |
| 6.5.1 | Safety standards | 17 |
| 6.5.2 | Seepage assessment — random variations | 17 |
| 6.5.3 | Seepage rate thresholds | 17 |
| 6.5.4 | Seal isolation | 18 |
| 6.5.5 | Dope entrapment | 18 |
| 6.5.6 | Thermal cycle test — bake-out and hold durations | 18 |
| 6.5.7 | Pressure and temperature loading in thermal cycle test and analysis | 19 |
| 6.5.8 | Dependence of material strength on temperature | 19 |
| 6.6 | Scope of reporting | 20 |
| 7 | Program roles and proprietary design information | 20 |

| | | |
|-----------|---|-----------|
| 7.1 | Program execution roles | 20 |
| 7.2 | Proprietary connection design information..... | 20 |
| 8 | Conformance requirements..... | 21 |
| 8.1 | Conformant evaluation program..... | 21 |
| 8.2 | Program non-conformances..... | 21 |
| 8.3 | Performance acceptance..... | 22 |
| 8.4 | Conformance of results from previous evaluations..... | 22 |
| 8.5 | Use of data from previous evaluations..... | 22 |
| 8.6 | Conformance to lower ASLs..... | 23 |
| 9 | Application severity levels..... | 23 |
| 9.1 | Thermal well load path..... | 23 |
| 9.2 | Temperature as controlling parameter..... | 25 |
| 9.3 | Specifications for application severity levels..... | 26 |
| 9.4 | Selection of application severity level..... | 27 |
| 10 | Program blocks and tasks..... | 27 |
| 10.1 | Evaluation procedure overview..... | 27 |
| 10.2 | Critical path tasks..... | 31 |
| 11 | Program specifications..... | 32 |
| 11.1 | Task overview..... | 32 |
| 11.2 | Identification of program roles..... | 32 |
| 11.3 | Identification of candidate connection..... | 33 |
| 11.4 | Program options..... | 34 |
| 11.5 | Data from prior evaluations..... | 35 |
| 12 | Determination of biased test population..... | 35 |
| 12.1 | Task overview..... | 35 |
| 12.2 | Initial material property characterization..... | 36 |
| 12.2.1 | Task description, definitions, methods..... | 36 |
| 12.2.2 | Testing conditions and scope..... | 37 |
| 12.2.3 | Procedure for tensile tests..... | 39 |
| 12.2.4 | Interpretation and processing of tensile test results..... | 40 |
| 12.3 | Specimen configuration analysis..... | 45 |
| 12.3.1 | Task description..... | 45 |
| 12.3.2 | Modelling and reporting requirements..... | 46 |
| 12.3.3 | Nominal reference case..... | 47 |
| 12.3.4 | Worst-case geometry configurations..... | 48 |
| 12.3.5 | Seal taper analysis..... | 50 |
| 12.3.6 | Impacts of material property variations..... | 51 |
| 12.3.7 | Make-up torque for sealability tests..... | 54 |
| 12.3.8 | Test versus production specimens..... | 56 |
| 13 | Specimen procurement..... | 56 |
| 13.1 | Task overview..... | 56 |
| 13.2 | Specimen pipe procurement..... | 57 |
| 13.3 | Material property verification..... | 57 |
| 13.3.1 | Task description..... | 57 |
| 13.3.2 | Specimens for tensile verification tests..... | 57 |
| 13.3.3 | Scope of tensile verification tests..... | 58 |
| 13.3.4 | Coefficient of thermal expansion verification test..... | 59 |
| 13.4 | Test specimen machining and gauging..... | 60 |
| 13.4.1 | General requirements..... | 60 |
| 13.4.2 | Specimen naming convention..... | 60 |
| 13.4.3 | Specimen length and length-reference requirements..... | 61 |
| 13.4.4 | Geometrical configurations..... | 62 |
| 13.4.5 | Mother pipe for specimens..... | 62 |
| 13.4.6 | Specimen machining tolerances..... | 63 |
| 13.5 | Markings..... | 65 |
| 13.6 | Specimen geometry verification..... | 65 |
| 13.6.1 | Gauging inspection scope..... | 65 |
| 13.6.2 | Inspection extent – example cases..... | 66 |
| 13.6.3 | Geometry inspection guidelines..... | 66 |
| 13.7 | Procurement and quality control of connection interfacial components..... | 67 |

| | | |
|-----------|--|------------|
| 13.8 | Specimen handling and storage | 67 |
| 13.8.1 | Handling recommendations | 67 |
| 13.8.2 | Treatment of damaged specimens | 68 |
| 14 | Full-scale physical tests and supplementary analyses | 68 |
| 14.1 | Task overview | 68 |
| 14.2 | Full-scale tests - general requirements | 69 |
| 14.2.1 | Ambient temperature at test site | 69 |
| 14.2.2 | Calibration of instrumentation | 69 |
| 14.2.3 | Disabling of secondary seals | 70 |
| 14.2.4 | Seepage measurement and rate definitions | 70 |
| 14.2.5 | Load application rates | 72 |
| 14.2.6 | Excluded connections | 72 |
| 14.3 | Galling resistance test | 73 |
| 14.3.1 | Task description | 73 |
| 14.3.2 | Rationale and objectives | 74 |
| 14.3.3 | Make-break specimens | 74 |
| 14.3.4 | Scope of galling resistance test | 74 |
| 14.3.5 | Set-up and instrumentation | 75 |
| 14.3.6 | Test procedure | 76 |
| 14.3.7 | Performance assessment | 77 |
| 14.3.8 | Reporting | 78 |
| 14.4 | Thermal cycle test | 78 |
| 14.4.1 | Task description | 78 |
| 14.4.2 | Rationale and objectives | 78 |
| 14.4.3 | Thermal cycle specimens | 79 |
| 14.4.4 | Scope of thermal cycle test | 79 |
| 14.4.5 | Mechanical strain compensations | 82 |
| 14.4.6 | Set-up and instrumentation | 85 |
| 14.4.7 | Test procedure | 91 |
| 14.4.8 | Performance assessment | 96 |
| 14.4.9 | Selection of cycled specimens for bend test and limit-strain test | 97 |
| 14.4.10 | Reporting | 97 |
| 14.5 | Bending evaluation | 97 |
| 14.6 | Limit-strain test | 98 |
| 14.6.1 | Task description | 98 |
| 14.6.2 | Rationale and objectives | 98 |
| 14.6.3 | Limit-strain specimens | 99 |
| 14.6.4 | Mandatory test description | 99 |
| 14.6.5 | Set-up and instrumentation | 101 |
| 14.6.6 | Mandatory test procedure | 103 |
| 14.6.7 | Performance assessment | 108 |
| 14.6.8 | Reporting | 108 |
| 14.7 | As-tested configuration analysis | 108 |
| 15 | Evaluation and inspection reports | 108 |
| 15.1 | Reporting deliverables | 108 |
| 15.2 | Reporting scope and contents | 109 |
| 15.3 | Reporting templates | 113 |
| | Annex A (informative) FEA modelling guidelines | 114 |
| | Annex B (informative) Derivations of formulae - Strain compensation factors | 124 |
| | Annex C (informative) Program role assignments and responsibilities | 133 |
| | Annex D (informative) Optional program selections, tasks, and procedures | 140 |
| | Bibliography | 163 |