

DIN EN ISO 19901-3:2024-04 (E)

Oil and gas industries including lower carbon energy - Specific requirements for offshore structures - Part 3: Topsides structure (ISO 19901-3:2024); English version EN ISO 19901-3:2024

Contents		Page
Foreword		vii
Introduction		x
1 Scope		1
2 Normative references		2
3 Terms and definitions		3
4 Symbols and abbreviated terms		5
4.1 Symbols.....		5
4.2 Abbreviated terms.....		6
5 Overall requirements		7
5.1 Conceptual design.....		7
5.2 Codes and standards.....		7
5.2.1 Limit states and allowable stress philosophies.....		7
5.2.2 Use of national building standards.....		8
5.3 Deck elevation.....		8
5.4 Exposure level.....		8
5.5 Operational requirements.....		9
5.5.1 Functional requirements.....		9
5.5.2 Spillage and containment.....		9
5.6 Design physical environmental conditions.....		9
5.7 Critical structure.....		9
5.8 Assessment of existing topsides structure.....		10
5.9 Reuse of topsides structure.....		10
5.10 Repairs, modifications and refurbishment.....		10
6 Design requirements		11
6.1 General.....		11
6.2 Design/assessment situations.....		11
6.3 Material selection.....		11
6.4 Structural interfaces.....		11
6.5 Design for serviceability.....		11
6.5.1 Serviceability limits.....		11
6.5.2 Vibrations.....		12
6.5.3 Deflections.....		13
6.6 Design for strength.....		14
6.7 Design for fatigue.....		14
6.8 Robustness.....		14
6.8.1 General.....		14
6.8.2 Ductility.....		14
6.9 Confirmation of execution of design requirements.....		15
6.10 Corrosion control.....		15
6.11 Design for fabrication and inspection.....		16
6.12 Design for loadout, transportation and installation.....		16
6.13 Design for structural integrity management.....		17
6.14 Design for decommissioning, removal and disposal.....		17
6.14.1 General.....		17
6.14.2 Structural releases.....		17
6.14.3 Lifting appurtenances.....		17
6.14.4 Heavy lift and set-down operations.....		17

7	Actions and analysis methods	18
7.1	General.....	18
7.2	In-service actions.....	19
7.3	Action factors.....	20
7.3.1	Design actions for operational design/assessment situations in still water.....	20
7.3.2	Design actions for operational design/assessment situations with operating environmental actions.....	20
7.3.3	Design actions for extreme design/assessment situations.....	21
7.4	Vortex-induced vibrations.....	21
7.5	Indirect actions and resulting forces (action effects).....	21
7.6	Metoccean and ice actions.....	22
7.6.1	Wave, current and ice actions.....	22
7.6.2	Wind actions.....	23
7.6.3	Cold regions effects.....	24
7.7	Seismic actions.....	24
7.7.1	General.....	24
7.7.2	Minimum lateral acceleration.....	24
7.7.3	Equipment and appurtenances.....	24
7.8	Actions during fabrication, loadout, transportation, and installation.....	25
7.9	Actions arising from accidental events.....	25
7.9.1	General.....	25
7.9.2	Structural design for fire hazard.....	27
7.9.3	Structural design for explosion hazard.....	28
7.9.4	Explosion and fire interaction.....	32
7.9.5	Cryogenic spill.....	33
7.9.6	Actions due to vessel collision.....	33
7.9.7	Actions due to dropped and swinging objects and projectiles.....	33
7.9.8	Actions due to loss of buoyancy.....	33
7.9.9	Actions due to topsides acceleration.....	34
7.10	Other actions.....	34
7.10.1	Drilling.....	34
7.10.2	Conductors.....	35
7.10.3	Risers.....	36
7.10.4	Caissons.....	36
7.10.5	Maintenance, mechanical handling and lifting aids.....	36
7.10.6	Bridge supports.....	36
8	Strength and resistance of structural components	37
8.1	Correspondence factor K_c	37
8.2	Design of cylindrical tubular sections.....	37
8.3	Design of non-cylindrical sections.....	37
8.3.1	Rolled and welded non-circular prismatic members.....	37
8.3.2	Plate girder.....	38
8.3.3	Box girder.....	38
8.3.4	Stiffened plate components and stressed skin structures.....	38
8.4	Connections.....	39
8.4.1	General.....	39
8.4.2	Restraint and shrinkage.....	39
8.4.3	Bolted connections.....	39
8.5	Castings and forgings.....	43
8.6	Design for structural stability.....	43
9	Limit state verification	44
9.1	Limit state verification approach.....	44
9.2	Limit state verification for fire and explosion events.....	45
9.3	Approaches for limit state verification for fire and explosion events.....	45
9.4	Risk and risk targets.....	46
9.5	Limit state verification for fire and explosion events by semi-probabilistic approach.....	48
9.5.1	DL limit state verification.....	48
9.5.2	NC limit state verification.....	48
9.5.3	Representative values of accidental actions.....	49
10	Structural systems	49
10.1	Topsides design.....	49
10.1.1	General.....	49

10.1.2	Topsides on concrete substructures.....	49
10.1.3	Topsides on floating structures.....	50
10.1.4	Equipment supports.....	50
10.2	Topsides structure design models.....	50
10.2.1	General.....	50
10.2.2	Substructure model for topsides design.....	51
10.2.3	Topsides model for topsides design.....	51
10.2.4	Modelling for design of equipment and piping supports.....	52
10.3	Substructure interface.....	52
10.3.1	Responsibility.....	52
10.3.2	Strength design.....	52
10.3.3	Fatigue design.....	52
10.4	Flare towers, booms, vents and similar structure.....	52
10.5	Helicopter landing facilities (helidecks).....	53
10.5.1	General.....	53
10.5.2	Construction.....	54
10.5.3	Helideck design verification.....	54
10.5.4	Reassessment of existing helidecks.....	58
10.6	Crane support structure and crane boom rest.....	59
10.6.1	General.....	59
10.6.2	Design requirements.....	59
10.6.3	Static design.....	60
10.6.4	Fatigue design.....	62
10.6.5	Seismic/Earthquake design.....	63
10.6.6	Dynamic design.....	63
10.6.7	Fabrication.....	64
10.6.8	Crane boom rest design.....	64
10.7	Derrick equipment set.....	64
10.8	Bridges.....	65
10.9	Bridge bearings.....	65
10.10	Anti-vibration mountings for modules and major equipment skids.....	66
10.11	System interface assumptions.....	66
10.12	Fire protection systems.....	66
10.13	Penetrations.....	67
10.14	Difficult-to-inspect areas.....	67
10.15	Drainage.....	67
10.16	Strength reduction due to heat.....	67
10.17	Walkways, laydown areas and equipment maintenance.....	67
10.18	Muster areas and lifeboat stations.....	68
11	Materials.....	68
11.1	General.....	68
11.2	Carbon steel.....	69
11.3	Stainless steel.....	74
11.3.1	General.....	74
11.3.2	Types of stainless steel.....	74
11.3.3	Material properties.....	75
11.4	Aluminium alloys.....	75
11.4.1	General.....	75
11.4.2	Types of aluminium.....	75
11.4.3	Material properties.....	75
11.4.4	Thermite sparking.....	76
11.5	Fibre-reinforced polymers (FRP).....	76
11.6	Timber.....	76
12	Fabrication, quality control, quality assurance and documentation.....	77
12.1	Assembly.....	77
12.1.1	General.....	77
12.1.2	Grating.....	77
12.1.3	Landing and stairways.....	77

12.1.4	Temporary attachments	77
12.2	Welding.....	77
12.3	Fabrication inspection.....	78
12.4	Quality control, quality assurance and documentation	78
12.5	Corrosion protection.....	78
12.5.1	Coatings.....	78
12.5.2	Under deck areas.....	78
12.5.3	Dissimilar materials.....	78
12.6	In-service inspection, monitoring and maintenance of corrosion control	79
13	Loadout, transportation and installation	79
14	In-service inspection and structural integrity management.....	79
14.1	General.....	79
14.2	Requirements applying to topsides structures.....	79
14.2.1	Corrosion protection systems.....	79
14.2.2	Critical structures.....	79
14.2.3	Control of hot work (e.g. welding and cutting).....	79
14.2.4	Accidental events and incidents.....	80
14.2.5	Change control	80
Annex A	(informative) Additional information and guidance	81
Annex B	(informative) Example calculation of correspondence factor	141
Bibliography	147