

DIN EN ISO 19905-1:2025-10 (E)

Oil and gas industries including lower carbon energy - Site-specific assessment of mobile offshore units - Part 1: Jack-ups: elevated at a site (ISO 19905-1:2023, Corrected version 2024-07 + Amd.1:2025); English version EN ISO 19905-1:2023 + A1:2025

| Contents | | Page |
|-------------------|--|-------------|
| Foreword..... | | viii |
| Introduction..... | | xi |
| 1 | Scope..... | 1 |
| 2 | Normative references..... | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Symbols and abbreviated terms | 15 |
| 4.1 | Symbols..... | 15 |
| 4.1.1 | General..... | 15 |
| 4.1.2 | Symbols used in A.6..... | 17 |
| 4.1.3 | Symbols used in A.7..... | 19 |
| 4.1.4 | Symbols used in A.8..... | 21 |
| 4.1.5 | Symbols used in A.9 and Annex E..... | 22 |
| 4.1.6 | Symbols used in A.10 | 25 |
| 4.1.7 | Symbols used in A.11 | 26 |
| 4.1.8 | Symbols used in A.12 | 27 |
| 4.2 | Abbreviated terms..... | 31 |
| 5 | Overall considerations..... | 32 |
| 5.1 | General..... | 32 |
| 5.1.2 | Competency..... | 33 |
| 5.1.3 | Planning..... | 33 |
| 5.1.4 | Assessment situations and associated criteria | 33 |
| 5.1.5 | Reporting | 33 |
| 5.1.6 | Regulations..... | 33 |
| 5.1.7 | Classification of unit..... | 34 |
| 5.2 | Assessment approach..... | 34 |
| 5.3 | Selection of assessment situations | 36 |
| 5.4 | Determination of assessment situations..... | 37 |
| 5.4.1 | General..... | 37 |
| 5.4.2 | Reaction point and foundation fixity | 37 |
| 5.4.3 | Extreme storm event approach angle..... | 37 |
| 5.4.4 | Weights and centre of gravity..... | 37 |
| 5.4.5 | Hull elevation | 37 |
| 5.4.6 | Leg length reserve..... | 38 |
| 5.4.7 | Adjacent structures | 38 |
| 5.4.8 | Other | 38 |
| 5.5 | Exposure levels | 38 |
| 5.5.1 | Determination of exposure level..... | 38 |
| 5.5.2 | Exposure level L1 | 38 |
| 5.5.3 | Exposure level L2 | 38 |
| 5.5.4 | Exposure level L3 | 39 |
| 5.5.5 | Exposure level for earthquake..... | 39 |
| 5.6 | Analytical tools | 39 |

| | | |
|-------|--|----|
| 6 | Data to assemble for each site | 39 |
| 6.1 | Applicability..... | 39 |
| 6.2 | Jack-up data..... | 39 |
| 6.3 | Site and operational data | 40 |
| 6.4 | Metocean data | 40 |
| 6.5 | Geophysical and geotechnical data | 41 |
| 6.6 | Earthquake data..... | 42 |
| 6.7 | Ice data | 42 |
| 7 | Actions | 42 |
| 7.1 | Applicability | 42 |
| 7.2 | General | 42 |
| 7.3 | Metocean actions | 43 |
| 7.3.1 | General | 43 |
| 7.3.2 | Hydrodynamic model..... | 43 |
| 7.3.3 | Wave and current actions..... | 43 |
| 7.3.4 | Wind actions..... | 43 |
| 7.4 | Functional actions | 44 |
| 7.5 | Displacement dependent effects..... | 44 |
| 7.6 | Dynamic effects | 44 |
| 7.7 | Earthquakes..... | 44 |
| 7.8 | Ice actions..... | 44 |
| 7.9 | Other actions | 44 |
| 8 | Structural modelling | 44 |
| 8.1 | Applicability | 44 |
| 8.2 | Overall considerations | 45 |
| 8.2.1 | General | 45 |
| 8.2.2 | Modelling philosophy..... | 45 |
| 8.2.3 | Levels of FE modelling | 45 |
| 8.3 | Modelling the leg..... | 46 |
| 8.3.1 | General | 46 |
| 8.3.2 | Detailed leg | 46 |
| 8.3.3 | Equivalent leg (stick model)..... | 46 |
| 8.3.4 | Combination of detailed and equivalent leg | 46 |
| 8.3.5 | Stiffness adjustment | 46 |
| 8.3.6 | Leg inclination | 46 |
| 8.4 | Modelling the hull..... | 46 |
| 8.4.1 | General | 46 |
| 8.4.2 | Detailed hull model..... | 46 |
| 8.4.3 | Equivalent hull model..... | 46 |
| 8.5 | Modelling the leg-to-hull connection | 47 |
| 8.5.1 | General | 47 |
| 8.5.2 | Guide systems | 47 |
| 8.5.3 | Elevating system | 47 |
| 8.5.4 | Fixation system | 47 |
| 8.5.5 | Shock pad — floating jacking systems | 47 |
| 8.5.6 | Jackcase and associated bracing..... | 47 |
| 8.6 | Modelling the spudcan and foundation | 47 |
| 8.6.1 | Spudcan structure | 47 |
| 8.6.2 | Seabed reaction point | 47 |
| 8.6.3 | Foundation modelling..... | 48 |
| 8.7 | Mass modelling..... | 48 |
| 8.8 | Application of actions | 49 |
| 8.8.1 | Assessment actions | 49 |
| 8.8.2 | Functional actions due to fixed load and variable load | 50 |

| | | |
|---------|--|----|
| 8.8.3 | Hull sagging | 51 |
| 8.8.4 | Metoccean actions | 51 |
| 8.8.5 | Inertial actions | 51 |
| 8.8.6 | Large displacement effects..... | 51 |
| 8.8.7 | Conductor actions..... | 51 |
| 8.8.8 | Earthquake actions..... | 51 |
| 8.8.9 | Ice actions | 51 |
| 9 | Foundations | 52 |
| 9.1 | Applicability..... | 52 |
| 9.2 | General..... | 52 |
| 9.3 | Geotechnical analysis of independent leg foundations..... | 52 |
| 9.3.1 | Foundation modelling and assessment..... | 52 |
| 9.3.2 | Leg penetration during preloading | 53 |
| 9.3.3 | Yield interaction | 54 |
| 9.3.4 | Foundation stiffnesses | 54 |
| 9.3.5 | Vertical-horizontal foundation capacity envelopes | 54 |
| 9.3.6 | Acceptance checks | 55 |
| 9.4 | Other considerations | 56 |
| 9.4.1 | Skirted spudcans..... | 56 |
| 9.4.2 | Hard sloping strata | 57 |
| 9.4.3 | Footprint considerations | 57 |
| 9.4.4 | Leaning instability | 57 |
| 9.4.5 | Leg extraction difficulties | 57 |
| 9.4.6 | Cyclic mobility, liquefaction and liquefaction-induced lateral flow..... | 57 |
| 9.4.7 | Scour | 58 |
| 9.4.8 | Spudcan interaction with adjacent infrastructure | 58 |
| 9.4.9 | Geohazards..... | 58 |
| 9.4.10 | Carbonate material..... | 58 |
| 10 | Structural response..... | 58 |
| 10.1 | Applicability..... | 58 |
| 10.2 | General considerations..... | 59 |
| 10.3 | Types of analyses and associated methods | 59 |
| 10.4 | Common parameters | 60 |
| 10.4.1 | General..... | 60 |
| 10.4.2 | Natural periods and related considerations | 60 |
| 10.4.3 | Damping | 61 |
| 10.4.4 | Foundations | 61 |
| 10.4.5 | Storm excitation | 61 |
| 10.5 | Storm analysis..... | 61 |
| 10.5.1 | General..... | 61 |
| 10.5.2 | Two-stage deterministic storm analysis | 62 |
| 10.5.3 | Stochastic storm analysis..... | 63 |
| 10.5.4 | Initial leg inclination..... | 64 |
| 10.5.5 | Limit state checks | 64 |
| 10.6 | Fatigue analysis | 64 |
| 10.7 | Earthquake analysis..... | 64 |
| 10.8 | Ice..... | 66 |
| 10.8.1 | General..... | 66 |
| 10.8.2 | ULS..... | 66 |
| 10.8.3 | ALS | 66 |
| 10.8.4 | Assessments in the area types..... | 67 |
| 10.8.5 | Additional factors for arctic and cold regions | 67 |
| 10.9 | Accidental situations | 67 |
| 10.10 | Alternative analysis methods | 67 |
| 10.10.1 | Ultimate strength analysis..... | 67 |

| | | |
|---------|--|-----------|
| 10.10.2 | Methodology | 67 |
| 11 | Long-term applications..... | 68 |
| 11.1 | Applicability..... | 68 |
| 11.2 | Assessment data | 68 |
| 11.3 | Special requirements | 68 |
| 11.3.1 | Fatigue assessment | 68 |
| 11.3.2 | Weight control | 68 |
| 11.3.3 | Corrosion protection..... | 69 |
| 11.3.4 | Marine growth | 69 |
| 11.3.5 | Foundations..... | 69 |
| 11.4 | Survey requirements..... | 69 |
| 12 | Structural strength..... | 69 |
| 12.1 | Applicability | 69 |
| 12.1.1 | General | 69 |
| 12.1.2 | Truss type legs..... | 70 |
| 12.1.3 | Other leg types..... | 70 |
| 12.1.4 | Fixation system and/or elevating system..... | 70 |
| 12.1.5 | Spudcan strength including connection to the leg | 70 |
| 12.1.6 | Overview of the assessment procedure | 71 |
| 12.2 | Classification of member cross-sections | 71 |
| 12.2.1 | Member types | 71 |
| 12.2.2 | Material yield strength | 71 |
| 12.2.3 | Classification definitions | 71 |
| 12.3 | Section properties of non-circular prismatic members | 72 |
| 12.3.1 | General | 72 |
| 12.3.2 | Plastic and compact sections..... | 72 |
| 12.3.3 | Semi-compact sections | 72 |
| 12.3.4 | Slender sections | 72 |
| 12.3.5 | Cross-section properties for the assessment | 72 |
| 12.4 | Effects of axial force on bending moment..... | 73 |
| 12.5 | Strength of tubular members..... | 73 |
| 12.6 | Strength of non-circular prismatic members..... | 73 |
| 12.7 | Assessment of joints | 73 |
| 13 | Acceptance criteria | 73 |
| 13.1 | Applicability | 73 |
| 13.1.1 | General | 73 |
| 13.1.2 | Ultimate limit states | 74 |
| 13.1.3 | Serviceability and accidental limit states..... | 74 |
| 13.1.4 | Fatigue limit states..... | 74 |
| 13.2 | General formulation of the assessment check | 74 |
| 13.3 | Leg strength assessment..... | 75 |
| 13.4 | Holding system strength assessment..... | 76 |
| 13.5 | Spudcan strength assessment..... | 76 |
| 13.6 | Hull elevation assessment..... | 76 |
| 13.7 | Leg length reserve assessment..... | 76 |
| 13.8 | Overturning stability assessment..... | 77 |
| 13.9 | Foundation integrity assessment | 78 |
| 13.9.1 | Foundation capacity check..... | 78 |
| 13.10 | Displacement check..... | 79 |
| 13.11 | Interaction with adjacent infrastructure..... | 79 |
| 13.12 | Temperatures | 79 |
| | Annex A (informative) Additional information and guidance | 80 |

| | |
|---|------------|
| Annex B (normative) Summary of partial action and partial resistance factors | 281 |
| Annex C (informative) Additional information on structural modelling and response analysis..... | 283 |
| Annex D (informative) Foundations — Recommendations for the acquisition of site-specific geotechnical data | 293 |
| Annex E (informative) Foundations — Additional information and alternative approaches | 299 |
| Annex F (informative) Guidance on Clause A.12 — Structural strength..... | 325 |
| Annex G (informative) Contents list for typical site-specific assessment report | 339 |
| Annex H (informative) Regional information | 346 |
| Bibliography | 355 |