

# ISO 13679:2002-12 (E)

## Petroleum and natural gas industries - Procedures for testing casing and tubing connections

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		vii
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions, symbols and abbreviated terms .....</b>	<b>2</b>
3.1	Terms and definitions .....	2
3.2	Symbols and abbreviated terms .....	4
<b>4</b>	<b>General requirements .....</b>	<b>8</b>
4.1	Connection geometry, test load envelope and performance data sheet .....	8
4.2	Quality control .....	9
<b>5</b>	<b>General test requirements .....</b>	<b>9</b>
5.1	Test classes .....	9
5.2	Test matrix .....	10
5.3	Test programme .....	14
5.4	Calibration and accreditation requirements .....	15
5.5	Rehearsal tests .....	16
5.6	Material property tests .....	16
5.7	Make-up and break-out procedures .....	17
5.8	Internal pressure leak detection .....	18
5.9	Internal pressure leak trap device .....	18
5.10	External pressure leak detection .....	25
5.11	Data acquisition and test methods .....	28
5.12	Thermal cycling tests .....	30
<b>6</b>	<b>Connection test specimen preparation .....</b>	<b>32</b>
6.1	General connection test objectives .....	32
6.2	Connection test specimen identification and marking .....	33
6.3	Connection test specimen preparation .....	33
6.4	Connection test specimen machining .....	35
6.5	Machining tolerances .....	36
6.6	Tolerance limits on machining objectives .....	37
6.7	Grooved torque shoulder .....	37
<b>7</b>	<b>Test procedures .....</b>	<b>38</b>
7.1	Principle .....	38
7.2	Make-up/break-out tests .....	38
7.3	Test load envelope tests .....	40
7.4	Limit load tests .....	52
7.5	Limit load test path (see Figures 18 and 19) .....	55
<b>8</b>	<b>Acceptance criteria .....</b>	<b>57</b>
8.1	Make-up and break-out tests .....	57
8.2	Test load envelope tests .....	58
8.3	Limit load tests .....	58

<b>9</b>	<b>Test reports</b>	<b>59</b>
	<b>Annex A (normative) Connection geometry and performance data sheet</b>	<b>60</b>
	<b>Annex B (informative) Connection test load envelope and limit loads</b>	<b>67</b>
	<b>Annex C (normative) Data forms</b>	<b>85</b>
	<b>Annex D (normative) Connection full test report</b>	<b>115</b>
	<b>Annex E (normative) Connection testing summary report</b>	<b>118</b>
	<b>Annex F (informative) Frame load range determination</b>	<b>121</b>
	<b>Annex G (informative) Interpolation and extrapolation considerations</b>	<b>122</b>
	<b>Annex H (informative) Special application testing</b>	<b>124</b>
	<b>Annex I (informative) Rationale for design basis</b>	<b>130</b>
	<b>Annex J (normative) Independent seal testing of connections with metal-to-metal and resilient seals</b>	<b>133</b>
	<b>Bibliography</b>	<b>139</b>
	<b>Table 1 -- Test matrix -- Test series and specimen identification numbers</b>	<b>11</b>
	<b>Table 2 -- Connection test specimen objectives for all CAL</b>	<b>32</b>
	<b>Table 3 -- Guidelines for selecting connection test specimens for testing a metal-to-metal sealing, tapered thread connection with a torque shoulder</b>	<b>33</b>
	<b>Table 4 -- Tolerance limits on machining objectives</b>	<b>36</b>
	<b>Table 5 -- Specimen description and summary of test series for a metal-to-metal sealing, tapered thread connection with a torque shoulder</b>	<b>38</b>
	<b>Table 6 -- Test Series A load steps (see Figures 13 or 14, as applicable) -- Testing in quadrants I, II, III, IV (no bending) at ambient temperature</b>	<b>42</b>
	<b>Table 7 -- Test Series B load steps without bending for connection rated equal to pipe body (see Figure 15) -- Testing in quadrants I and II without bending at ambient temperature</b>	<b>46</b>
	<b>Table 8 -- Test Series B load steps with bending for connection rated equal to pipe body (see Figure 16) -- Testing in quadrants I and II with bending at ambient temperature</b>	<b>47</b>
	<b>Table A.1 -- Connection geometry and performance property data sheet</b>	<b>61</b>
	<b>Table A.2 -- Example Series A test load envelope for a connection rated equal to pipe body -- 178 mm D xxxx 10,16 mm wall thickness xxxx grade P-110 (7 in 29 lb/ft P-110) strength (see Figure A.1)</b>	<b>62</b>
	<b>Table A.3 -- Detailed load steps</b>	<b>63</b>
	<b>Table B.1 -- Areas and dimensions</b>	<b>70</b>
	<b>Table B.2 -- Required dimensions for critical cross-section computation</b>	<b>84</b>
	<b>Table F.1 -- Typical results from frame load range determination (200 kN to 2 000 kN)</b>	<b>121</b>
	<b>Figure 1 -- Connection application level test programme</b>	<b>12</b>

Figure 2 -- Collared leak trap device for internal pressure leak detection .....	19
Figure 3 -- Flexible boot leak trap device for internal pressure leak detection .....	20
Figure 4 -- Ported box leak trap device for internal pressure leak detection .....	20
Figure 5 -- Internal pressure leak detection by bubble method .....	22
Figure 6 -- Example of a plot for determining leak detection sensitivity .....	23
Figure 7 -- Leak detection by helium mass spectrometer method .....	24
Figure 8 -- Example set-up for Test Series A .....	25
Figure 9 -- Example of leak detection system for Test Series A .....	26
Figure 10 -- Test Series C thermal/mechanical cycles for CAL II, III, and IV .....	30
Figure 11 -- Connection test specimen nomenclature and unsupported length .....	34
Figure 12 -- Torque shoulder pressure bypassing grooves .....	37
Figure 13 -- Test Series A load path for connection rated greater than or equal to pipe body in compression .....	44
Figure 14 -- Test Series A load path for connection rated less than pipe body in compression .....	45
Figure 15 -- Test Series B load paths without bending for connection rated equal to pipe body .....	49
Figure 16 -- Test Series B load paths with bending for connection rated equal to pipe body .....	50
Figure 17 -- Test Series B load paths for connection rated less than pipe body in compression and with bending .....	51
Figure 18 -- Limit load test paths for connections rated equal to or stronger than pipe body .....	53
Figure 19 -- Limit load test paths for connections weaker than pipe body .....	54
Figure B.1 -- Pipe body and connection test load envelopes at specified dimensions .....	68
Figure C.1 -- Recommended layout of mother joints for test and material specimens .....	86
Figure G.1 -- Example premium connection design space .....	123
Figure J.1 -- Ported box leak trap device for internal pressure leak detection showing modifications for resilient seal .....	135
Figure J.2 -- Connection acceptance levels with resilient seal ring .....	136
Figure J.3 -- Alternative testing sequence for a connection with metal-to-metal (MTM) and resilient seal (RS) features .....	138