

# ISO 18314-2:2015-06 (E)

## Analytical colorimetry - Part 2: Saunderson correction, solutions of the Kubelka-Munk equation, tinting strength, hiding power

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Terms, definitions, symbols, and abbreviated terms .....</b>	<b>1</b>
2.1	Terms and definitions .....	1
2.2	Symbols and abbreviated terms .....	2
<b>3</b>	<b>Saunderson correction .....</b>	<b>4</b>
3.1	General .....	4
3.2	Incidence diffuse, observation 0° (d/0°) .....	4
3.3	Incidence 45°, observation 0° (45°: 0°) .....	4
<b>4</b>	<b>Solution of the Kubelka-Munk equations .....</b>	<b>5</b>
<b>5</b>	<b>Determination of relative tinting strength and residual colour difference of coloured pigments .....</b>	<b>6</b>
5.1	General .....	6
5.2	Principle .....	6
5.3	Procedure .....	6
5.3.1	General .....	6
5.3.2	Evaluation of absorption at the absorption maximum .....	7
5.3.3	Evaluation of the weighted K/S sum .....	7
5.3.4	Evaluation by equalizing the tristimulus value, Y .....	8
5.3.5	Evaluation by equalizing the smallest of the tristimulus values X, Y, and Z .....	8
5.3.6	Evaluation by equalizing the shade depth .....	9
<b>6</b>	<b>Determination of hiding power of pigmented media .....</b>	<b>10</b>
6.1	General .....	10
6.2	Example for white or light coloured paints with a contrast ratio of 0,98 as hiding power criterion .....	11
<b>7</b>	<b>Repeatability and reproducibility .....</b>	<b>12</b>
<b>8</b>	<b>Test report .....</b>	<b>12</b>
<b>Annex A (normative)</b>	<b>Tables of coefficients for calculating a() values (standard illuminant D65 and 10° standard observer) .....</b>	<b>13</b>
<b>Annex B (normative)</b>	<b>Tables of coefficients for calculating a() values (standard illuminant C and 2° standard observer) .....</b>	<b>15</b>
<b>Bibliography .....</b>		<b>17</b>