

ISO 18314-2:2023-01 (E)

Analytical colorimetry - Part 2: Saunderson correction, solutions of the Kubelka-Munk equation, tinting strength, depth of shade and hiding power

Contents		Page
Foreword		iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols and abbreviated terms	3
5	Saunderson correction	4
5.1	General	4
5.2	Incidence diffuse, observation 0° (d:0°)	5
5.3	Incidence 45°, observation 0° (45°:0°)	5
6	Solution of the Kubelka-Munk equations	5
6.1	General	5
6.2	Method 1	6
6.3	Method 2	6
7	Determination of relative tinting strength and residual colour difference of coloured pigments	7
7.1	General	7
7.2	Principle	7
7.3	Procedure	7
7.3.1	General	7
7.3.2	Evaluation of absorption at the absorption maximum	7
7.3.3	Evaluation of the weighted K/S sum	8
7.3.4	Evaluation by equalizing the tristimulus value, Y	9
7.3.5	Evaluation by equalizing the smallest of the tristimulus values X, Y, and Z	9
7.3.6	Evaluation by equalizing the depth of shade	10
8	Determination of hiding power of pigmented media	12
8.1	General	12
8.2	Example for white or light-coloured paints with a contrast ratio of 0,98 as hiding power criterion	12
9	Repeatability and reproducibility	13
Annex A (normative)	Tables of coefficients for calculating a() values (standard illuminant D65 and 10° standard observer)	14
Annex B (normative)	Tables of coefficients for calculating a() values (illuminant C and 2° standard observer)	16
	Bibliography	18