

DIN EN 12568:2010-10 (E)

Foot and leg protectors - Requirements and test methods for toe caps and penetration resistant inserts

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | 4 |
| Introduction | | 5 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms and definitions | 6 |
| 4 | Requirements for toe caps | 7 |
| 4.1 | General | 7 |
| 4.2 | Requirements for all types of toe caps | 7 |
| 4.2.1 | Finishing | 7 |
| 4.2.2 | Dimensions | 7 |
| 4.2.3 | Impact resistance | 8 |
| 4.2.4 | Compression resistance | 8 |
| 4.3 | Special requirements for metal toe caps - Corrosion resistance | 9 |
| 4.4 | Special requirements for non-metal toe caps - Stability against ageing and environmental influence | 9 |
| 5 | Test methods for toe caps | 9 |
| 5.1 | General | 9 |
| 5.2 | Test methods for all types of toe caps | 9 |
| 5.2.1 | Determination of internal toe cap length | 9 |
| 5.2.2 | Determination of impact resistance | 12 |
| 5.2.3 | Determination of compression resistance | 16 |
| 5.3 | Test method for metal toe caps - Determination of corrosion resistance | 17 |
| 5.3.1 | Preliminary examination | 17 |
| 5.3.2 | Corrosion test procedure | 17 |
| 5.4 | Test methods for non-metal toe caps | 18 |
| 5.4.1 | General | 18 |
| 5.4.2 | Effect of high temperature | 18 |
| 5.4.3 | Effect of low temperature | 18 |
| 5.4.4 | Effect of acid | 18 |
| 5.4.5 | Effect of alkali | 18 |
| 5.4.6 | Effect of fuel oil | 19 |
| 6 | Requirements for penetration resistant inserts | 19 |
| 6.1 | General | 19 |
| 6.2 | Requirements for all types of penetration resistant inserts | 19 |
| 6.2.1 | Resistance to nail penetration | 19 |
| 6.2.2 | Flexing resistance | 19 |
| 6.3 | Special requirements for metal penetration resistant inserts | 19 |
| 6.3.1 | Dimensions | 19 |
| 6.3.2 | Corrosion resistance | 20 |
| 6.4 | Special requirements for non-metal penetration resistant inserts - Stability against ageing and environmental influence | 20 |
| 7 | Test methods for penetration resistant inserts | 20 |
| 7.1 | General | 20 |

| | | |
|-------|--|----|
| 7.2 | All types of penetration resistant inserts | 21 |
| 7.2.1 | Determination of penetration resistance | 21 |
| 7.2.2 | Determination of flexing resistance | 23 |
| 7.3 | Test method for metal penetration resistant inserts - Determination of corrosion resistance | 25 |
| 7.3.1 | Preliminary examination | 25 |
| 7.3.2 | Test procedure | 25 |
| 7.4 | Test methods for non-metal penetration resistant inserts | 26 |
| 7.4.1 | General | 26 |
| 7.4.2 | Effect of high temperature | 26 |
| 7.4.3 | Effect of low temperature | 26 |
| 7.4.4 | Effect of acid | 26 |
| 7.4.5 | Effect of alkali | 26 |
| 7.4.6 | Effect of fuel oil | 26 |
| 8 | Marking | 26 |
| 8.1 | Toe Caps | 26 |
| 8.2 | Penetration resistant inserts | 27 |
| | Bibliography | 28 |