

ISO 18640-2:2018 (E)

Protective clothing for firefighters — Physiological impact — Part 2: Determination of physiological heat load caused by protective clothing worn by firefighters

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Symbols and abbreviations
5	Evaluation method
5.1	General
5.2	Firefighting scenarios
5.2.1	Standard scenario for THS measurements
5.3	THS measurement
5.3.1	General
5.3.2	Apparatus and software
5.3.3	Heat flux
5.3.3.1	Heat flux measurement with additional temperature sensors
5.3.4	Wicking layer correction
5.3.5	Skin diffusion (Esk)
5.3.6	Data exchange with physiological model
5.3.7	Measurement control
6	Measurement
6.1	General
6.2	THS measurement
6.2.1	Test preparation
6.2.2	Software settings
6.2.3	Sampling and test specimen
6.2.4	Measurement procedure
6.2.4.1	General
6.2.4.2	Data acquisition
6.2.4.3	End of measurement
6.2.5	Data evaluation
7	Test report
7.1	General
7.1.1	Specimen identification
7.1.2	Measurement conditions
7.1.3	Results of THS measurement
7.2	Predicted physiological parameters
7.3	Contents of test report
Annex A	(normative) Single-sector Thermo-physiological Human Simulator (THS)
A.1	System components
A.2	Coupling method
A.3	Validation of THS
A.3.1	Validation of physiological model
A.3.2	Validation THS

- A.3.3** **Limitations THS measurements**
- A.4** **Standardization of thermo-physiological models**
- A.5** **Open source models**
- A.6** **Requirements for physiological models suitable for THS measurements according to this document**

Annex B **(informative) Example measurement protocol according to ISO 18640-2**

Annex C **(informative) Scenarios for testing and limitation of system**

- C.1** **Background**
- C.2** **Definition of relevant scenario for a specific activity**
- C.2.1** **General**
- C.2.2** **Limitations of the torso system**
- C.2.3** **Limitations of physiological models**
- C.3** **Firefighting scenarios**

Page count: 17