

# DIN EN ISO 20347:2004-10 (D)

## Persönliche Schutzausrüstung - Berufsschuhe (ISO 20347:2004); Deutsche Fassung EN ISO 20347:2004

---

### Contents

	Page
<b>Foreword.....</b>	<b>3</b>
<b>1 Scope .....</b>	<b>4</b>
<b>2 Normative references .....</b>	<b>4</b>
<b>3 Terms and definitions .....</b>	<b>4</b>
<b>4 Classification.....</b>	<b>10</b>
<b>5 Basic requirements for occupational footwear .....</b>	<b>10</b>
<b>5.1 General.....</b>	<b>10</b>
<b>5.2 Design .....</b>	<b>13</b>
<b>5.2.1 Height of upper .....</b>	<b>13</b>
<b>5.2.2 Seat region .....</b>	<b>13</b>
<b>5.3 Whole footwear .....</b>	<b>13</b>
<b>5.3.1 Sole performance.....</b>	<b>13</b>
<b>5.3.2 Leakproofness .....</b>	<b>13</b>
<b>5.3.3 Specific ergonomic features.....</b>	<b>13</b>
<b>5.4 Upper.....</b>	<b>14</b>
<b>5.4.1 General.....</b>	<b>14</b>
<b>5.4.2 Thickness .....</b>	<b>14</b>
<b>5.4.3 Tear strength .....</b>	<b>15</b>
<b>5.4.4 Tensile properties .....</b>	<b>15</b>
<b>5.4.5 Flexing resistance.....</b>	<b>15</b>
<b>5.4.6 Water vapour permeability and coefficient .....</b>	<b>15</b>
<b>5.4.7 pH value .....</b>	<b>15</b>
<b>5.4.8 Hydrolysis.....</b>	<b>16</b>
<b>5.4.9 Chromium VI content .....</b>	<b>16</b>
<b>5.5 Lining .....</b>	<b>16</b>
<b>5.5.1 Tear strength.....</b>	<b>16</b>
<b>5.5.2 Abrasion resistance .....</b>	<b>16</b>
<b>5.5.3 Water vapour permeability and coefficient .....</b>	<b>16</b>
<b>5.5.4 pH value .....</b>	<b>16</b>
<b>5.5.5 Chromium VI content .....</b>	<b>16</b>
<b>5.6 Tongue .....</b>	<b>17</b>
<b>5.6.1 Tear strength .....</b>	<b>17</b>
<b>5.6.2 pH value .....</b>	<b>17</b>
<b>5.6.3 Chromium VI content .....</b>	<b>17</b>
<b>5.7 Insole and insock.....</b>	<b>17</b>
<b>5.7.1 Thickness .....</b>	<b>17</b>
<b>5.7.2 pH value .....</b>	<b>17</b>
<b>5.7.3 Water absorption and desorption .....</b>	<b>17</b>
<b>5.7.4 Abrasion resistance .....</b>	<b>17</b>
<b>5.7.5 Chromium VI content .....</b>	<b>18</b>
<b>5.8 Outsole.....</b>	<b>18</b>
<b>5.8.1 Thickness of non-cleated outsoles.....</b>	<b>18</b>
<b>5.8.2 Tear strength .....</b>	<b>18</b>
<b>5.8.3 Abrasion resistance .....</b>	<b>18</b>
<b>5.8.4 Flexing resistance.....</b>	<b>18</b>
<b>5.8.5 Hydrolysis.....</b>	<b>18</b>
<b>5.8.6 Interlayer bond strength .....</b>	<b>18</b>
<b>6 Additional requirements for occupational footwear .....</b>	<b>19</b>
<b>6.1 General.....</b>	<b>19</b>

<b>6.2</b>	<b>Whole footwear .....</b>	<b>19</b>
<b>6.2.1</b>	<b>Penetration resistance .....</b>	<b>19</b>
<b>6.2.2</b>	<b>Electrical properties .....</b>	<b>21</b>
<b>6.2.3</b>	<b>Resistance to inimical environments .....</b>	<b>21</b>
<b>6.2.4</b>	<b>Energy absorption of seat region .....</b>	<b>22</b>
<b>6.2.5</b>	<b>Water resistance .....</b>	<b>22</b>
<b>6.2.6</b>	<b>Ankle protection .....</b>	<b>22</b>
<b>6.3</b>	<b>Upper .....</b>	<b>22</b>
<b>6.3.1</b>	<b>Water penetration and water absorption .....</b>	<b>22</b>
<b>6.3.2</b>	<b>Construction .....</b>	<b>22</b>
<b>6.4</b>	<b>Outsole .....</b>	<b>22</b>
<b>6.4.1</b>	<b>Cleated area .....</b>	<b>22</b>
<b>6.4.2</b>	<b>Thickness of cleated outsoles .....</b>	<b>23</b>
<b>6.4.3</b>	<b>Cleat height .....</b>	<b>23</b>
<b>6.4.4</b>	<b>Resistance to hot contact .....</b>	<b>23</b>
<b>6.4.5</b>	<b>Resistance to fuel oil.....</b>	<b>23</b>
<b>7</b>	<b>Marking .....</b>	<b>23</b>
<b>8</b>	<b>Information to be supplied .....</b>	<b>24</b>
<b>8.1</b>	<b>General .....</b>	<b>24</b>
<b>8.2</b>	<b>Electrical properties .....</b>	<b>25</b>
<b>8.2.1</b>	<b>Conductive footwear .....</b>	<b>25</b>
<b>8.2.2</b>	<b>Antistatic footwear .....</b>	<b>26</b>
<b>8.2.3</b>	<b>Electrically insulating footwear .....</b>	<b>26</b>
<b>8.3</b>	<b>Insocks .....</b>	<b>27</b>
<b>Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives.....</b>		<b>28</b>
<b>Annex ZB (normative) Corresponding International and European Standards for which equivalents are not given in the text .....</b>		<b>29</b>
<b>Bibliography.....</b>		<b>29</b>