

ISO 16355-3:2019 (E)

Applications of statistical and related methods to new technology and product development process — Part 3: Quantitative approaches for the acquisition of voice of customer and voice of stakeholder

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Basic concepts of QFD
5	Integration of quantitative voice of customer (VOC) and voice of stakeholder (VOS) acquisition with customer research methods
6	Types of QFD projects
7	QFD team membership
7.1	QFD uses cross-functional teams
7.2	Core team membership
7.3	Subject matter experts
7.4	QFD team leadership
8	Types of information
8.1	General
8.2	Market strategy and trends
8.2.1	General
8.2.2	Analytic network process (ANP)
8.2.3	Porter 5 force competitive analysis
8.2.4	Market position analysis
8.2.5	Project selection
8.3	Market segments
8.3.1	General
8.3.2	Demographic market segmentation
8.3.3	Attitudinal and cultural dimensions
8.3.4	New Kano model studies
8.3.5	Repertory grid technique
8.4	Competitive space
8.4.1	General
8.4.2	Benchmarking
8.4.3	Market position analysis
8.4.4	Multidimensional scaling (MDS)
8.4.5	Repertory grid technique
8.5	Customer and stakeholder applications
8.5.1	Frequency of use or application
8.5.2	Robust parameter design
8.6	Customer needs
8.6.1	Functional needs using text analytics and text mining
8.6.2	Emotional or attractive needs using kansei engineering
8.7	Prioritization
8.7.1	General
8.7.2	Analytic hierarchy process (AHP)

- 8.7.3 L-matrices
- 8.7.4 Cluster analysis
- 8.7.5 Analytic network process (ANP)
- 8.7.6 Benchmarking
- 8.8 Product requirements, feature sets, concept options
- 8.8.1 Conjoint analysis
- 8.8.2 Customer needs — Functional requirements matrix (house of quality)
- 8.8.3 Quantification method III
- 8.8.4 Regression analysis
- 8.8.5 Repertory grid technique
- 8.8.6 Text analytics and text mining
- 8.9 Distribution, logistics and inventory, sales channels
- 8.10 Customer satisfaction surveys and preference benchmarking
- 8.10.1 Customer satisfaction surveys
- 8.10.2 Factor analysis and covariance structure analysis
- 8.10.3 Fuzzy set theory
- 8.10.4 Net promoter score (NPS)
- 8.10.5 Neural networks and artificial intelligence
- 8.10.6 Regression analysis
- 9 Tools for quantitative VOC and VOS acquisition and analysis
 - 9.1 Analytic network process (ANP)
 - 9.1.1 General
 - 9.1.2 Building and analyzing the network
 - 9.2 Artificial intelligence (AI)
 - 9.3 Conjoint analysis
 - 9.3.1 General
 - 9.3.2 Types of conjoint analyses used with QFD
 - 9.3.2.1 Trade-off conjoint analysis
 - 9.3.2.2 Paired comparison conjoint analysis
 - 9.3.2.3 Full –profile conjoint analysis
 - 9.3.2.4 Adaptive conjoint analysis
 - 9.3.3 Building the conjoint analysis survey
 - 9.3.4 Case study of conjoint analysis and QFD
 - 9.3.4.1 General
 - 9.3.4.2 Interview questions
 - 9.3.4.3 Array of factors in trade-off conjoint analysis
 - 9.3.4.4 Analysis of results
 - 9.4 Cluster analysis
 - 9.5 Cultural dimensions
 - 9.5.1 General
 - 9.5.2 Cultural dimension scores
 - 9.5.3 Cultural dimensions and QFD
 - 9.6 Factor analysis with covariance structure analysis
 - 9.6.1 General
 - 9.6.2 Factor analysis to classify functional requirements into satisfaction factors
 - 9.6.3 Covariance structure analysis
 - 9.7 Fuzzy set theory and multi-attribute utility theory
 - 9.7.1 General
 - 9.7.2 Difficulties in scoring customer satisfaction
 - 9.7.3 Fuzzy sets
 - 9.7.4 Crisp scores
 - 9.7.5 Customer preferences by benchmarking competition
 - 9.7.6 Failure mode and effects analysis using fuzzy multiple-objective decision models
 - 9.8 Market position analysis
 - 9.8.1 General
 - 9.8.2 Types of market positioning
 - 9.8.2.1 Head-to-head positioning
 - 9.8.2.2 Differentiation positioning
 - 9.9 Market segmentation using cross tabulations
 - 9.9.1 General
 - 9.9.2 Types of cross tabulations
 - 9.9.2.1 Raw data
 - 9.9.2.2 Row percentages

- 9.9.2.3 Column percentages
- 9.9.2.4 Grand total percentages
- 9.9.3 Uses of cross tabulations
- 9.10 Multidimensional scaling (MDS)
 - 9.10.1 General
 - 9.10.2 Conducting the MDS study
 - 9.10.3 Case study on toothpaste
 - 9.10.3.1 General
 - 9.10.3.2 Obtain input data
 - 9.10.3.3 Create spatial map and label the dimensions
- 9.11 Net promoter score (NPS)
 - 9.11.1 General
 - 9.11.2 NPS survey
 - 9.11.3 NPS survey results
- 9.12 Neural networks (NN)
 - 9.12.1 General
 - 9.12.2 Preparing the surveys
 - 9.12.3 Interpreting the NN output
 - 9.12.4 Using the NN output in a QFD study
- 9.13 Quantification methods (QM)
 - 9.13.1 General
 - 9.13.2 Quantification method III (QM III)
 - 9.13.3 Applying QM III to a 2-dimensional QFD matrix
- 9.14 Regression analysis
 - 9.14.1 General
 - 9.14.2 Regression analysis in QFD
 - 9.14.3 Regression data
 - 9.14.3.1 Input data
 - 9.14.3.2 Output data
 - 9.14.3.3 Interpreting the output
 - 9.14.3.4 Using the regression output in the QFD study
- 9.15 Repertory grid technique
 - 9.15.1 General
 - 9.15.2 The repertory grid technique process
- 9.16 Text analytics and text mining
 - 9.16.1 General
 - 9.16.2 Text clustering
 - 9.16.3 Topic modelling
- 10 Deployment to next stage
 - 10.1 Customer needs related information
 - 10.2 Product related information

Annex A (informative) Using sampling surveys

- A.1 General
- A.2 Methods used in sampling surveys
 - A.2.1 Clarification of the target population
 - A.2.1.1 Subpopulation
 - A.2.1.2 Superpopulation
 - A.2.1.3 Preparation of sampling frame (lists of the population)
 - A.2.1.4 Cluster
 - A.2.1.5 Sampling unit
 - A.2.1.6 Maintenance of sampling frame (lists of the population)
 - A.2.2 Sampling from the population
 - A.2.2.1 Sample
 - A.2.2.2 Sample size
 - A.2.2.3 Random sample
 - A.2.2.4 Random sampling
 - A.2.2.5 Simple random sampling
 - A.2.2.6 Representative sample
 - A.2.2.7 Systematic sampling
 - A.2.2.8 Purposive/judgment sampling
 - A.2.2.9 Quota sampling
 - A.2.2.10 Sampling proportional to size

- A.2.2.11 Stratification and stratified sampling**
- A.2.2.12 Balanced sample**
- A.2.2.13 Multi-phase sampling**
- A.2.2.14 Multi-stage sampling**
- A.2.2.15 Controlled sampling**
- A.2.2.16 Probability sample**
- A.2.2.17 Cluster sampling**
- A.2.2.18 Sub-sampling**
- A.2.2.19 Area sampling**
- A.2.2.20 Line sampling**
- A.2.2.21 Point sampling**

Page count: 44