ISO 2859-2:2020-02 (E)

Sampling procedures for inspection by attributes - Part 2: Sampling pla ns indexed by limiting quality (LQ) for isolated lot inspection

Contents

Page

Foreword iv

1 Scope 1

2 Normative references 1

3 Termsanddefinitions,andsymbolsandabbreviatedterms 2
3.1 Terms and definitions 2
3.2 Symbols and abbreviated terms 3

4 Choice of sampling plan 3
4.1 General 3
4.2 Choice of limiting quality (LQ) 5
4.3 Obtaining a sampling plan 6

5 Acceptance and non-acceptance 7
5.1 Drawing of samples 7
5.2 Acceptance of lots 7
5.3 Disposition of non-accepted lots 7
5.4 Accepted lots with one or more nonconforming units or nonconformities 7
5.5 Resubmitted lots 7

6 Sampling for nonconformities 7
6.1 Sampling for nonconformities for lots with correlation of the nonconformities 7
6.2 Sampling for nonconformities for lots without correlation of the nonconformities 8
6.3 General advice on sampling for nonconformities 8

7 Examples 8
7.1 Example of sampling for nonconforming items 8
7.2 Example of sampling for nonconformities for lots with correlation 8
7.3 Example of sampling for nonconformities for lots without correlation 9

8 Additional information about the tables 9
8.1 Tables 8 to 15 9
8.2 Tables 16 and 17 9

Annex A (informative) Statistical properties of single sampling plans 37

Annex B (informative) Calculation of the statistical indices 40

Annex C (informative)Informationontechnicalbackgroundofconfidenceintervals 45

Bibliography 46