## ISO 22514-7:2021 (E)

# Statistical methods in process management — Capability and performance — Part 7: Capability of measurement processes

### Contents

Foreword

#### Introduction

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
- 4 Symbols and abbreviated terms
  - 4.1 Symbols
  - 4.2 Abbreviated terms
- 5 Basic principles
  - 5.1 General
  - 5.2 Resolution
  - 5.3 Maximum permissible error known and used
  - 5.3.1 General
  - 5.3.2 MPE, maximum permissible deviation of the measuring system uMPE
  - 5.4 Capability and performance limits for a measuring system and measurement process
- 6 Implementation
  - 6.1 General
  - 6.2 Factors that influence the measurement process
  - 6.2.1 General
  - 6.2.2 Uncertainty components that belong to the measuring system
  - 6.2.2.1 Types
  - 6.2.2.2 Estimation of uncertainty using the maximum permissible error value
  - 6.2.2.3 Measuring system resolution
  - 6.2.2.4 Calculation of repeatability, bias and linearity using reference standards or calibrated workpieces
  - 6.2.2.5 Experimental method
  - 6.2.3 Additional uncertainty components belonging to the measurement process
  - 6.2.3.1 General
  - 6.2.3.2 Determination of uncertainty components from experiments (Type A)
  - 6.2.3.3 Determination of uncertainty components not included in the experiments (Type B)
  - 6.2.3.4 Impact of the deviation of workpiece on the measurement result
  - 6.2.3.5 Resolution
  - 6.2.3.6 Temperature influence
  - 6.2.3.6.1 Uncertainty calculation
  - 6.2.3.6.2 Uncertainty component caused by temperature differences and expansion
  - 6.2.3.6.3 Uncertainty on the coefficient of expansion

#### 7 Studies for calculating the uncertainty components

- 7.1 Measuring system
- 7.1.1 General
- 7.1.2 Repeatability and bias based on one reference standard
- 7.1.2.1 General
- 7.1.2.2 Preconditions
- 7.1.2.3 Procedure
- 7.1.3 Standard uncertainty from the linearity deviation uLIN
- 7.1.3.1 Applicable methods

- 7.1.3.2 Method B
- 7.1.3.3 Method A
- 7.1.3.4 Linearity evaluation with ANOVA
- Calculation of combined uncertainty
  - 8.1 General
  - 8.2 Calculation of expanded uncertainty
- 9 Capability

8

- 9.1 **Performance ratios**
- 9.1.1 General
- 9.1.2 Performance ratio of the measuring system
- 9.1.3 Performance ratio of the measurement process
- 9.2 Capability indices
- 9.3 Capability of a measurement process with one-sided specifications
- 10 Capability of the measurement process compared to the capability of the production process
  - 10.1 Relation between observed process capability and measurement capability ratios
  - 10.2 Relation between observed process capability and measurement capability
- 11 Ongoing review of the measurement process stability
  - 11.1 Ongoing review of the stability
- 12 Capability of attribute measurement processes
  - 12.1 General
  - 12.2 Capability calculations without using reference values
  - 12.3 Capability calculations using reference values
  - 12.3.1 Calculation of the uncertainty range
  - 12.3.2 Symbols
  - 12.3.3 Working steps for determining the uncertainty range
  - 12.4 Ongoing review
- Annex A (informative) Examples
  - A.1 Example of linearity study with at least three standards
  - A.1.1 General
  - A.1.2 Calculation of means and residuals
  - A.1.3 ANOVA table:
  - A.1.4 Estimation of uncertainty components
  - A.2 Experimental determination of the measurement process uncertainty
  - A.3 Determination of the uncertainty components not taken into account by experiments
  - A.4 Determination of the combined and expanded uncertainty
  - A.5 Assessing the capability of the measuring system and measurement process

#### Annex B (informative) Statistical methods used

- B.1 F-test
- B.2 ANOVA tables
- B.3 Relation between capability of the measurement process and capability of the production process

Page count: 52