

ISO 2859-5:2005-06 (E)

Sampling procedures for inspection by attributes - Part 5: System of sequential sampling plans indexed by acceptance quality limit (AQL) for lot-by-lot inspection

| Contents | | Page |
|---|--|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 Scope | | 1 |
| 2 Normative references | | 2 |
| 3 Terms and definitions | | 2 |
| 4 Symbols and abbreviated terms | | 9 |
| 5 Expression of nonconformity | | 10 |
| 6 Acceptance quality limit (AQL) | | 10 |
| 7 Submission of product for sampling | | 11 |
| 8 Acceptance and non-acceptance | | 11 |
| 9 Drawing of samples | | 12 |
| 10 Normal, tightened and reduced inspection | | 12 |
| 11 Sampling plans | | 14 |
| 12 Determination of acceptability | | 21 |
| 13 Further information | | 21 |
| 14 Tables | | 22 |
| Annex A (normative) Sampling plans for normal inspection | | 23 |
| Annex B (normative) Sampling plans for tightened inspection | | 27 |
| Annex C (normative) Sampling plans for reduced inspection | | 31 |
| Annex D (informative) Average sample numbers for sequential sampling plans | | 35 |
| Bibliography | | 43 |