

ISO 16437:2012-07 (E)

Ships and marine technology - Lifesaving and fire protection - Atmospheric oil mist detectors for ships

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Requirements	3
4.1	General	3
4.2	Compliance	4
4.3	Detector calibration	4
4.4	Cleaning alarm	4
4.5	Indicating devices	4
4.6	Individual detector indicators	4
4.7	Connection of ancillary devices	5
4.8	Monitoring of detachable detectors	5
4.9	Manufacturer's adjustments	5
4.10	On-site adjustment of response behaviour	5
4.11	Response to slow increases of oil mist concentrations	5
4.12	Marking	6
4.13	Instruction manual	6
4.14	Data	7
4.15	Requirements for software-controlled detectors	7
4.16	Monitoring of memory contents -- optional function	8
4.17	Additional requirements for aspirating detectors	8
5	Test methods	10
5.1	General	10
5.2	Repeatability	13
5.3	Dry heat (operational)	13
5.4	Cold (operational)	14
5.5	Damp heat	15
5.6	Vibration, sinusoidal (operational)	16
5.7	High voltage	17
5.8	Variation of supply parameters	18
5.9	Electrical power supply failure	19
5.10	Insulation resistance	19
5.11	Electrostatic discharge immunity	20
5.12	Radiated radio frequency immunity	21
5.13	Conducted low frequency immunity	21
5.14	Conducted high frequency immunity	22
5.15	Burst/fast transient immunity	23
5.16	Surge immunity test	24
5.17	Additional tests for aspirating detectors	26
6	Installation	27
7	Test report	27

Annex A (normative) Calibration for master detector and/or functional test for product detector	28
Annex B (informative) Example of an alternative test method for the product detectors	34
Annex C (informative) Example of an oil mist generator	38
Annex D (informative) Location and installation of atmospheric detectors	40
Bibliography	44