Utility connections in port - Part 1: High voltage shore connection (HVSC) systems - General requirements

CONTENTS

FOREWORD 6
INTRODUCTION 9
1 Scope 10
2 Normative references 10
3 Terms and definitions 11
4 General requirements 13
4.1 System description 13
4.2 Distribution system 14
4.2.1 General 14
4.2.2 Equipotential bonding 14
4.3 Compatibility assessment before connection 15
4.4 HVSC system design and operation 15
4.4.1 System design 15
4.4.2 System operation 15
4.5 Personnel safety 16
4.6 Design requirements 16
4.6.1 General 16
4.6.2 Protection against moisture and condensation 16
4.6.3 Location and construction 16
4.6.4 Electrical equipment in areas where flammable gas or vapour and/or combustible dust can be present 17
4.7 Electrical requirements 17
4.8 System study and calculations 17
4.9 Emergency shutdown including emergency-stop facilities 18
5 HV shore supply system requirements 19
5.1 Voltages and frequencies 19
5.2 Quality of HV shore supply 20
6 Shore side installation 22
6.1 General 22
6.2 System component requirements 22
6.2.1 Circuit-breaker, disconnector and earthing switch 22
6.2.2 Transformer 22
6.2.3 Neutral earthing resistor 23
6.2.4 Equipment-earthing conductor bonding 23
6.3 Shore-to-ship electrical protection system 23
6.4 HV interlocking 24
6.4.1 General 24
6.4.2 Operating of the high-voltage (HV) circuit breakers, disconnectors and earthing switches 24
6.5 Shore connection convertor equipment 25
6.5.1 General 25
6.5.2 Degree of protection 25
6.5.3 Cooling 25
6.5.4 Protection 26
7 Ship-to-shore connection and interface equipment 26
7.1 General 26

7.2 Cable management system 26
7.2.1 General 26
7.2.2 Monitoring of cable mechanical tension 27
7.2.3 Monitoring of the cable length 27
7.2.4 Connectors protection 27
7.2.5 Equipotential bond monitoring 27
7.2.6 Slip ring units 27
7.3 Connectors 28
7.3.1 General 28
7.3.2 Pilot contacts 28
7.3.3 Earth contact 28
7.3.4 Fibre-optic connection 29
7.4 Interlocking of earthing switches 30
7.5 Ship-to-shore connection cable 30
7.6 Control and monitoring cable 31
7.7 Storage 31
7.8 Data communication 31
8 Ship requirements 31
8.1 General 31
8.2 Ship electrical distribution system protection 32
8.2.1 Short-circuit protection 32
8.2.2 Earth fault protection, monitoring and alarm 32
8.3 Shore connection switchboard 32
8.3.1 General 32
8.3.2 Circuit-breaker, disconnector and earthing switch 32
8.3.3 Instrumentation and protection 33
8.4 Onboard transformer 33
8.5 Onboard receiving switchboard connection point 33
8.5.1 General 33
8.5.2 Circuit-breaker and earthing switch 33
8.5.3 Instrumentation 34
8.5.4 Protection 34
8.5.5 Operation of the circuit-breaker 35
8.6 Ship power restoration 35
9 HVSC system control and monitoring 36
9.1 General 36
9.2 Load transfer via blackout 36
9.3 Load transfer via automatic synchronization 36
9.3.1 General 36
9.3.2 Protection 37
10 Verification and testing 37
10.1 General 37
10.2 Initial tests of shore side installation 37
10.2.1 General 37
10.2.2 Tests 37
10.3 Initial tests of ship-side installation 38
10.3.1 General 38
10.3.2 Tests 38
10.4 Tests at the first call at a shore supply point 38

10.4.1 General 38
10.4.2 Tests 38
11 Periodic tests and maintenance 39
11.1 General 39
11.2 Tests at repeated calls of a shore supply point 39
11.2.1 General 39
11.2.2 Verification 39
11.3 Earthing bonding connections 39
12 Documentation 40
12.1 General 40
12.2 System description 40
Annex A (informative) Ship-to-shore connection cable 41
A.1 Rated voltage 41
A.2 General design 41
A.2.1 General 41
A.2.2 Conductors 41
A.2.3 Insulation of power cores and neutral core 41
A.2.4 Screening 42
A.2.5 Earth conductors 42
A.2.6 Pilot element with rated voltage U_0/U (U_m) = 150/250 (300) V 42
A.2.7 Optical fibres 43
A.2.8 Cabling 43
A.2.9 Separator tape 43
A.2.10 Outer sheath 43
A.2.11 Markings 43
A.3 Tests on complete cables 44
Annex B (normative) Additional requirements for Roll-on Roll-off (Ro-Ro) cargo ships and Ro-Ro passenger ships 47
B.1 General 47
Annex C (normative) Additional requirements for cruise ships 52
C.1 General 52
C.6 Shore side installation 57
Annex D (normative) Additional requirements of container ships 60
D.1 General 60
Annex E (informative) Additional requirements of liquefied natural gas carriers (LNGC) 64
E.1 General 64
Annex F (informative) Additional requirements for tankers 70
F.1 General 70
Bibliography 73

Figure 1 – Block diagram of a typical described HVSC system arrangement 14
Figure 2 – Phase sequences 20
Figure 3 – Single harmonic distortion limits 21
Figure 4 – Fibre-optic socket outlet 29
Figure 5 – Fibre-optic plug 30
Figure A.1 – Bending test arrangement 45
Figure B.1 – General system diagram 48

Figure B.2 – Safety circuits 50
Figure B.3 – Three-phase plug and socket-outlet contact assignment 51
Figure C.1 – General system diagram 52
Figure C.2 – Cruise ship HVSC system functional diagram 53
Figure C.3 – Safety and control circuits 56
Figure C.4 – Three-phase ship connector and ship inlet contact assignment 58
Figure C.5 – Three-phase ship inlet fitted with fail-safe limit switch 59
Figure D.1 – General system diagram 60
Figure D.2 – Safety circuits 62
Figure D.3 – Three-phase plug and socket-outlet contact assignment 63
Figure E.1 – General system diagram 65
Figure E.2 – Three-phase ship connector and ship inlet contact assignment 68
Figure F.1 – General system diagram 70
Figure F.2 – Three-phase shore plug and ship socket-outlet contact assignment 72

Table E.1 – LNGC 140 000 m^3 to 225 000 m^3 66
Table E.2 – LNGC > 225 000 m^3 66