

### CONTENTS

|   |    |
|---|----|
| FOREWORD .....  | 6  |
| INTRODUCTION .....  | 9  |
| 1 Scope .....   | 10 |
| 2 Normative references .....  | 10 |
| 3 Terms and definitions .....   | 11 |
| 4 General requirements .....  | 13 |
| 4.1 System description .....  | 13 |
| 4.2 Distribution system .....   | 14 |
| 4.2.1 General .....   | 14 |
| 4.2.2 Equipotential bonding .....   | 14 |
| 4.3 Compatibility assessment before connection .....  | 15 |
| 4.4 HVSC system design and operation .....  | 15 |
| 4.4.1 System design .....   | 15 |
| 4.4.2 System operation .....  | 15 |
| 4.5 Personnel safety .....  | 16 |
| 4.6 Design requirements .....   | 16 |
| 4.6.1 General .....   | 16 |
| 4.6.2 Protection against moisture and condensation .....  | 16 |
| 4.6.3 Location and construction .....   | 16 |
| 4.6.4 Electrical equipment in areas where flammable gas or vapour and/or<br>combustible dust can be present ..... | 17 |
| 4.7 Electrical requirements .....   | 17 |
| 4.8 System study and calculations .....   | 17 |
| 4.9 Emergency shutdown including emergency-stop facilities .....  | 18 |
| 5 HV shore supply system requirements .....   | 19 |
| 5.1 Voltages and frequencies .....  | 19 |
| 5.2 Quality of HV shore supply .....  | 20 |
| 6 Shore side installation .....   | 22 |
| 6.1 General .....   | 22 |
| 6.2 System component requirements .....   | 22 |
| 6.2.1 Circuit-breaker, disconnector and earthing switch .....   | 22 |
| 6.2.2 Transformer .....   | 22 |
| 6.2.3 Neutral earthing resistor .....   | 23 |
| 6.2.4 Equipment-earthing conductor bonding .....  | 23 |
| 6.3 Shore-to-ship electrical protection system .....  | 23 |
| 6.4 HV interlocking .....   | 24 |
| 6.4.1 General .....   | 24 |
| 6.4.2 Operating of the high-voltage (HV) circuit breakers, disconnectors and<br>earthing switches .....           | 24 |
| 6.5 Shore connection convertor equipment .....  | 25 |
| 6.5.1 General .....   | 25 |
| 6.5.2 Degree of protection .....  | 25 |
| 6.5.3 Cooling .....   | 25 |
| 6.5.4 Protection .....  | 26 |
| 7 Ship-to-shore connection and interface equipment .....  | 26 |
| 7.1 General .....   | 26 |

|        |  |    |
|--------|--|----|
| 7.2    | Cable management system .....                          | 26 |
| 7.2.1  | General .....  | 26 |
| 7.2.2  | Monitoring of cable mechanical tension .....           | 27 |
| 7.2.3  | Monitoring of the cable length.....                    | 27 |
| 7.2.4  | Connectors protection.....                             | 27 |
| 7.2.5  | Equipotential bond monitoring.....                     | 27 |
| 7.2.6  | Slip ring units .....                                  | 27 |
| 7.3    | Connectors .....                                       | 28 |
| 7.3.1  | General .....  | 28 |
| 7.3.2  | Pilot contacts.....                                    | 28 |
| 7.3.3  | Earth contact .....                                    | 28 |
| 7.3.4  | Fibre-optic connection .....                           | 29 |
| 7.4    | Interlocking of earthing switches .....                | 30 |
| 7.5    | Ship-to-shore connection cable .....                   | 30 |
| 7.6    | Control and monitoring cable .....                     | 31 |
| 7.7    | Storage.....   | 31 |
| 7.8    | Data communication .....                               | 31 |
| 8      | Ship requirements .....                                | 31 |
| 8.1    | General.....   | 31 |
| 8.2    | Ship electrical distribution system protection.....    | 32 |
| 8.2.1  | Short-circuit protection .....                         | 32 |
| 8.2.2  | Earth fault protection, monitoring and alarm.....      | 32 |
| 8.3    | Shore connection switchboard .....                     | 32 |
| 8.3.1  | General .....  | 32 |
| 8.3.2  | Circuit-breaker, disconnecter and earthing switch..... | 32 |
| 8.3.3  | Instrumentation and protection.....                    | 33 |
| 8.4    | Onboard transformer.....                               | 33 |
| 8.5    | Onboard receiving switchboard connection point.....    | 33 |
| 8.5.1  | General .....  | 33 |
| 8.5.2  | Circuit-breaker and earthing switch.....               | 33 |
| 8.5.3  | Instrumentation.....                                   | 34 |
| 8.5.4  | Protection .....                                       | 34 |
| 8.5.5  | Operation of the circuit-breaker .....                 | 35 |
| 8.6    | Ship power restoration .....                           | 35 |
| 9      | HVSC system control and monitoring.....                | 36 |
| 9.1    | General.....   | 36 |
| 9.2    | Load transfer via blackout.....                        | 36 |
| 9.3    | Load transfer via automatic synchronization.....       | 36 |
| 9.3.1  | General .....  | 36 |
| 9.3.2  | Protection .....                                       | 37 |
| 10     | Verification and testing .....                         | 37 |
| 10.1   | General.....   | 37 |
| 10.2   | Initial tests of shore side installation .....         | 37 |
| 10.2.1 | General .....  | 37 |
| 10.2.2 | Tests .....  | 37 |
| 10.3   | Initial tests of ship-side installation .....          | 38 |
| 10.3.1 | General .....  | 38 |
| 10.3.2 | Tests .....  | 38 |
| 10.4   | Tests at the first call at a shore supply point .....  | 38 |

|                       |   |    |
|-----------------------|---|----|
| 10.4.1                | General .....   | 38 |
| 10.4.2                | Tests .....   | 38 |
| 11                    | Periodic tests and maintenance .....  | 39 |
| 11.1                  | General.....  | 39 |
| 11.2                  | Tests at repeated calls of a shore supply point .....   | 39 |
| 11.2.1                | General .....   | 39 |
| 11.2.2                | Verification .....  | 39 |
| 11.3                  | Earthing bonding connections .....  | 39 |
| 12                    | Documentation .....   | 40 |
| 12.1                  | General.....  | 40 |
| 12.2                  | System description.....   | 40 |
| Annex A (informative) | Ship-to-shore connection cable .....  | 41 |
| A.1                   | Rated voltage .....   | 41 |
| A.2                   | General design .....  | 41 |
| A.2.1                 | General .....   | 41 |
| A.2.2                 | Conductors .....  | 41 |
| A.2.3                 | Insulation of power cores and neutral core.....   | 41 |
| A.2.4                 | Screening .....   | 42 |
| A.2.5                 | Earth conductors .....  | 42 |
| A.2.6                 | Pilot element with rated voltage $U_0/U (U_m) = 150/250 (300) V$ .....                              | 42 |
| A.2.7                 | Optical fibres .....  | 43 |
| A.2.8                 | Cabling.....  | 43 |
| A.2.9                 | Separator tape.....   | 43 |
| A.2.10                | Outer sheath.....   | 43 |
| A.2.11                | Markings.....   | 43 |
| A.3                   | Tests on complete cables .....  | 44 |
| Annex B (normative)   | Additional requirements for Roll-on Roll-off (Ro-Ro) cargo ships<br>and Ro-Ro passenger ships ..... | 47 |
| B.1                   | General.....  | 47 |
| Annex C (normative)   | Additional requirements for cruise ships.....   | 52 |
| C.1                   | General.....  | 52 |
| C.6                   | Shore side installation.....  | 57 |
| Annex D (normative)   | Additional requirements of container ships .....  | 60 |
| D.1                   | General.....  | 60 |
| Annex E (informative) | Additional requirements of liquefied natural gas carriers (LNGC).....                               | 64 |
| E.1                   | General.....  | 64 |
| Annex F (informative) | Additional requirements for tankers .....   | 70 |
| F.1                   | General.....  | 70 |
|                       | Bibliography.....   | 73 |
|                       | Figure 1 – Block diagram of a typical described HVSC system arrangement .....                       | 14 |
|                       | Figure 2 – Phase sequences .....  | 20 |
|                       | Figure 3 – Single harmonic distortion limits .....  | 21 |
|                       | Figure 4 – Fibre-optic socket outlet.....   | 29 |
|                       | Figure 5 – Fibre-optic plug .....   | 30 |
|                       | Figure A.1 – Bending test arrangement.....  | 45 |
|                       | Figure B.1 – General system diagram .....   | 48 |

|   |    |
|---|----|
| Figure B.2 – Safety circuits .....  | 50 |
| Figure B.3 – Three-phase plug and socket-outlet contact assignment .....            | 51 |
| Figure C.1 – General system diagram .....   | 52 |
| Figure C.2 – Cruise ship HVSC system functional diagram .....                       | 53 |
| Figure C.3 – Safety and control circuits .....                                      | 56 |
| Figure C.4 – Three-phase ship connector and ship inlet contact assignment.....      | 58 |
| Figure C.5 – Three-phase ship inlet fitted with fail-safe limit switch.....         | 59 |
| Figure D.1 – General system diagram .....   | 60 |
| Figure D.2 – Safety circuits.....   | 62 |
| Figure D.3 – Three-phase plug and socket-outlet contact assignment.....             | 63 |
| Figure E.1 – General system diagram .....   | 65 |
| Figure E.2 – Three-phase ship connector and ship inlet contact assignment.....      | 68 |
| Figure F.1 – General system diagram .....   | 70 |
| Figure F.2 – Three-phase shore plug and ship socket-outlet contact assignment ..... | 72 |
| <br>  |    |
| Table E.1 – LNGC 140 000 m <sup>3</sup> to 225 000 m <sup>3</sup> .....             | 66 |
| Table E.2 – LNGC > 225 000 m <sup>3</sup> .....                                     | 66 |