

# ISO 4853:2023-05 (E)

## Ships and marine technology - A-frame launch and recovery system

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Operation and functional requirements .....</b>	<b>2</b>
4.1	Operating position .....	2
4.2	Constant tension setting .....	2
4.3	Load measuring device .....	3
4.4	Emergency release .....	3
4.5	Wire rope design .....	3
4.6	Cylinder protection .....	3
4.7	Loose gear .....	3
<b>5</b>	<b>Design .....</b>	<b>4</b>
5.1	General .....	4
5.2	Conditions without wind .....	4
5.3	Conditions with wind .....	5
5.4	Allowable stress for A-frame structure member .....	5
5.5	Fatigue .....	6
5.6	Fracture toughness requirements for critical and main load bearing members .....	6
5.6.1	General requirement .....	6
5.6.2	Steels up to and including 41 kg/mm <sup>2</sup> yield strength .....	6
5.6.3	Extra high strength steels above 41 kg/mm <sup>2</sup> yield strength .....	6
5.6.4	Alternative requirements .....	6
<b>6</b>	<b>Acceptance tests and inspection .....</b>	<b>7</b>
6.1	General .....	7
6.2	Heavy hoisting test and inspection .....	7
6.3	Factory acceptance test and inspection .....	7
<b>7</b>	<b>Installation testing and inspection .....</b>	<b>8</b>
7.1	General .....	8
7.2	Test loads .....	8
7.3	Examination after testing .....	8
<b>Annex A (informative) Hoisting factor .....</b>		<b>9</b>
<b>Bibliography .....</b>		<b>10</b>