# ISO 28005-1:2024-12 (E)

## Ships and marine technology - Electronic port clearance (EPC) - Part 1: Message structures and application programming interfaces

## Contents

Page


**Foreword** ix

**Introduction** xi

**1 Scope** 1

**2 Normative references** 1

**3 Terms, definitions, and abbreviated terms** 1
3.1 Terms and definitions 1
3.2 Abbreviated terms 5

**4 Structure of XSD data type and object definitions** 6
4.1 General 6
4.2 Principles for XML descriptions in the ISO 28005 series 7
4.2.1 No use of XML attributes 7
4.2.2 Defaults for minOccurs and maxOccurs 7
4.2.3 Signalling empty XML tags 7
4.2.4 Order of child elements in XSD files 7
4.2.5 Character set 7
4.2.6 Principles for defining types with code lists 7
4.2.7 XSD name space for general XSD data types 8
4.2.8 ISO 28005 name space 8
4.2.9 Use of Xpath expressions 8
4.3 Structure of clauses defining data types 8
4.3.1 Clause and data type name 8
4.3.2 Definition 8
4.3.3 Type defined as XSD code 9
4.3.4 Representation 9
4.4 Creating valid XSD schema files 9
4.4.1 File structure 9
4.4.2 Numbering of XSD files and message version code 10
4.4.3 Location of XSD files 11
4.5 Reference to data types defined in ISO 28005-2:2021 11

**5 Adapted XSD data types for ISO 28005** 12
5.1 General 12
5.2 epc:anyURI – Generalized URI 12
5.2.1 Definition 12
5.2.2 Type 12
5.2.3 Representation 12
5.3 epc: boolean – Boolean flag 12
5.3.1 Definition 12
5.3.2 Type 12
5.3.3 Representation 12
5.4 epc:date – General date 12
5.4.1 Definition 12
5.4.2 Type 12
5.4.3 Representation 13
5.5 epc:dateTime – Time and date, with time zone 13
5.5.1 Definition 13
5.5.2 Type 13
5.5.3 Representation 13
5.6 epc:decimal – decimal number 13

5.6.1 Definition 13
5.6.2 Type 13
5.6.3 Representation 13
5.7 epc:duration – Time duration 14
5.7.1 Definition 14
5.7.2 Type 14
5.7.3 Representation 14
5.8 epc:int – Integer number 14
5.8.1 Definition 14
5.8.2 Type 14
5.8.3 Representation 14
5.9 epc:string – General string 14
5.9.1 Definition 14
5.9.2 Type 14
5.9.3 Representation 15
5.10 epc:token – Computer-understandable string 15
5.10.1 Definition 15
5.10.2 Type 15
5.10.3 Representation 15
5.11 epc:xpath – Identification of an XML data item 15
5.11.1 Definition 15
5.11.2 Type 15
5.11.3 Representation 15
**6 General ISO 28005 data types 15**
6.1 General 15
6.2 epc: AuthenticatorType – Authenticator of information 15
6.2.1 Definition 15
6.2.2 Type 16
6.2.3 Representation 16
6.3 epc:AuthorizationTokenType – Authorization token 16
6.3.1 Definition 16
6.3.2 Type 16
6.3.3 Representation 16
6.4 epc:ContactInfoType – Contact information 16
6.4.1 Definition 16
6.4.2 Type 17
6.4.3 Representation 17
6.5 epc:CommunicationNumberType – Communication number information 17
6.5.1 Definition 17
6.5.2 Type 17
6.5.3 Representation 18
6.6 epc:CountryCodeContentType – Country identification 18
6.6.1 Definition 18
6.6.2 Type 18
6.6.3 Representation 18
6.7 epc:CountrySubdivisionCodeContentType – Country subdivision identification 18
6.7.1 Definition 18
6.7.2 Type 18
6.7.3 Representation 19
6.8 epc:CrewDutyType – Duty onboard or on shore 19
6.8.1 Definition 19
6.8.2 Type 19
6.8.3 Representation 19
6.9 epc:LocationType – Identification of a location 19
6.9.1 Definition 19
6.9.2 Type 19
6.9.3 Representation 21
6.10 epc:NameType – Name of person 21
6.10.1 Definition 21
6.10.2 Type 21
6.10.3 Representation 21

6.11 epc:OrganizationType – Description of an organization 22
6.11.1 Definition 22
6.11.2 Type 22
6.11.3 Representation 22
6.12 epc:PostalAddressType – A postal mail address 22
6.12.1 Definition 22
6.12.2 Type 22
6.12.3 Representation 23
6.13 epc:ShipIDType – Ship identity 23
6.13.1 Definition 23
6.13.2 Type 23
6.13.3 Representation 23
6.14 epc:ReportingSystemType – Name of a reporting system 24
6.14.1 Definition 24
6.14.2 Type 24
6.14.3 Representation 24
6.15 epc:AttachmentType – Reference to an attached document 24
6.15.1 Definition 24
6.15.2 Type 24
6.15.3 Representation 24
6.16 epc:ReferenceCodeType – General reference code 25
6.16.1 Definition 25
6.16.2 Type 25
6.16.3 Representation 25
6.17 epc:SystemIdType – Identity code for a software system 25
6.17.1 Definition 25
6.17.2 Type 25
6.17.3 Representation 25
6.18 epc:SignatureCertificateIdType – Name of digital signature holder 26
6.18.1 Definition 26
6.18.2 Type 26
6.18.3 Representation 26
6.19 epc:VersionType – Version code 26
6.19.1 Definition 26
6.19.2 Type 26
6.19.3 Representation 27

**7 ISO 28005 design principles 27**
7.1 Harmonization with the IMO reference data model 27
7.2 Fully automated machine to machine 27
7.3 Using carrier independent and internet-based protocols 28
7.4 General format of message sequence diagrams 28
7.5 Sender and receiver versus client and server — asynchronous message transfers 29
7.6 Generalization of service 30
7.7 Different levels of sessions 30
7.7.1 HTTP session 30
7.7.2 Session 31
7.7.3 Session context 32
7.8 One service per request and session 33
7.9 Linking receivers to service providers 33
7.10 Service request states 33
7.10.1 Message processing 33
7.10.2 State diagram for service requests 34
7.10.3 Message functions 36
7.10.4 Specification of request timeout 36
7.10.5 Message and service request return values 37
7.11 Send data once only 37
7.12 Message context 37
7.13 General message structure 39
7.14 Digital signatures 40
7.15 Secure data transfer 40

7.16 Additional authorization for accessing API 40
7.17 Message implementation guide 41
7.18 Other formats than XML for the message body 41
7.19 No explicit service discovery 41

**8 Message exchange patterns 41**
8.1 General rules 41
8.1.1 Application of this specification 41
8.1.2 Use of reference codes 42
8.1.3 Use of final flag in message header 42
8.1.4 Use of service timeout or session context end 43
8.1.5 Status and error codes 43
8.1.6 Multiple senders 44
8.1.7 Interleaving update requests with status messages 45
8.2 Sequence diagrams 45
8.2.1 Pattern 1: Service request and updates 45
8.2.2 Pattern 2: Status poll 47
8.2.3 Pattern 3: Simple report 47
8.2.4 Pattern 4: Request information 48
8.2.5 Pattern 5: Subscribe to service or information 48

**9 Using HTTP multi-part message 49**
9.1 General 49
9.2 Example of an ISO 28005-1 multi-part message 50
9.3 Content-Type: multipart/form-data 50
9.4 Content-Encoding: gzip 51
9.5 Prose text 51
9.6 Content-Type: application, image or other 51
9.7 Content-Disposition: form-data; name = name; filename = file.name; 51

**10 Definitions related to the message header part 52**
10.1 General 52
10.2 epc:MessageFunctionCodeContentType – Message function code 52
10.2.1 Definition 52
10.2.2 Type 52
10.2.3 Representation 52
10.3 epc:ReplyInformationType – Type of sender response code 52
10.3.1 Definition 52
10.3.2 Type 52
10.3.3 Representation 53
10.4 epc:MessageBodyFormatContentType – Format of body data 53
10.4.1 Definition 53
10.4.2 Type 53
10.4.3 Representation 53
10.5 epc:ServiceTypeCodeContentType – Code for identification of service type 53
10.5.1 Definition 53
10.5.2 Type 54
10.5.3 Representation 54
10.6 epc:ServiceCodeContentType – Code for identification of a service in a group 54
10.6.1 Definition 54
10.6.2 Type 54
10.6.3 Representation 54
10.7 epc:StatusType – General message and service request status and error codes 54
10.7.1 Definition 54
10.7.2 Type 54
10.7.3 Representation 55
10.8 epc:SpecialAttachmentType – Description of special attachment 55
10.8.1 Definition 55
10.8.2 Type 55
10.8.3 Representation 56

10.9 epc:MessageManifestType – Number of message parts ... 56
10.9.1 Definition ... 56
10.9.2 Type ... 56
10.9.3 Representation ... 56
10.10 epc:EPCMessageHeaderType – Standard header for an EPC message ... 56
10.10.1 Definition ... 56
10.10.2 Type ... 56
10.10.3 Representation ... 59

**11 Definitions related to the message body part ... 61**
11.1 General ... 61
11.2 XML message body ... 61
11.2.1 epc:EPCMessageBodyType – the XML body data type ... 61
11.2.2 Structure of message body definition table ... 62
11.3 Encryption of selected content ... 62
11.4 UN/EDIFACT message body ... 63
11.5 UN/EDIFACT status message ... 63
11.6 JSON message body ... 63

**12 Definitions related to attachment message parts ... 63**
12.1 General ... 63
12.2 Reference to an attached document in an XML body ... 63

**13 Definitions related to X.509 certificate message parts ... 64**

**14 Definitions related to the digital signature message part ... 64**
14.1 General ... 64
14.2 Signers ... 64
14.3 epc:EPCMessageSignatureType – Digital signatures of message parts ... 65
14.3.1 Definition ... 65
14.3.2 Type ... 65
14.3.3 Representation ... 65

**15 General definitions related to the use of HTTP ... 65**
15.1 Conceptual structure of a receiver ... 65
15.2 Conceptual structure of a sender ... 66
15.3 Transmission protocol ... 67
15.4 Avoid use of HTTP redirect and similar mechanisms ... 67
15.5 Optional use of HTTP keep-alive ... 67
15.6 API access point URL ... 67
15.7 HTTP methods ... 67
15.8 Different types of synchronous return values ... 68
15.8.1 General ... 68
15.8.2 Connection error ... 68
15.8.3 HTTP error codes ... 68
15.8.4 Message status ... 68
15.8.5 Service request status ... 69

**16 API access points for asynchronous HTTP communication ... 69**
16.1 General ... 69
16.2 Message patterns to use ... 69
16.3 No authorization on the sender's URL ... 69

**17 API access point for synchronous HTTP communication ... 69**
17.1 General ... 69
17.2 Message patterns to use ... 69

**18 Authorization to access API access point ... 70**
18.1 General ... 70
18.2 The message pattern ... 70
18.3 epc:ServiceAuthorizationType – Type of service authorization ... 71
18.3.1 Definition ... 71
18.3.2 Type ... 71

18.3.3 Representation ..... 71
18.4 The message body ..... 72
**19 Specifications for the message implementation guide (MIG)** ..... **72**
19.1 General structure of MIG ..... 72
19.2 MIG Introduction ..... 72
19.3 High level description of use case ..... 72
19.4 Prerequisites ..... 72
19.5 Message sequence diagrams ..... 72
**Annex A** (normative) **EPC request body** ..... **74**
**Annex B** (informative) **Message implementation guide for access authorization** ..... **75**
**Annex C** (informative) **Message implementation guide for maritime single window and mandatory ship reporting system** ..... **80**
**Annex D** (normative) **Code list for special attachments** ..... **87**
**Annex E** (normative) **Message function codes for XML messages** ..... **88**
**Annex F** (normative) **Message and service request status codes** ..... **89**
**Annex G** (normative) **Service codes** ..... **90**
**Annex H** (normative) **Software system type codes** ..... **94**
**Annex I** (normative) **Code list for authenticator and contact point roles** ..... **95**
**Annex J** (normative) **Codes for digital signatures** ..... **96**
**Annex K** (informative) **IMO FAL mapping** ..... **97**
**Bibliography** ..... **99**