

# ISO 28005-1:2024-12 (E)

## Ships and marine technology - Electronic port clearance (EPC) - Part 1: Message structures and application programming interfaces

---

### Contents

Page

- Foreword..... ix
- Introduction..... xi
- 1 Scope..... 1
- 2 Normative references..... 1
- 3 Terms, definitions, and abbreviated terms..... 1
  - 3.1 Terms and definitions..... 1
  - 3.2 Abbreviated terms..... 5
- 4 Structure of XSD data type and object definitions..... 6
  - 4.1 General..... 6
  - 4.2 Principles for XML descriptions in the ISO 28005 series..... 7
    - 4.2.1 No use of XML attributes..... 7
    - 4.2.2 Defaults for minOccurs and maxOccurs..... 7
    - 4.2.3 Signalling empty XML tags..... 7
    - 4.2.4 Order of child elements in XSD files..... 7
    - 4.2.5 Character set..... 7
    - 4.2.6 Principles for defining types with code lists..... 7
    - 4.2.7 XSD name space for general XSD data types..... 8
    - 4.2.8 ISO 28005 name space..... 8
    - 4.2.9 Use of Xpath expressions..... 8
  - 4.3 Structure of clauses defining data types..... 8
    - 4.3.1 Clause and data type name..... 8
    - 4.3.2 Definition..... 8
    - 4.3.3 Type defined as XSD code..... 9
    - 4.3.4 Representation..... 9
  - 4.4 Creating valid XSD schema files..... 9
    - 4.4.1 File structure..... 9
    - 4.4.2 Numbering of XSD files and message version code..... 10
    - 4.4.3 Location of XSD files..... 11
  - 4.5 Reference to data types defined in ISO 28005-2:2021..... 11
- 5 Adapted XSD data types for ISO 28005..... 12
  - 5.1 General..... 12
  - 5.2 epc:anyURI – Generalized URI..... 12
    - 5.2.1 Definition..... 12
    - 5.2.2 Type..... 12
    - 5.2.3 Representation..... 12
  - 5.3 epc:boolean – Boolean flag..... 12
    - 5.3.1 Definition..... 12
    - 5.3.2 Type..... 12
    - 5.3.3 Representation..... 12
  - 5.4 epc:date – General date..... 12
    - 5.4.1 Definition..... 12
    - 5.4.2 Type..... 12
    - 5.4.3 Representation..... 13
  - 5.5 epc:dateTime – Time and date, with time zone..... 13
    - 5.5.1 Definition..... 13
    - 5.5.2 Type..... 13
    - 5.5.3 Representation..... 13
  - 5.6 epc:decimal – decimal number..... 13

|          |  |           |
|----------|--|-----------|
| 5.6.1    | Definition   | 13        |
| 5.6.2    | Type   | 13        |
| 5.6.3    | Representation   | 13        |
| 5.7      | epc:duration – Time duration   | 14        |
| 5.7.1    | Definition   | 14        |
| 5.7.2    | Type   | 14        |
| 5.7.3    | Representation   | 14        |
| 5.8      | epc:int – Integer number   | 14        |
| 5.8.1    | Definition   | 14        |
| 5.8.2    | Type   | 14        |
| 5.8.3    | Representation   | 14        |
| 5.9      | epc:string – General string  | 14        |
| 5.9.1    | Definition   | 14        |
| 5.9.2    | Type   | 14        |
| 5.9.3    | Representation   | 15        |
| 5.10     | epc:token – Computer-understandable string                                 | 15        |
| 5.10.1   | Definition   | 15        |
| 5.10.2   | Type   | 15        |
| 5.10.3   | Representation   | 15        |
| 5.11     | epc:xpath – Identification of an XML data item                             | 15        |
| 5.11.1   | Definition   | 15        |
| 5.11.2   | Type   | 15        |
| 5.11.3   | Representation   | 15        |
| <b>6</b> | <b>General ISO 28005 data types</b>  | <b>15</b> |
| 6.1      | General  | 15        |
| 6.2      | epc:AuthenticatorType – Authenticator of information                       | 15        |
| 6.2.1    | Definition   | 15        |
| 6.2.2    | Type   | 16        |
| 6.2.3    | Representation   | 16        |
| 6.3      | epc:AuthorizationTokenType – Authorization token                           | 16        |
| 6.3.1    | Definition   | 16        |
| 6.3.2    | Type   | 16        |
| 6.3.3    | Representation   | 16        |
| 6.4      | epc:ContactInfoType – Contact information                                  | 16        |
| 6.4.1    | Definition   | 16        |
| 6.4.2    | Type   | 17        |
| 6.4.3    | Representation   | 17        |
| 6.5      | epc:CommunicationNumberType – Communication number information             | 17        |
| 6.5.1    | Definition   | 17        |
| 6.5.2    | Type   | 17        |
| 6.5.3    | Representation   | 18        |
| 6.6      | epc:CountryCodeContentType – Country identification                        | 18        |
| 6.6.1    | Definition   | 18        |
| 6.6.2    | Type   | 18        |
| 6.6.3    | Representation   | 18        |
| 6.7      | epc:CountrySubdivisionCodeContentType – Country subdivision identification | 18        |
| 6.7.1    | Definition   | 18        |
| 6.7.2    | Type   | 18        |
| 6.7.3    | Representation   | 19        |
| 6.8      | epc:CrewDutyType – Duty onboard or on shore                                | 19        |
| 6.8.1    | Definition   | 19        |
| 6.8.2    | Type   | 19        |
| 6.8.3    | Representation   | 19        |
| 6.9      | epc:LocationType – Identification of a location                            | 19        |
| 6.9.1    | Definition   | 19        |
| 6.9.2    | Type   | 19        |
| 6.9.3    | Representation   | 21        |
| 6.10     | epc:NameType – Name of person  | 21        |
| 6.10.1   | Definition   | 21        |
| 6.10.2   | Type   | 21        |
| 6.10.3   | Representation   | 21        |

|          |  |           |
|----------|--|-----------|
| 6.11     | epc:OrganizationType – Description of an organization.....                         | 22        |
| 6.11.1   | Definition.....  | 22        |
| 6.11.2   | Type.....  | 22        |
| 6.11.3   | Representation.....  | 22        |
| 6.12     | epc:PostalAddressType – A postal mail address.....                                 | 22        |
| 6.12.1   | Definition.....  | 22        |
| 6.12.2   | Type.....  | 22        |
| 6.12.3   | Representation.....  | 23        |
| 6.13     | epc:ShipIDType – Ship identity.....  | 23        |
| 6.13.1   | Definition.....  | 23        |
| 6.13.2   | Type.....  | 23        |
| 6.13.3   | Representation.....  | 23        |
| 6.14     | epc:ReportingSystemType – Name of a reporting system.....                          | 24        |
| 6.14.1   | Definition.....  | 24        |
| 6.14.2   | Type.....  | 24        |
| 6.14.3   | Representation.....  | 24        |
| 6.15     | epc:AttachmentType – Reference to an attached document.....                        | 24        |
| 6.15.1   | Definition.....  | 24        |
| 6.15.2   | Type.....  | 24        |
| 6.15.3   | Representation.....  | 24        |
| 6.16     | epc:ReferenceCodeType – General reference code.....                                | 25        |
| 6.16.1   | Definition.....  | 25        |
| 6.16.2   | Type.....  | 25        |
| 6.16.3   | Representation.....  | 25        |
| 6.17     | epc:SystemIDType – Identity code for a software system.....                        | 25        |
| 6.17.1   | Definition.....  | 25        |
| 6.17.2   | Type.....  | 25        |
| 6.17.3   | Representation.....  | 25        |
| 6.18     | epc:SignatureCertificateIDType – Name of digital signature holder.....             | 26        |
| 6.18.1   | Definition.....  | 26        |
| 6.18.2   | Type.....  | 26        |
| 6.18.3   | Representation.....  | 26        |
| 6.19     | epc:VersionType – Version code.....  | 26        |
| 6.19.1   | Definition.....  | 26        |
| 6.19.2   | Type.....  | 26        |
| 6.19.3   | Representation.....  | 27        |
| <b>7</b> | <b>ISO 28005 design principles.....</b>  | <b>27</b> |
| 7.1      | Harmonization with the IMO reference data model.....                               | 27        |
| 7.2      | Fully automated machine to machine.....  | 27        |
| 7.3      | Using carrier independent and internet-based protocols.....                        | 28        |
| 7.4      | General format of message sequence diagrams.....                                   | 28        |
| 7.5      | Sender and receiver versus client and server — asynchronous message transfers..... | 29        |
| 7.6      | Generalization of service.....   | 30        |
| 7.7      | Different levels of sessions.....  | 30        |
| 7.7.1    | HTTP session.....  | 30        |
| 7.7.2    | Session.....   | 31        |
| 7.7.3    | Session context.....   | 32        |
| 7.8      | One service per request and session.....   | 33        |
| 7.9      | Linking receivers to service providers.....  | 33        |
| 7.10     | Service request states.....  | 33        |
| 7.10.1   | Message processing.....  | 33        |
| 7.10.2   | State diagram for service requests.....  | 34        |
| 7.10.3   | Message functions.....   | 36        |
| 7.10.4   | Specification of request timeout.....  | 36        |
| 7.10.5   | Message and service request return values.....                                     | 37        |
| 7.11     | Send data once only.....   | 37        |
| 7.12     | Message context.....   | 37        |
| 7.13     | General message structure.....   | 39        |
| 7.14     | Digital signatures.....  | 40        |
| 7.15     | Secure data transfer.....  | 40        |

|           |   |           |
|-----------|---|-----------|
| 7.16      | Additional authorization for accessing API.....                                   | 40        |
| 7.17      | Message implementation guide.....   | 41        |
| 7.18      | Other formats than XML for the message body.....                                  | 41        |
| 7.19      | No explicit service discovery.....  | 41        |
| <b>8</b>  | <b>Message exchange patterns.....</b>   | <b>41</b> |
| 8.1       | General rules.....  | 41        |
| 8.1.1     | Application of this specification.....  | 41        |
| 8.1.2     | Use of reference codes.....   | 42        |
| 8.1.3     | Use of final flag in message header.....  | 42        |
| 8.1.4     | Use of service timeout or session context end.....                                | 43        |
| 8.1.5     | Status and error codes.....   | 43        |
| 8.1.6     | Multiple senders.....   | 44        |
| 8.1.7     | Interleaving update requests with status messages.....                            | 45        |
| 8.2       | Sequence diagrams.....  | 45        |
| 8.2.1     | Pattern 1: Service request and updates.....                                       | 45        |
| 8.2.2     | Pattern 2: Status poll.....   | 47        |
| 8.2.3     | Pattern 3: Simple report.....   | 47        |
| 8.2.4     | Pattern 4: Request information.....   | 48        |
| 8.2.5     | Pattern 5: Subscribe to service or information.....                               | 48        |
| <b>9</b>  | <b>Using HTTP multi-part message.....</b>   | <b>49</b> |
| 9.1       | General.....  | 49        |
| 9.2       | Example of an ISO 28005-1 multi-part message.....                                 | 50        |
| 9.3       | Content-Type: multipart/form-data.....  | 50        |
| 9.4       | Content-Encoding: gzip.....   | 51        |
| 9.5       | Prose text.....   | 51        |
| 9.6       | Content-Type: application, image or other.....                                    | 51        |
| 9.7       | Content-Disposition: form-data; name = name; filename = file.name;.....           | 51        |
| <b>10</b> | <b>Definitions related to the message header part.....</b>                        | <b>52</b> |
| 10.1      | General.....  | 52        |
| 10.2      | epc:MessageFunctionCodeContentType – Message function code.....                   | 52        |
| 10.2.1    | Definition.....   | 52        |
| 10.2.2    | Type.....   | 52        |
| 10.2.3    | Representation.....   | 52        |
| 10.3      | epc:ReplyInformationType – Type of sender response code.....                      | 52        |
| 10.3.1    | Definition.....   | 52        |
| 10.3.2    | Type.....   | 52        |
| 10.3.3    | Representation.....   | 53        |
| 10.4      | epc:MessageBodyFormatContentType – Format of body data.....                       | 53        |
| 10.4.1    | Definition.....   | 53        |
| 10.4.2    | Type.....   | 53        |
| 10.4.3    | Representation.....   | 53        |
| 10.5      | epc:ServiceTypeCodeContentType – Code for identification of service type.....     | 53        |
| 10.5.1    | Definition.....   | 53        |
| 10.5.2    | Type.....   | 54        |
| 10.5.3    | Representation.....   | 54        |
| 10.6      | epc:ServiceCodeContentType – Code for identification of a service in a group..... | 54        |
| 10.6.1    | Definition.....   | 54        |
| 10.6.2    | Type.....   | 54        |
| 10.6.3    | Representation.....   | 54        |
| 10.7      | epc:StatusType – General message and service request status and error codes.....  | 54        |
| 10.7.1    | Definition.....   | 54        |
| 10.7.2    | Type.....   | 54        |
| 10.7.3    | Representation.....   | 55        |
| 10.8      | epc:SpecialAttachmentType – Description of special attachment.....                | 55        |
| 10.8.1    | Definition.....   | 55        |
| 10.8.2    | Type.....   | 55        |
| 10.8.3    | Representation.....   | 56        |

|           |   |           |
|-----------|---|-----------|
| 10.9      | epc:MessageManifestType – Number of message parts .....                 | 56        |
| 10.9.1    | Definition .....  | 56        |
| 10.9.2    | Type .....  | 56        |
| 10.9.3    | Representation .....  | 56        |
| 10.10     | epc:EPCMessageHeaderType – Standard header for an EPC message .....     | 56        |
| 10.10.1   | Definition .....  | 56        |
| 10.10.2   | Type .....  | 56        |
| 10.10.3   | Representation .....  | 59        |
| <b>11</b> | <b>Definitions related to the message body part .....</b>               | <b>61</b> |
| 11.1      | General .....   | 61        |
| 11.2      | XML message body .....  | 61        |
| 11.2.1    | epc:EPCMessageBodyType – the XML body data type .....                   | 61        |
| 11.2.2    | Structure of message body definition table .....                        | 62        |
| 11.3      | Encryption of selected content .....                                    | 62        |
| 11.4      | UN/EDIFACT message body .....   | 63        |
| 11.5      | UN/EDIFACT status message .....   | 63        |
| 11.6      | JSON message body .....   | 63        |
| <b>12</b> | <b>Definitions related to attachment message parts .....</b>            | <b>63</b> |
| 12.1      | General .....   | 63        |
| 12.2      | Reference to an attached document in an XML body .....                  | 63        |
| <b>13</b> | <b>Definitions related to X.509 certificate message parts .....</b>     | <b>64</b> |
| <b>14</b> | <b>Definitions related to the digital signature message part .....</b>  | <b>64</b> |
| 14.1      | General .....   | 64        |
| 14.2      | Signers .....   | 64        |
| 14.3      | epc:EPCMessageSignatureType – Digital signatures of message parts ..... | 65        |
| 14.3.1    | Definition .....  | 65        |
| 14.3.2    | Type .....  | 65        |
| 14.3.3    | Representation .....  | 65        |
| <b>15</b> | <b>General definitions related to the use of HTTP .....</b>             | <b>65</b> |
| 15.1      | Conceptual structure of a receiver .....                                | 65        |
| 15.2      | Conceptual structure of a sender .....                                  | 66        |
| 15.3      | Transmission protocol .....   | 67        |
| 15.4      | Avoid use of HTTP redirect and similar mechanisms .....                 | 67        |
| 15.5      | Optional use of HTTP keep-alive .....                                   | 67        |
| 15.6      | API access point URL .....  | 67        |
| 15.7      | HTTP methods .....  | 67        |
| 15.8      | Different types of synchronous return values .....                      | 68        |
| 15.8.1    | General .....   | 68        |
| 15.8.2    | Connection error .....  | 68        |
| 15.8.3    | HTTP error codes .....  | 68        |
| 15.8.4    | Message status .....  | 68        |
| 15.8.5    | Service request status .....  | 69        |
| <b>16</b> | <b>API access points for asynchronous HTTP communication .....</b>      | <b>69</b> |
| 16.1      | General .....   | 69        |
| 16.2      | Message patterns to use .....   | 69        |
| 16.3      | No authorization on the sender's URL .....                              | 69        |
| <b>17</b> | <b>API access point for synchronous HTTP communication .....</b>        | <b>69</b> |
| 17.1      | General .....   | 69        |
| 17.2      | Message patterns to use .....   | 69        |
| <b>18</b> | <b>Authorization to access API access point .....</b>                   | <b>70</b> |
| 18.1      | General .....   | 70        |
| 18.2      | The message pattern .....   | 70        |
| 18.3      | epc:ServiceAuthorizationType – Type of service authorization .....      | 71        |
| 18.3.1    | Definition .....  | 71        |
| 18.3.2    | Type .....  | 71        |

|                     |  |           |
|---------------------|--|-----------|
| 18.3.3              | Representation.....  | 71        |
| 18.4                | The message body.....  | 72        |
| <b>19</b>           | <b>Specifications for the message implementation guide (MIG)</b> .....   | <b>72</b> |
| 19.1                | General structure of MIG.....  | 72        |
| 19.2                | MIG Introduction.....  | 72        |
| 19.3                | High level description of use case.....  | 72        |
| 19.4                | Prerequisites.....   | 72        |
| 19.5                | Message sequence diagrams.....   | 72        |
| <b>Annex A</b>      | <b>(normative) EPC request body</b> .....  | <b>74</b> |
| <b>Annex B</b>      | <b>(informative) Message implementation guide for access authorization</b> .....                                       | <b>75</b> |
| <b>Annex C</b>      | <b>(informative) Message implementation guide for maritime single window and mandatory ship reporting system</b> ..... | <b>80</b> |
| <b>Annex D</b>      | <b>(normative) Code list for special attachments</b> .....   | <b>87</b> |
| <b>Annex E</b>      | <b>(normative) Message function codes for XML messages</b> .....   | <b>88</b> |
| <b>Annex F</b>      | <b>(normative) Message and service request status codes</b> .....  | <b>89</b> |
| <b>Annex G</b>      | <b>(normative) Service codes</b> .....   | <b>90</b> |
| <b>Annex H</b>      | <b>(normative) Software system type codes</b> .....  | <b>94</b> |
| <b>Annex I</b>      | <b>(normative) Code list for authenticator and contact point roles</b> .....   | <b>95</b> |
| <b>Annex J</b>      | <b>(normative) Codes for digital signatures</b> .....  | <b>96</b> |
| <b>Annex K</b>      | <b>(informative) IMO FAL mapping</b> .....   | <b>97</b> |
| <b>Bibliography</b> | .....  | <b>99</b> |