ISO 22028-5:2026-05 (E)

Photography and graphic technology - Extended colour encodings for digital image storage, manipulation and interchange - Part 5: High dynamic range and wide colour gamut encoding for still images (HDR/WCG)

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Terms,definitionsandacronyms 1

4 Requirements 4
4.1 Overview 4
4.2 Colour image encoding 4
4.2.1 General 4
4.2.2 Colour primaries and white point 4
4.2.3 Baseline colour encoding 5
4.3 Transfer functions 6
4.3.1 General 6
4.3.2 Hybrid Log-Gamma (HLG) system 6
4.3.3 Perceptual quantizer (PQ) system 7
4.4 Reference viewing environment 7
4.5 Reference display 7
4.5.1 General 7
4.5.2 Default reference display colour primaries 8
4.5.3 Default nominal peak luminance 8
4.5.4 Default black point 8
4.5.5 Default HDR reference white luminance 8
4.6 Metadata 8
4.6.1 General 8
4.6.2 Coding-independent code points for video signal type identification - CICP metadata 9
4.6.3 Viewing environment metadata 9
4.6.4 Colour volume metadata 9
4.6.5 HDR reference white luminance metadata 10
4.6.6 Scene-referred metadata 10

5 Colour mapping 10
5.1 General 10
5.2 Colour conversions 10

Annex A (normative) Extended HDR/WCG colour encoding 12

Annex B (informative) ITU-R transfer functions 13

Annex C (informative) HDR signaling 14

Annex D (informative)Workflowsforthedifferenttransferfunctions 15

Annex E (informative) Image states and linear light colorimetric interpretations 17

Annex F (informative) Display tone mapping 19

Annex G (informative) Tone mapping to SDR display 20

Bibliography 25