

ISO/TR 17243-2:2017-08 (E)

Machine tool spindles - Evaluation of spindle vibrations by measurements on non-rotating parts - Part 2: Direct-driven spindles and belt-driven spindles with rolling element bearings operating at speeds between 600 r/min and 30 000 r/min

Contents		Page
Foreword		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Preliminary operations	3
4.1	General	3
4.2	Process load	3
4.3	Spindle speed	3
4.4	Thermal conditions	4
4.5	Spindle position and orientation	4
4.6	Tool or workpiece balancing	4
4.6.1	General	4
4.6.2	Spindle vibration measurements with a tool/workpiece mounted in the spindle 4.6.3 Spindle vibration measurements without tool/workpiece	4
4.7	Spindle chuck	5
4.8	Spindle cooling	5
4.9	Drawbar	5
4.10	Background vibration	5
4.11	Idle operation	5
5	Measurement and operational procedures	5
5.1	Measuring instruments	5
5.2	Measurement locations/directions	6
5.2.1	General	6
5.2.2	Naming convention for measurement locations	7
5.3	Sensor mounting procedures	7
6	Evaluation parameters	8
6.1	Vibration velocity parameter	8
6.1.1	General	8
6.1.2	Spindles with maximum speed between 6 000 r/min and 30 000 r/min	8
6.1.3	Spindles with maximum operating speed below 6 000 r/min	9
6.2	Vibration acceleration parameter	9
7	Spindle classification	10
7.1	General	10
7.2	Classification according to rated power	10
7.3	Classification according to maximum spindle speed	10
7.4	Classification according to bearing type	10
8	Evaluation	11
8.1	General	11
8.1.1	Overview	11
8.1.2	Measurement uncertainty	11
8.2	Criterion I: vibration magnitude	11

8.2.1	General	11
8.2.2	Evaluation zones	12
8.2.3	Exemplary evaluation zone boundaries	12
8.3	Criterion II: change in vibration magnitude	12
8.4	General zone boundaries	12
8.5	Examples of evaluation zone boundary values	13
8.6	Operational limits	14
8.6.1	General	14
8.6.2	Setting of alerts	14
8.6.3	Setting of alarms	14
8.6.4	Setting of the threshold for shutdown	15
Annex A (informative) Introduction to alternative bearing condition assessment techniques		16
Bibliography		18