

ISO 22093:2003-11 (E)

Industrial automation systems and integration - Physical device control - Dimensional Measuring Interface Standard (DMIS)

Contents		Page
Foreword		xi
Introduction		xi
1	Scope	1
2	Conformance	2
2.1	DMIS conformance testing	2
2.2	Conformance testing services	2
2.3	CHFile	3
2.4	Complete standard conformance	3
2.5	Application profiles	3
2.6	Conformance levels	3
2.7	Conformance claim	3
3	Normative references	3
4	Terms and definitions	4
4.1	actuals	4
4.2	Automatically Programmed Tools (APT)	4
4.3	calibration sequence	4
4.4	carriage	4
4.5	characterization file	4
4.6	Computer Aided Design (CAD) system	5
4.7	Coordinate Measuring Machine (CMM)	5
4.8	Dimensional Measuring Equipment (DME)	5
4.9	Dimensional Measuring Interface Standard (DMIS)	5
4.10	DMIS National Standards Committee (DNSC)	5
4.11	feature	5
4.12	filename	5
4.13	geometric compensation	5
4.14	High Level Language (HLL)	5
4.15	Initial Graphics Exchange Specification (IGES)	6
4.16	inner	6
4.17	In Process Verification (IPV)	6
4.18	input files	6
4.19	label	6
4.20	label type	6
4.21	label name	6
4.22	line reducible feature	6
4.23	measurement sequence	6
4.24	multiple carriage	6
4.25	nominal	7
4.26	orientation	7
4.27	orientational deviation	7
4.28	Orthonormal	7
4.29	outer	7
4.30	output files	7
4.31	part coordinate system (PCS)	7
4.32	plane reducible feature	7
4.33	point reducible feature	7

4.34	positional deviation	7
4.35	postprocessor	7
4.36	pre-processor	8
4.37	Quality Information System (QIS)	8
PROOF/ÉPREUVE 4.38 ram		8
4.39	receiving system	8
4.40	rotary table system	8
4.41	selective processing	8
4.42	sensor	8
4.43	Standard Exchange Using Product Model Data (STEP)	8
4.44	statement	8
4.45	tolerance	8
4.46	tool holder	8
4.47	vendor	9
4.48	video inspection machine	9
4.49	work measuring zone	9
4.50	workpiece	9
5 Language reference		9
5.1	Syntax and structure	9
5.1.1	Characters	9
5.1.2	Words, label names, text strings, parameters, variables, and expressions	10
5.1.3	Variable assignments	15
5.1.4	DMIS command and definition statements	15
5.1.5	Delimiters, blank lines, spaces, and tabs	17
5.1.6	Line length	19
5.1.7	Programming comments	19
5.1.8	Operator input	19
5.1.9	Data output	20
5.1.10	Program structure	23
5.1.11	File structure	25
5.1.12	Programming considerations	25
5.2	Execution and control	26
5.2.1	Declaration statements	26
5.2.2	Definition statements	27
5.2.3	Program statement sequences	28
5.2.4	High Level Language (HLL)	31
5.3	Mathematics	36
5.3.1	Assignment operators	36
5.3.2	Features	38
5.3.3	Tolerances	47
5.3.4	Datums	49
5.3.5	Coordinate systems	49
5.4	Equipment control	63
5.4.1	Machine parameters	63
5.4.2	Rotary tables	67
5.4.3	Sensors and sensor-related	68
5.4.4	Carriages	70
5.4.5	Motion control	74
5.4.6	Measurement control	75
5.5	Characterization file	79
5.5.1	Usage	79
5.5.2	Characterization file format	80
5.5.3	Syntax for CHFIL1	ENDCH1 section 82
5.5.4	Example DMIS Characterization file grammar	88
6 Statement reference		94
6.1	ACLRAT	95
6.2	ALGDEF	96
6.3	ASSIGN	97
6.4	BADTST	98

6.5	BOUND	99
6.6	CALIB	100
6.7	CALL	102
6.8	CASE	104
PROOF/ÉPREUVE 6.9 CLMPID		105
6.10	CLMP SN	106
6.11	CLOSE	107
6.12	CMPNTGRP	108
6.13	CONST (input format 1)	109
6.14	CONST (input format 2)	111
6.15	CONST (input format 3)	112
6.16	CONST (input format 4)	113
6.17	CONST (input format 5)	116
6.18	CONST (input format 6)	117
6.19	CONST (input format 7)	119
6.20	CONST (input format 8)	121
6.21	CONST (input format 9)	122
6.22	CONST (input format 10)	123
6.23	CONST (input format 11)	124
6.24	CONST (input format 12)	125
6.25	CONST (input format 13)	126
6.26	CRGDEF	127
6.27	CRMODE	128
6.28	CROSCL	129
6.29	CRSLCT	130
6.30	CUTCOM	131
6.31	CZONE	132
6.32	CZSLCT	133
6.33	DATDEF	134
6.34	DATSET	135
6.35	DECL	137
6.36	DECPL	139
6.37	DELETE	140
6.38	DEVICE	141
6.39	DFTCAS	142
6.40	DISPLY	143
6.41	DMEHW	144
6.42	DMEID	145
6.43	DMESW	146
6.44	DMESWI	147
6.45	DMESWV	148
6.46	DMIS	149
6.47	DMISMD	150
6.48	DMISMN	151
6.49	DO	152
6.50	ELSE	153
6.51	ENDAT	154
6.52	ENDCAS	155
6.53	ENDDO	156
6.54	ENDFIL	157
6.55	ENDGO	158
6.56	ENDIF	159
6.57	ENDMAC	160
6.58	ENDMES	161
6.59	ENDSEL	162
6.60	ENDXTN	163
6.61	EQUATE	164
6.62	ERROR	165
6.63	EVAL	166
6.64	EXTENS	167
6.65	EXTFIL	168

6.66	FEAT/ARC (input format 1)	169
6.67	FEAT/ARC (input format 2)	171
6.68	FEAT/CIRCLE	173
PROOF/ÉPREUVE 6.69 FEAT/CONE		175
6.70	FEAT/CPARLN	177
6.71	FEAT/CYLNDR	179
6.72	FEAT/EDGEPT	181
6.73	FEAT/ELLIPS	183
6.74	FEAT/GCURVE	185
6.75	FEAT/GEOM	187
6.76	FEAT/GSURF	188
6.77	FEAT/LINE	190
6.78	FEAT/OBJECT	192
6.79	FEAT/PARPLN	194
6.80	FEAT/PATERN	196
6.81	FEAT/PLANE	198
6.82	FEAT/POINT	200
6.83	FEAT/RCTNGL	202
6.84	FEAT/SPHERE	204
6.85	FEAT/TORUS	206
6.86	FEDRAT	208
6.87	FILDEF	209
6.88	FILNAM	210
6.89	FINPOS	211
6.90	FIXTID	212
6.91	FIXTSN	213
6.92	FLY	214
6.93	FROM	215
6.94	GECOMP	216
6.95	GEOALG	217
6.96	GEOM	219
6.97	GOHOME	220
6.98	GOTARG	221
6.99	GOTO	222
6.100	GROUP	223
6.101	IF	224
6.102	INCLUD	226
6.103	Intrinsic functions	227
6.104	ITERAT	231
6.105	JUMPTO	233
6.106	LITDEF (input format 1)	234
6.107	LITDEF (input format 2)	235
6.108	LOCATE	236
6.109	LOTID	238
6.110	MACRO	239
6.111	MATDEF	240
6.112	MEAS	242
6.113	MFGDEV	244
6.114	MODE	245
6.115	OBTAIN	246
6.116	OPEN	247
6.117	OPERID	249
6.118	OUTPUT	250
6.119	PARTID	253
6.120	PARTRV	254
6.121	PARTSN	255
6.122	PLANID	256
6.123	POP	257
6.124	PRCOMP	258
6.125	PREVOP	259
6.126	PROCID	260

6.127	PROMPT	261
6.128	PSTHRU	264
PROOF/ÉPREUVE 6.129 PTBUFF		265
6.130	PTMEAS	266
6.131	PUSH	267
6.132	QISDEF	268
6.133	RAPID	269
6.134	READ	270
6.135	RECALL	271
6.136	REFMNT	272
6.137	REPORT	273
6.138	RESUME	275
6.139	RMEAS (input format 1)	276
6.140	RMEAS (input format 2)	278
6.141	RMEAS (input format 3)	280
6.142	RMEAS (input format 4)	282
6.143	RMEAS (input format 5)	284
6.144	RMEAS (input format 6)	286
6.145	RMEAS (input format 7)	288
6.146	ROTAB	290
6.147	ROTATE	291
6.148	ROTDEF	293
6.149	ROTSET	294
6.150	SAVE	295
6.151	SCAN	296
6.152	SCNMOD	297
6.153	SCNPLN	298
6.154	SCNSET	299
6.155	SELECT	301
6.156	SENSOR	302
6.157	SNSDEF (input format 1)	305
6.158	SNSDEF (input format 2)	308
6.159	SNSDEF (input format 3)	310
6.160	SNSDEF (input format 4)	312
6.161	SNSDEF (input format 5)	314
6.162	SNSDEF (input format 6)	316
6.163	SNSDEF (input format 7)	318
6.164	SNSSET	320
6.165	SNSGRP	323
6.166	SNSLCT	324
6.167	SNSMNT	326
6.168	TECOMP	327
6.169	TEXT	328
6.170	THLDEF	329
6.171	TOL/ANGL	330
6.172	TOL/ANGLB	331
6.173	TOL/ANGLR	332
6.174	TOL/CIRLTY	334
6.175	TOL/COMPOS	335
6.176	TOL/CONCEN	337
6.177	TOL/CORTOL	338
6.178	TOL/CPROFS	339
6.179	TOL/CRNOUT	341
6.180	TOL/CYLCTY	342
6.181	TOL/DIAM	343
6.182	TOL/DISTB	345
6.183	TOL/FLAT	347
6.184	TOL/GTOL	348
6.185	TOL/PARLEL	352
6.186	TOL/PERP	354
6.187	TOL/POS	356

6.188	TOL/PROFL	358
PROOF/ÉPREUVE 6.189 TOL/PROFP		
6.190	TOL/PROFS	359
6.191	TOL/RAD	360
6.192	TOL/STRGHT	362
6.193	TOL/SYM	363
6.194	TOL/TRNOUT	364
6.195	TOL/USETOL	365
6.196	TOL/WIDTH	366
6.197	TOOLDF	367
6.198	TRANS	368
6.199	UNITS	369
6.200	VALUE	371
6.201	VALUE	372
6.201	VFORM	372
6.202	WINDEF (input format 1)	380
6.202	WINDEF (input format 1)	381
6.203	WINDEF (input format 2)	382
6.204	WKPLAN	383
6.205	WRIST	384
6.206	WRITE	386
6.207	XTERN	387
6.208	XTRACT	388
 Annex A (informative) DMIS example code segments		
A.1	@ character, and use with a label	389
A.2	ASSIGN	389
A.3	BADTST	389
A.4	CALL	390
A.4.1	Example 1 of CALL	390
A.4.2	Example 2 of CALL	391
A.5	CLOSE	391
A.6	CONST (input format 8)	392
A.7	CONST (input format 9) and CONST (input format 10)	392
A.8	CRMODE	394
A.8.1	CRMODE/SEQNTL	394
A.8.2	CRMODE/SIMUL	395
A.8.3	CRMODE/SYNC	395
A.9	CZSLCT	395
A.10	DEVICE	397
A.11	DMISMN	397
A.12	DO	398
A.13	EQUATE	398
A.14	EVAL	399
A.15	FEAT/GEOM	399
A.15.1	Constructing the nearest feature nominal on the part by using FA(PtFeat)	399
A.15.2	Defining the closest feature nominal on the part by using FA(dummy)	399
A.16	FEAT/GSURF	400
A.17	GEOM	400
A.18	GOTARG	400
A.19	IF and JUMPTO	401
A.19.1	Example 1	401
A.19.2	Example 2	401
A.20	ITERAT	402
A.21	LITDEF (input format 1)	403
A.22	Macro definition	403
A.22.1	An example of a macro definition without an argument list:	403
A.22.2	An example of a macro definition and a CALL statement follows:	403
A.23	OBTAIN	404
A.24	OPEN	404
A.25	PROMPT, examples of numeric and alphanumeric input	404
A.25.1	Example 1 numeric input	404

A.25.2	Example 2 alphanumeric input	404
PROOF/ÉPREUVE	A.25.3 Example 3 multiple input and playing a .wav file	404
A.26	QISDEF	405
A.27	READ examples of delimited and formatted	406
A.27.1	An example of the READ statement for a delimited file	406
A.27.2	An example of the READ statement for a formatted file	406
A.28	ROTDEF rotary table definition	406
A.29	SELECTCASEENDCASDFTCASENDCASENSEL block example	407
A.30	Sensor, wrist, component group, and build examples	408
A.30.1	Example wrist, component, and sensor definition	408
A.30.2	Example component definitions	410
A.30.3	Example component, group, and probe definitions	411
A.30.4	Example component definition and calibration statements	412
A.30.5	Example complex wrist and component definitions	413
A.30.6	Example tool definition statements	416
A.30.7	Example sensor calibration statements	417
A.31	SNSDEF (input format 2)	417
A.32	TEXT	417
A.33	TOL/GTOL	417
A.33.1	Example 1, just GO/NOGO info desired:	418
A.33.2	Example 2, GO/NOGO and percentage of good points data desired:	418
A.33.3	Example 3, GO/NOGO and interference point/s info desired:	418
A.34	VALUE	418
A.35	Vector variable values	418
A.36	WRITE	419
A.37	XTRACT	420
Annex B (informative)	Descriptive Figures	422
Annex C (normative)	Standard characterization file	476
Annex D (informative)	Characterization file extensions	560
D.1	Machine dependent parameters	560
D.2	User defined options	561
Annex E (informative)	Scanning reference	562
E.1	Introduction	562
E.2	Technical briefing	562
E.2.1	Scan statements	562
E.2.2	Scan methods	563
E.3	Applicable DMIS vocabulary	564
E.3.1	The SCNSET statement	564
E.3.2	The FEDRAT/SCNVEL statement	564
E.3.3	The SCNPLN statement	565
E.3.4	The SCNMOD statement	566
E.3.5	The SCAN statement	566
E.4	Using the SCNSET statement to specify point spacing	567
E.5	Descriptive synopsis	568
E.6	Applying nominals to surface scans	570
E.7	Examples	571
E.7.1	Scanning a Cylinder	571
E.7.2	Scanning a cylinder with a rotary table	572
E.7.3	Scanning Inside a bore with an interruption	573
E.7.4	Scanning Sections Across a Surface using a generic curve	574
E.7.5	Scanning a generic surface	575
Index of Statements	577
Index of figures	579

Index of tables	583
Index of Statements by type	585
Branching and looping statements	585
Carriage statements	585
PROOF/ÉPREUVE Datum statements	585
Feature statements	586
Feature construction statements	586
File and machine parameter statements	587
In process verification / Quality information system statements	587
Input / output statements	588
Macro statements	588
Measurement statements	588
Miscellaneous statements	588
Motion statements	589
Program flow statements	589
Rotary table statements	589
Sensor statements	589
Scanning statements	590
Tolerance statements	590
Variable statements	591