

# ISO 5425:2023-08 (E)

## Specifications for use of poly(lactic acid) based filament in additive manufacturing applications

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Labelling .....	2
5	Requirements .....	3
5.1	Appearance .....	3
5.2	Specification .....	3
5.2.1	Diameter and ovality tolerance .....	3
5.2.2	Net mass and tolerance .....	3
5.2.3	Volatile matter limit .....	3
5.2.4	Biobased (carbon) content .....	4
5.2.5	Carbon and environmental footprint .....	4
5.3	Property requirements .....	4
5.4	Limit quantity of substances and impurities .....	4
6	Test methods .....	4
6.1	Conditioning .....	4
6.2	Appearance of filament material .....	4
6.3	Diameter and ovality of filament material .....	4
6.4	Net mass and tolerance of filament material .....	5
6.5	Melt mass-flow rate .....	5
6.6	Moisture content .....	5
6.6.1	General .....	5
6.6.2	Method A .....	5
6.6.3	Method B .....	5
6.6.4	Method C .....	5
6.7	Tensile load and elongation at break of filament .....	5
6.8	Impurities limit .....	6
6.9	Volatile matter limit .....	6
6.10	Biobased (carbon) content .....	6
6.11	Carbon and environmental footprint .....	6
6.12	End-of-life options .....	6
6.13	Discharge ability .....	6
7	Verification .....	6
7.1	General .....	6
7.2	Sampling .....	6
7.2.1	General .....	6
7.2.2	Determination of acceptability .....	7
7.3	Type inspection .....	7
8	Mark, packaging, transportation and stock .....	8
8.1	Mark .....	8

8.2	Packaging .....	8
8.3	Transportation .....	8
8.4	Stock .....	8
Annex A (informative) Tester and testing procedure for discharge property test .....		9
Bibliography .....		12