ISO 5425:2023-08 (E)

Specifications for use of poly(lactic acid) based filament in additive manufacturing applications

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Labelling 2

5 Requirements 3
5.1 Appearance 3
5.2 Specification 3
5.2.1 Diameter and ovality tolerance 3
5.2.2 Net mass and tolerance 3
5.2.3 Volatile matter limit 3
5.2.4 Biobased (carbon) content 4
5.2.5 Carbon and environmental footprint 4
5.3 Property requirements 4
5.4 Limit quantity of substances and impurities 4

6 Test methods 4
6.1 Conditioning 4
6.2 Appearance of filament material 4
6.3 Diameter and ovality of filament material 4
6.4 Net mass and tolerance of filament material 5
6.5 Melt mass-flow rate 5
6.6 Moisture content 5
6.6.1 General 5
6.6.2 Method A 5
6.6.3 Method B 5
6.6.4 Method C 5
6.7 Tensile load and elongation at break of filament 5
6.8 Impurities limit 6
6.9 Volatile matter limit 6
6.10 Biobased (carbon) content 6
6.11 Carbon and environmental footprint 6
6.12 End-of-life options 6
6.13 Discharge ability 6

7 Verification 6
7.1 General 6
7.2 Sampling 6
7.2.1 General 6
7.2.2 Determination of acceptability 7
7.3 Type inspection 7

8 Mark, packaging, transportation and stock 8
8.1 Mark 8

8.2 Packaging 8
8.3 Transportation 8
8.4 Stock 8

Annex A (informative) Tester and testing procedure for discharge property test 9

Bibliography 12