

# ISO 25619-2:2008-12 (E)

## Geosynthetics - Determination of compression behaviour - Part 2: Determination of short-term compression behaviour

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions and symbols .....</b>	<b>1</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>3.2</b>	<b>Symbols .....</b>	<b>2</b>
<b>4</b>	<b>Principle .....</b>	<b>2</b>
<b>5</b>	<b>Apparatus .....</b>	<b>2</b>
<b>6</b>	<b>Specimens .....</b>	<b>3</b>
<b>6.1</b>	<b>Dimensions of specimens .....</b>	<b>3</b>
<b>6.2</b>	<b>Preparation of specimens .....</b>	<b>4</b>
<b>6.3</b>	<b>Number of specimens .....</b>	<b>4</b>
<b>6.4</b>	<b>Conditioning of specimens .....</b>	<b>4</b>
<b>7</b>	<b>Test procedure .....</b>	<b>4</b>
<b>8</b>	<b>Calculation and expression of results .....</b>	<b>5</b>
<b>8.1</b>	<b>General .....</b>	<b>5</b>
<b>8.2</b>	<b>Short-term compressive strength and corresponding strain .....</b>	<b>6</b>
<b>8.3</b>	<b>Compressive strain at 1 MPa .....</b>	<b>6</b>
<b>9</b>	<b>Test report .....</b>	<b>7</b>