

ISO 4049:2009-10 (E)

Dentistry - Polymer-based restorative materials

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Classification	2
5 Requirements	2
5.1 Biocompatibility	2
5.2 Physical and chemical properties	2
5.3 Shade, restorative materials	4
5.4 Colour stability after irradiation and water sorption	4
5.5 Radio-opacity	4
6 Sampling	5
7 Test methods	5
7.1 General reagent -- Water	5
7.2 Test conditions	6
7.3 Inspection	6
7.4 Preparation of test specimens	6
7.5 Measurement of film thickness of luting materials	6
7.6 Working time, Class 1 and Class 3 restorative materials, excluding luting materials	9
7.7 Working time, Class 1 and Class 3 luting materials	11
7.8 Setting time, Class 1 and Class 3 materials	11
7.9 Sensitivity to ambient light, Class 2 materials	13
7.10 Depth of cure, Class 2 materials	14
7.11 Flexural strength	15
7.12 Water sorption and solubility	18
7.13 Shade and colour stability after irradiation and water sorption	21
7.14 Radio-opacity	22
8 Packaging, marking and instructions and information to be supplied by the manufacturer	25
8.1 Packaging	25
8.2 Marking	25
8.3 Manufacturer's instructions and information for the user	27
Bibliography	28