

DIN DKE SPEC 99200:2025-03 (E)

ReqIF™ interpretation for public standards - Release 1.3; Text in English

Inhalt	Seite
Foreword	7
Introduction.....	8
1 Scope.....	9
2 Normative references	9
3 Terms and definitions.....	10
4 Challenges.....	11
5 Objectives.....	12
6 Target software.....	12
7 Application best-practice.....	13
7.1 Internal standard versus interchange format.....	13
7.2 Configuration issues for target software	13
7.3 Digital material for the import and export process	14
7.4 Conforming application.....	14
8 Data model.....	15
8.1 Structural overview	15
8.1.1 Information on the provision (SpecObject)	15
8.1.2 Attributes on the document SpecObject for asset or service metadata of the creator, supplier, or publisher	16
8.2 Attributes	18
8.2.1 Information on the provision (SpecObject)	18
8.2.2 Attributes on the document SpecObject for asset or service metadata of the creator, supplier, or publisher	25
8.3 Lists of attribute values	26
8.3.1 Standard element (obj.element-name)	26
8.3.2 Language (obj.language)	28
8.3.3 Modality; bindingness (obj.modality)	30
8.3.4 Normativity; context status (obj.normativity).....	30
8.3.5 SpecObject type (obj.specobj-type)	31
8.3.6 Business process (use.business-process).....	31
8.3.7 Business sector; industry sector (use.business-sector).....	32
8.3.8 Interaction (use.interaction)	33
8.3.9 Implementation region (use.location)	34
8.3.10 Project phase (use.project-phase)	37
8.3.11 Product life cycle (use.product-life-cycle).....	38
8.3.12 Purpose; intention; focus (use.purpose)	38
8.4 Long name and identifier syntax.....	39
8.4.1 Datatype definitions (DataTypeDefinitions)	39
8.4.2 Specification types (SpecTypes)	49
8.4.3 Specifications.....	54
8.4.4 Specifications Objects (SpecObjects)	54
8.4.5 Specification relations (SpecRelations)	54
8.4.6 Specification relation groups (SpecRelationGroups)	54
8.5 Class name abbreviations (in long names and identifiers)	55
9 Semantic interoperability.....	55

9.1	Attribute conventions.....	55
9.1.1	Data field term; data field designation.....	55
9.1.2	ReqIF™ attribute name.....	55
9.1.3	ReqIF™ data type.....	56
9.1.4	ReqIF™ attribute value.....	56
9.1.5	Default value for attributes.....	56
9.1.6	Definition for attribute names and attribute values.....	56
9.1.7	Overflow of attribute values.....	56
9.1.8	Localization of attributes.....	57
9.2	Attribute or content outputs.....	57
9.2.1	Data field term or definition (ReqIF:DESC).....	57
9.2.2	Identifier (ReqIF:IDENTIFIER).....	58
9.2.3	ReqIF™ attribute name (ReqIF:LONG-NAME).....	58
9.2.4	ReqIF™ attribute value (ReqIF:LONG-NAME).....	58
9.2.5	Definition (ReqIF:DESC).....	59
9.2.6	Is-editable (ReqIF:IS-EDITABLE).....	59
9.2.7	Last change (ReqIF:LAST-CHANGE).....	59
9.2.8	Maximum length (ReqIF:MAX-LENGTH).....	59
9.2.9	Value list using multiple or single values (ReqIF:MULTI-VALUED).....	59
9.2.10	Other content (ReqIF:OTHER-CONTENT).....	59
9.3	File format.....	60
9.3.1	Form of the ReqIF™ file.....	60
9.3.2	Header of the ReqIF™ file.....	60
9.3.3	Tool extensions.....	61
9.4	Fragmentation of documents into provisions (SpecObjects).....	61
9.4.1	Fragmentation options.....	61
9.4.2	Sentence determination.....	61
9.4.3	“Atomic element”.....	62
9.4.4	“Terminating element”.....	63
9.4.5	Enumerations (lists) in the text.....	63
9.5	Modality; bindingness.....	64
9.5.1	Determining the modality (obj.modality).....	64
9.5.2	Modalities related to context.....	65
9.5.3	Bindingness of the modality values.....	65
9.5.4	Review of the modality (obj.modality).....	66
9.5.5	Align the modality (obj.modality).....	66
9.6	Content attributes (ReqIF.*).....	66
9.6.1	Heading (ReqIF.ChapterName).....	66
9.6.2	Content (ReqIF.Text).....	66
9.7	Object attributes (obj.*).....	67
9.7.1	Clause heading (obj.clause-heading).....	67
9.7.2	Clause context (obj.clause-number).....	67
9.7.3	Reliability (obj.conversion-reliability).....	67
9.7.4	Standard element (obj.element-name).....	68
9.7.5	Modality (obj.modality).....	68
9.7.6	Language (obj.language).....	68
9.7.7	Normativity (obj.normativity).....	68
9.7.8	SpecObject type (obj.specobject-type).....	69
9.7.9	Conversion issues (obj.transformation-issues).....	69
9.8	Use attributes for intra-company management (use.*).....	69
9.8.1	Business process (use.business-process).....	69
9.8.2	Business sector; industry sector (use.business-sector).....	69
9.8.3	Date usage begins (use.date-usage-begins).....	70
9.8.4	Date usage ends (use.date-usage-ends).....	70
9.8.5	Interaction (use.interaction).....	70
9.8.6	Implementation region (use.location).....	70
9.8.7	Project phase (use.project-phase).....	70
9.8.8	Product category (use.product-category).....	70

9.8.9	Product life cycle (use.product-life-cycle).....	70
9.8.10	Purpose; intention; focus (use.purpose)	71
9.9	Bibliographic document metadata (bib.*)	71
9.10	Identifier (ID) attributes (ids.*).....	71
9.10.1	Document ID	71
9.10.2	Element ID	71
9.10.3	Language-independent ID	71
9.10.4	Path-IDs	72
9.10.5	Version-independent tracing ID	72
9.10.6	Version-dependent unique ID	72
9.11	Document asset or service metadata of the creator, supplier, or publisher (pub.*).....	73
9.11.1	Originator (pub.originator)	73
9.11.2	Harmonization (pub.harmonization)	73
9.11.3	Software (pub.software)	73
9.11.4	Supplier (pub.supplier).....	73
10	Presentation.....	73
10.1	Change marks in the text	73
10.2	Labelling and numbering.....	73
10.2.1	Output position of the label	73
10.2.2	Presentation aspects for labels.....	74
10.3	Figures and other types of graphics	74
10.3.1	Types of graphics.....	74
10.3.2	Graphics format	75
10.3.3	Graphics compression	75
10.3.4	Graphics resolution	75
10.4	Formulas	75
10.4.1	Formula format.....	75
10.4.2	Formula output	75
10.4.3	Dissolve in-line formulas	76
10.5	Footnotes	76
10.6	Tables.....	77
10.6.1	Table format.....	77
10.6.2	Table output.....	77
10.6.3	Normalization of tables	77
11	Digital material to the ReqIF™ interpretation for public standards.....	77
11.1	Benchmarking	77
11.2	Examples	78
11.3	Tables to the data model.....	78
11.4	Utilities for the import and export processes (scripts or templates).....	78
11.5	Validating the data model release 1.3 (Schematron)	78
Annex A (informative)	User stories for requirements engineering	79
Annex B (informative)	Background on identifiers (IDs).....	80
B.1	User Stories for identifiers (IDs)	80
B.2	Initial situation for ID systems.....	80
B.3	Challenges regarding multiple ID systems.....	80
B.4	Recommendations for maintaining multiple ID systems	80
Annex C (normative)	Determination of the normativity (obj.normativity).....	82
Annex D (informative)	Determination of the conversion reliability (obj.conversion-reliability)	83
Bibliography	84

Figures

Figure 1 — n to n communication.....	13
------------------------------------------	----

Figure 2 — <i>n</i> via 1 communication	13
Figure 3 — Data model to the ReqIF™ interpretation for public standards	15
Tables	
Table 1 — Content attributes	18
Table 2 — Object attributes	19
Table 3 — Use attributes	20
Table 4 — Bibliographic document metadata	22
Table 5 — Identification (ID) attributes	24
Table 6 — Attributes on the document SpecObject	26
Table 7 — Values for the attribute obj.element-name	27
Table 8 — Values for the attribute obj.language	28
Table 9 — Values for the attribute obj.modality	30
Table 10 — Values for the attribute obj.normativity	31
Table 11 — Values for the attribute obj.specobj-type	31
Table 12 — Values for the attribute use-business-process	32
Table 13 — Values for the attribute use.business-sector	32
Table 14 — Values for the attribute use.interaction	34
Table 15 — Values for the attribute use.location	34
Table 16 — Values for the attribute use.project-phase	37
Table 17 — Values for the attribute use.product-life-cycle	38
Table 18 — Values for the attribute use.purpose	38
Table 19 — DataTypeDefinitions	39
Table 20 — RelationGroupTypes	49
Table 21 — SpecificationTypes	49
Table 22 — SpecObjectTypes	50
Table 23 — SpecRelationTypes	54
Table 24 — Class name abbreviations	55
Table 25 — Setting of values depending on the SpecObjectType	69