

# DIN SPEC 91530:2025-12 (E)

Distributed AI/process interface for self-optimizing process machines; Text in English

---

<b>Contents</b>		<b>Page</b>
Foreword	.....	4
Introduction	.....	6
1	Scope	8
2	Normative references	8
3	Terms and definitions	8
4	Fundamentals	10
4.1	Node ID	10
4.2	Object ID	10
5	Methods	11
5.1	Basics	11
5.2	Linkage between nodes	13
5.3	Extendability of state vectors	13
5.4	Data fusion and backpropagation period	14
5.5	Differentiable Data Fusion	14
5.5.1	General	14
5.5.2	Representing Process Parameters in Data Fusion	15
5.6	Backpropagation	15
5.6.1	General	15
5.6.2	Backpropagation of probe-gradients	16
5.7	Optimization	16
6	Node Types	17
6.1	Process node	17
6.1.1	Fundamentals	17
6.1.2	Constants and properties	17
6.1.3	Inner structure	18
6.1.4	Exemplary Main loop	19
6.2	Loss node	20
6.2.1	Fundamentals	20
6.2.2	Switching between data fusion and backpropagation period	20
7	Messages and expected behavior	20
7.1	Format and Serialization	20
7.2	Information messages	20
7.2.1	Content and basics	20
7.2.2	Reason to send	21
7.2.3	Expected Reaction	21
7.3	Gradient messages	22
7.3.1	Content and basics	22
7.3.2	Reason to send	22
7.3.3	Expected Reaction	22
7.3.4	Loss channel name format	23
7.4	Node information message (NodeInfo)	23
7.5	Probe-response message (ProbResp)	24
7.6	Node-context message (NodeContext)	24
7.7	Add Neighbor (AddNeighbor)	25
7.8	Control messages	25
7.8.1	Get Node Information (gNodeInfo)	25
7.8.2	Get Node Context (gNodeContext)	26
7.8.3	Freeze state, Zero gradients, Backpropagation (FZB)	26
7.8.4	Update step, Unfreeze, Information exchange (UII)	26
7.8.5	Accept message	27
7.8.6	Decline message	27

8	Implementation in MQTT	27
8.1	Fundamentals	27
8.2	Topics	28
8.3	Initial conditions	30
8.4	Typical sequences	30
8.4.1	Standard data fusion and switch to backpropagation	30
8.4.2	Standard backpropagation and switch to data fusion	30
8.4.3	Introduction of new neighbor	30
Annex A	(informative) Reference implementation	32
Annex B	(normative) ASN.1 Definition of the message format	33
	Bibliography	35

## Figures

Figure 1	— Overview of the information translation and backpropagation steps happening during message exchange between two process nodes.	13
Figure 2	— Illustration of the inner data object structure of a process node. This aims to provide a clearer image of the expected backend. The actual ANT-interface standardized by this document is illustrated as the red dashed line.	18
Figure A.1	— Class diagram of reference implementation (reduced)	32

## Tables

Table 1	— Constant properties of a process node.	17
Table 2	— Variable properties of a process node.	17
Table 3	— Contents of an <i>information</i> message	20
Table 4	— Contents of a <i>gradient</i> message	22
Table 5	— Contents of an <i>node information</i> message	23
Table 6	— Contents of a <i>probe-response</i> message	24
Table 7	— Contents of a <i>node-context</i> message	24
Table 8	— Contents of an <i>add neighbor</i> message	25
Table 9	— Contents of a <i>get node information</i> message	25
Table 10	— Contents of a <i>get node context</i> message	26
Table 11	— Contents of an <i>FZB</i> message	26
Table 12	— Contents of an <i>UUI</i> message	26
Table 13	— Contents of an <i>accept</i> message	27
Table 14	— Contents of a <i>decline</i> message	27
Table 15	— Standard MQTT-topics	29