DIN SAE SPEC 91518:2026-01 (E)

STRADE: Metadata Standard for Traffic Scenes in Automated Driving and Traffic Safety; Text in English

Inhalt

Seite

Foreword 13

Introduction 15

1 Scope 16

2 Normative references 16

3 Terms and definitions 16

4 Symbols and abbreviations 19

5 Metadata definitions 19
5.1 General 19
5.2 Structure 20
5.2.1 General 20
5.2.2 Static world model: Map and projection 21
5.2.3 Dynamic world model: Slices and acquisitions 21
5.3 Measurement principles 22
5.3.1 General 22
5.3.2 Coordinates 22
5.3.3 Filtering 22
5.4 Parameter names and use in applications 22
5.4.1 General 22
5.4.2 Adopting to specific platforms 24
5.5 Object classes 26
5.5.1 General 26
5.5.2 Hierarchy and stochastics 27
5.5.3 Special classes 30
5.5.4 Annotation/labeling guidelines 31
5.6 Criticality metrics 33
5.6.1 General 33
5.6.2 Prerequisite definitions 33
5.6.3 Metrics definitions 35
5.6.4 Computation models 40
5.7 Relations, events and actions 43
5.7.1 General 43
5.7.2 Distinction between Subject(s) and Object(s) vs. RDF subjects and RDF objects 44
5.7.3 Events 44
5.7.4 Actions 46
5.8 Metadata definitions 48
5.8.1 General 48
5.8.2 Preliminary definitions 48
5.8.3 Meta 53
5.8.4 Context 58
5.8.5 Object Attributes 87

Annex A (normative) Annotation Recommendations 144
A.1 General 144
A.2 Recommendations 144
A.3 VEHICLE 144

A.3.1 General 144
A.3.2 RAIL_VEHICLE 144
A.3.3 ROAD_VEHICLE 145
A.4 Mapping to existing definitions 146
A.4.1 General 146
A.4.2 BASt 146
A.4.3 AASHTO 146
A.4.4 FHWA 147
A.4.5 COBA 149
A.4.6 Cityscapes 149
A.4.7 nuScenes 150
A.4.8 SAE J3194™ 151
A.4.9 AVSC VRU 152
Annex B (informative) List of Defined Attributes 153
B.1 General 153
B.2 List 153
B.2.1 Events and actions 153
B.2.2 Meta 153
B.2.3 Context 154
B.2.4 Object 156
Bibliography 162

Figures

Figure 1 — Overview of the defined structure 20
Figure 2 — Overview of the defined class hierarchy including exemplary pictograms 27
Figure 3 — Use of the CONNECTION_GROUP class 31
Figure 4 — Bounding box and local coordinate system 31
Figure 5 — Outline representations of a vehicle in (x,y) plane 32
Figure 6 — Various criticality metrics between two vehicles. 40
Figure 7 — Comparison of overlap models 41
Figure 8 — Models for path prediction 41
Figure 9 — Models for vehicle shape detail 42
Figure 10 — Models for path alignment prediction 43
Figure 11 — Complete events and actions during a full lane change maneuver 48
Figure 12 — Occlusions and exhaustive observability 59
Figure 13 — Viewing angle of a driver over the hood of the vehicle. 129
Figure A.1 — Exemplary bounding boxes in (y,z) plane. 144

Tables

Table 1 — Uncertainty distributions and parameters **23**

Table 2 — Object classes excluding OTHER_ classes **27**

Table 3 — Definitions of the event “event/general/changes_lane” **44**

Table 4 — Definitions of the event “event/general/departs_lane” **45**

Table 5 — Definitions of the event “event/general/arrives_lane” **45**

Table 6 — Definitions of the event “event/general/passes” **45**

Table 7 — Definitions of the event “event/general/collides_with” **46**

Table 8 — Definitions of the action “action/general/parks_into” **47**

Table 9 — Definitions of the action “action/general/parks_out_of” **47**

Table 10 — Definitions of the action “action/general/touches_lane_boundary” **47**

Table 11 — Definitions of simple and generic data types **50**

Table 12 — Definitions of the attribute “TypeObjectUID” **51**

Table 13 — Definitions of the attribute “TypeFrameUID” **51**

Table 14 — Definitions of the attribute “TypeCuboid” **51**

Table 15 — Definitions of the attribute “TypeCoarseRoadCoordinates” **52**

Table 16 — Definitions of the attribute “TypeFineRoadCoordinates” **53**

Table 17 — Definitions of the attribute “meta/general/right_of_use” **53**

Table 18 — Definitions of the attribute “meta/general/acquisition_method” **54**

Table 19 — Definitions of the attribute “meta/general/projection_string” **54**

Table 20 — Definitions of the attribute “meta/general/road_map” **55**

Table 21 — Definitions of the attribute “meta/threshold/dist” **55**

Table 22 — Definitions of the attribute “meta/threshold/ttca” **55**

Table 23 — Definitions of the attribute “meta/threshold/pret” **56**

Table 24 — Definitions of the attribute “meta/threshold/thw” **56**

Table 25 — Definitions of the attribute “meta/threshold/ttce” **57**

Table 26 — Definitions of the attribute “meta/threshold/dce” **57**

Table 27 — Definitions of the attribute “meta/threshold/ttc” **57**

Table 28 — Definitions of the attribute “context/environment/exhaustive_observability” **59**

Table 29 — Definitions of the attribute “context/environment/lighting_conditions” **60**

Table 30 — Definitions of the attribute “context/environment/road_illuminance” 60

Table 31 — Definitions of the attribute “context/environment/road_conditions” 61

Table 32 — Definitions of the attribute “context/environment/visibility_range” 61

Table 33 — Definitions of the attribute “context/environment/precipitation_intensity” 62

Table 34 — Definitions of the attribute “context/environment/air_temperature” 62

Table 35 — Definitions of the attribute “context/environment/cloud_cover” 63

Table 36 — Definitions of the attribute “context/wind/speed” 63

Table 37 — Definitions of the attribute “context/wind/heading” 64

Table 38 — Definitions of the attribute “context/slice/acquisition_date” 64

Table 39 — Definitions of the attribute “context/slice/weekday_number” 65

Table 40 — Definitions of the attribute “context/slice/is_road_traffic_right_handed” 66

Table 41 — Definitions of the attribute “context/slice/is_rail_traffic_right_handed” 66

Table 42 — Definitions of the attribute “context/slice/is_staged” 66

Table 43 — Definitions of the attribute “context/slice/is_staged_details” 67

Table 44 — Definitions of the attribute “context/slice/is_biased” 67

Table 45 — Definitions of the attribute “context/slice/is_biased_details” 67

Table 46 — Definitions of the attribute “context/slice/is_synthetic” 68

Table 47 — Definitions of the attribute “context/slice/is_synthetic_details” 68

Table 48 — Definitions of the attribute “context/slice/contains_highway” 69

Table 49 — Definitions of the attribute “context/slice/contains_urban” 69

Table 50 — Definitions of the attribute “context/slice/contains_rural” 69

Table 51 — Definitions of the attribute “context/slice/course” 70

Table 52 — Definitions of the attribute “context/slice/summary/ratio_average_to_speed_limit” 70

Table 53 — Definitions of the attribute “context/slice/summary/forward_gap/min” 71

Table 54 — Definitions of the attribute “context/slice/summary/forward_gap/min_object” 71

Table 55 — Definitions of the attribute “context/slice/summary/dist/min” 71

Table 56 — Definitions of the attribute “context/slice/summary/dist/min_object” 72

Table 57 — Definitions of the attribute “context/slice/summary/ttca/min” 72

Table 58 — Definitions of the attribute “context/slice/summary/ttca/min_object” 72

Table 59 — Definitions of the attribute "context/slice/summary/pret/min" 73

Table 60 — Definitions of the attribute "context/slice/summary/pret/min_object" 73

Table 61 — Definitions of the attribute "context/slice/summary/thw/min" 73

Table 62 — Definitions of the attribute "context/slice/summary/thw/min_object" 74

Table 63 — Definitions of the attribute "context/slice/summary/ttce/min" 74

Table 64 — Definitions of the attribute "context/slice/summary/ttce/min_object" 75

Table 65 — Definitions of the attribute "context/slice/summary/dce/min" 75

Table 66 — Definitions of the attribute "context/slice/summary/dce/min_object" 75

Table 67 — Definitions of the attribute "context/slice/summary/ttc/min" 76

Table 68 — Definitions of the attribute "context/slice/summary/ttc/min_object" 76

Table 69 — Definitions of the attribute "context/slice/summary/longitudinal_velocity/max" 76

Table 70 — Definitions of the attribute "context/slice/summary/longitudinal_velocity/max_object" 77

Table 71 — Definitions of the attribute "context/slice/summary/longitudinal_velocity/min" 77

Table 72 — Definitions of the attribute "context/slice/summary/longitudinal_velocity/min_object" 77

Table 73 — Definitions of the attribute "context/slice/summary/lateral_velocity/max" 78

Table 74 — Definitions of the attribute "context/slice/summary/lateral_velocity/max_object" 78

Table 75 — Definitions of the attribute "context/slice/summary/lateral_velocity/min" 78

Table 76 — Definitions of the attribute "context/slice/summary/lateral_velocity/min_object" 79

Table 77 — Definitions of the attribute "context/slice/summary/longitudinal_acceleration/max" 79

Table 78 — Definitions of the attribute "context/slice/summary/longitudinal_acceleration/max_object" 80

Table 79 — Definitions of the attribute "context/slice/summary/longitudinal_acceleration/min" 80

Table 80 — Definitions of the attribute "context/slice/summary/longitudinal_acceleration/min_object" 80

Table 81 — Definitions of the attribute "context/slice/summary/lateral_acceleration/max" 81

Table 82 — Definitions of the attribute "context/slice/summary/lateral_acceleration/max_object" 81

Table 83 — Definitions of the attribute "context/slice/summary/lateral_acceleration/min" 81

Table 84 — Definitions of the attribute "context/slice/summary/lateral_acceleration/min_object" **82**

Table 85 — Definitions of the attribute "context/slice/summary/steering_wheel_angle/max" **82**

Table 86 — Definitions of the attribute "context/slice/summary/steering_wheel_angle/max_object" **83**

Table 87 — Definitions of the attribute "context/slice/summary/steering_wheel_angle/min" **83**

Table 88 — Definitions of the attribute "context/slice/summary/steering_wheel_angle/min_object" **83**

Table 89 — Definitions of the attribute "context/slice/summary/mean_steer_angle/max" **84**

Table 90 — Definitions of the attribute "context/slice/summary/mean_steer_angle/max_object" **84**

Table 91 — Definitions of the attribute "context/slice/summary/mean_steer_angle/min" **84**

Table 92 — Definitions of the attribute "context/slice/summary/mean_steer_angle/min_object" **85**

Table 93 — Definitions of the attribute "context/slice/summary/start/location" **85**

Table 94 — Definitions of the attribute "context/slice/summary/start/coordinates" **85**

Table 95 — Definitions of the attribute "context/slice/summary/end/location" **86**

Table 96 — Definitions of the attribute "context/slice/summary/end/coordinates" **86**

Table 97 — Definitions of the attribute "object/motion/bounding_box" **87**

Table 98 — Definitions of the attribute "object/motion/bounding_box_max" **87**

Table 99 — Definitions of the attribute "object/motion/best_detected_side" **88**

Table 100 — Definitions of the attribute "object/motion/best_detected_point" **88**

Table 101 — Definitions of the attribute "object/motion/road_coordinates" **89**

Table 102 — Definitions of the attribute "object/motion/velocity" **89**

Table 103 — Definitions of the attribute "object/motion/velocity_source" **89**

Table 104 — Definitions of the attribute "object/motion/acceleration" **90**

Table 105 — Definitions of the attribute "object/motion/acceleration_source" **90**

Table 106 — Definitions of the attribute "object/motion/longitudinal_velocity" **91**

Table 107 — Definitions of the attribute "object/motion/lateral_velocity" **91**

Table 108 — Definitions of the attribute "object/motion/longitudinal_acceleration" **91**

Table 109 — Definitions of the attribute "object/motion/lateral_acceleration" **92**

Table 110 — Definitions of the attribute "object/motion/mean_steer_angle" **92**

Table 111 — Definitions of the attribute "object/motion/slip_angle" **92**

Table 112 — Definitions of the attribute “object/motion/relative_road_angle” 93

Table 113 — Definitions of the attribute “object/characteristics/classification” 93

Table 114 — Definitions of the attribute “object/characteristics/driver_side” 94

Table 115 — Definitions of the attribute “object/characteristics/special_purpose” 94

Table 116 — Definitions of the attribute “object/characteristics/center_of_gravity” 95

Table 117 — Definitions of the attribute “object/characteristics/mass” 95

Table 118 — Definitions of the attribute “object/characteristics/gross_vehicle_mass” 95

Table 119 — Definitions of the attribute “object/characteristics/curb_mass” 96

Table 120 — Definitions of the attribute “object/characteristics/axles” 96

Table 121 — Definitions of the attribute “object/characteristics/wheels” 97

Table 122 — Definitions of the attribute “object/characteristics/independent_wheels” 97

Table 123 — Definitions of the attribute “object/characteristics/seats” 97

Table 124 — Definitions of the attribute “object/characteristics/passengers” 98

Table 125 — Definitions of the attribute “object/characteristics/maximum_speed” 98

Table 126 — Definitions of the attribute “object/characteristics/has_rider” 98

Table 127 — Definitions of the attribute “object/characteristics/has_engine” 99

Table 128 — Definitions of the attribute “object/characteristics/is_recorder” 99

Table 129 — Definitions of the attribute “object/characteristics/connected_to” 99

Table 130 — Definitions of the attribute “object/characteristics/towed_by” 100

Table 131 — Definitions of the attribute “object/characteristics/position_tangential” 100

Table 132 — Definitions of the attribute “object/characteristics/position_fifth_wheel” 101

Table 133 — Definitions of the attribute “object/characteristics/position_kingpin” 101

Table 134 — Definitions of the attribute “object/characteristics/outline/chamfer” 102

Table 135 — Definitions of the attribute “object/characteristics/outline/polygon” 102

Table 136 — Definitions of the attribute “object/criticality/impact_point” 103

Table 137 — Definitions of the attribute “object/criticality/impact_velocity” 103

Table 138 — Definitions of the attribute “object/criticality/impact_frame” 103

Table 139 — Definitions of the attribute “object/criticality/forward_gap” 104

Table 140 — Definitions of the attribute “object/criticality/dist/values” 104

Table 141 — Definitions of the attribute "object/criticality/dist/object_ids" **104**

Table 142 — Definitions of the attribute "object/criticality/ttca/values" **105**

Table 143 — Definitions of the attribute "object/criticality/ttca/object_ids" **105**

Table 144 — Definitions of the attribute "object/criticality/pret/values" **106**

Table 145 — Definitions of the attribute "object/criticality/pret/object_ids" **106**

Table 146 — Definitions of the attribute "object/criticality/thw/values" **106**

Table 147 — Definitions of the attribute "object/criticality/thw/object_ids" **107**

Table 148 — Definitions of the attribute "object/criticality/ttce/values" **107**

Table 149 — Definitions of the attribute "object/criticality/ttce/object_ids" **107**

Table 150 — Definitions of the attribute "object/criticality/dce/values" **108**

Table 151 — Definitions of the attribute "object/criticality/dce/object_ids" **108**

Table 152 — Definitions of the attribute "object/criticality/ttc/values" **109**

Table 153 — Definitions of the attribute "object/criticality/ttc/object_ids" **109**

Table 154 — Definitions of the attribute "object/criticality/prediction_models/timing" **109**

Table 155 — Definitions of the attribute "object/criticality/prediction_models/overlap" **110**

Table 156 — Definitions of the attribute "object/criticality/prediction_models/path" **111**

Table 157 — Definitions of the attribute "object/criticality/prediction_models/lateral_dimensions" **111**

Table 158 — Definitions of the attribute "object/criticality/prediction_models/lateral_position" **112**

Table 159 — Definitions of the attribute "object/criticality/prediction_models/shape" **113**

Table 160 — Definitions of the attribute "object/criticality/prediction_models/alignment" **114**

Table 161 — Definitions of the attribute "object/road/speed_limit" **114**

Table 162 — Definitions of the attribute "object/road/classification" **115**

Table 163 — Definitions of the attribute "object/road/intersection" **116**

Table 164 — Definitions of the attribute "object/road/number_lanes/left_legal" **117**

Table 165 — Definitions of the attribute "object/road/number_lanes/left_physical" **117**

Table 166 — Definitions of the attribute "object/road/number_lanes/right_legal" **118**

Table 167 — Definitions of the attribute "object/road/number_lanes/right_physical" **118**

Table 168 — Definitions of the attribute "object/traffic/density" **118**

Table 169 — Definitions of the attribute "object/traffic/volume" **119**

Table 170 — Definitions of the attribute “object/interior/steering_wheel_angle” 119

Table 171 — Definitions of the attribute “object/interior/gear” 120

Table 172 — Definitions of the attribute “object/interior/wiper” 120

Table 173 — Definitions of the attribute “object/interior/pedal/brake” 120

Table 174 — Definitions of the attribute “object/interior/pedal/accelerator” 121

Table 175 — Definitions of the attribute “object/interior/pedal/clutch” 121

Table 176 — Definitions of the attribute “object/interior/automated_control/longitudinal” 122

Table 177 — Definitions of the attribute “object/interior/automated_control/lateral” 122

Table 178 — Definitions of the attribute “object/lights/brake” 123

Table 179 — Definitions of the attribute “object/lights/front” 123

Table 180 — Definitions of the attribute “object/lights/daytime” 123

Table 181 — Definitions of the attribute “object/lights/highbeam” 124

Table 182 — Definitions of the attribute “object/lights/emergency” 124

Table 183 — Definitions of the attribute “object/lights/indicator/left” 124

Table 184 — Definitions of the attribute “object/lights/indicator/right” 125

Table 185 — Definitions of the attribute “object/operator/age” 125

Table 186 — Definitions of the attribute “object/operator/gender” 126

Table 187 — Definitions of the attribute “object/operator/body_height” 126

Table 188 — Definitions of the attribute “object/operator/head_direction” 126

Table 189 — Definitions of the attribute “object/operator/gaze_direction” 127

Table 190 — Definitions of the attribute “object/operator/focused_point” 127

Table 191 — Definitions of the attribute “object/operator/focused_object_type” 127

Table 192 — Definitions of the attribute “object/operator/focused_object_id” 128

Table 193 — Definitions of the attribute “object/operator/downvision_angle” 129

Table 194 — Definitions of the attribute “object/operator/viewing_height” 129

Table 195 — Definitions of the attribute “object/operator/saliency” 130

Table 196 — Definitions of the attribute “object/operator/pupil” 130

Table 197 — Definitions of the attribute “object/operator/hand_interaction_area” 131

Table 198 — Definitions of the attribute “object/operator/six_dof_rotation_and_acceleration” 131

Table 199 — Definitions of the attribute “object/hmi_feedback/visual” 132

Table 200 — Definitions of the attribute “object/hmi_feedback/acoustic” 132

Table 201 — Definitions of the attribute “object/hmi_feedback/other” 133

Table 202 — Definitions of the attribute “object/summary/forward_gap/min” 133

Table 203 — Definitions of the attribute “object/summary/forward_gap/min_frame” 133

Table 204 — Definitions of the attribute “object/summary/longitudinal_velocity/max” 134

Table 205 — Definitions of the attribute “object/summary/longitudinal_velocity/max_frame” 134

Table 206 — Definitions of the attribute “object/summary/longitudinal_velocity/min” 134

Table 207 — Definitions of the attribute “object/summary/longitudinal_velocity/min_frame” 135

Table 208 — Definitions of the attribute “object/summary/lateral_velocity/max” 135

Table 209 — Definitions of the attribute “object/summary/lateral_velocity/max_frame” 136

Table 210 — Definitions of the attribute “object/summary/lateral_velocity/min” 136

Table 211 — Definitions of the attribute “object/summary/lateral_velocity/min_frame” 136

Table 212 — Definitions of the attribute “object/summary/longitudinal_acceleration/max” 137

Table 213 — Definitions of the attribute “object/summary/longitudinal_acceleration/max_frame” 137

Table 214 — Definitions of the attribute “object/summary/longitudinal_acceleration/min” 137

Table 215 — Definitions of the attribute “object/summary/longitudinal_acceleration/min_frame” 138

Table 216 — Definitions of the attribute “object/summary/lateral_acceleration/max” 138

Table 217 — Definitions of the attribute “object/summary/lateral_acceleration/max_frame” 138

Table 218 — Definitions of the attribute “object/summary/lateral_acceleration/min” 139

Table 219 — Definitions of the attribute “object/summary/lateral_acceleration/min_frame” 139

Table 220 — Definitions of the attribute “object/summary/steering_wheel_angle/max” 140

Table 221 — Definitions of the attribute “object/summary/steering_wheel_angle/max_frame” 140

Table 222 — Definitions of the attribute “object/summary/steering_wheel_angle/min” 140

Table 223 — Definitions of the attribute “object/summary/steering_wheel_angle/min_frame” 141

Table 224 — Definitions of the attribute “object/summary/mean_steer_angle/max” 141

Table 225 — Definitions of the attribute “object/summary/mean_steer_angle/max_frame” 141

Table 226 — Definitions of the attribute “object/summary/mean_steer_angle/min” 142

Table 227 — Definitions of the attribute “object/summary/mean_steer_angle/min_frame” 142

Table 228 — Definitions of the attribute “object/summary/coordinates/start” 142

Table 229 — Definitions of the attribute “object/summary/coordinates/end” 143

Table A.1 — Mapping to BASt 8+1 classes 146

Table A.2 — Mapping to AASHTO classes (U.S. Customary Units) 146

Table A.3 — Mapping to FHWA classes 147

Table A.4 — Mapping to COBA classes 149

Table A.5 — Mapping to Cityscapes classes 149

Table A.6 — Mapping to nuScenes classes 150

Table A.7 — Mapping to SAE J3194 classes 151

Table A.8 — Mapping to AVSC VRU classes 152