ISO/IEC 14776-223:2008-05 (E)

Information technology_- Small Computer System Interface (SCSI)_- Part_223: Fibre channel protocol, third Version (FCP-3)

CONTENTS

FOREWORD 10
INTRODUCTION 12
1 Scope 14
2 Normative references 14
3 Definitions, abbreviations and conventions 14
3.1 Terms and definitions 14
3.2 Abbreviations 18
3.3 Keywords 19
3.4 Editorial conventions 20
4 General 22
4.1 Structure and concepts 22
4.2 FCP I/O operations 23
4.3 Bidirectional and unidirectional commands and FCP_RSP IU format 25
4.4 Precise delivery of SCSI commands 25
4.5 Confirmed completion of FCP I/O operations 26
4.6 Retransmission of unsuccessfully transmitted IUs 27
4.7 Task retry identification 27
4.8 Discovery of FCP capabilities 28
4.9 Task management 28
4.10 Clearing effects of task management, FCP, FC-FS-2, FC-LS, and FC-AL-2 actions . . 29
4.11 I_T nexus loss notification events 31
4.12 Transport Reset notification events 31
4.13 Port Login/Logout 31
4.14 Process Login and Process Logout 32
4.15 Link management 32
4.16 FCP addressing and Exchange identification 32
4.17 Use of World Wide Names 32
5 FC-FS-2 frame header 33
5.1 FC-FS-2 frame header overview 33
5.2 FC-FS-2 frame header fields 33
5.2.1 r_ctl field 33
5.2.2 d_id field 33
5.2.3 cs_ctl field 33
5.2.4 s_id field 33
5.2.5 type field 33
5.2.6 f_ctl field 34
5.2.7 seq_id field 34
5.2.8 df_ctl field 34
5.2.9 seq_cnt field 34
5.2.10 ox_id field 34
5.2.11 rx_id field 34
5.2.12 parameter field 34
6 FCP link service definitions 35
6.1 Overview of link service requirements 35
6.2 Overview of Process Login and Process Logout 35
6.3 PRLI 36
6.3.1 Use of PRLI by the Fibre Channel Protocol 36
6.3.2 Process_Associator requirements 36
6.3.3 New or repeated Process Login 36
6.3.4 PRLI request FCP Service Parameter page format 37

6.3.5 PRLI accept FCP Service Parameter page format 40
6.4 PRLO 41
6.5 Read Exchange Concise (REC) 41
7 FC-4 specific Name Server registration and objects 42
7.1 Overview of FC-4 specific objects for the Fibre Channel Protocol 42
7.2 FC-4 TYPEs object 42
7.3 FC-4 Features object 42
8 FC-4 Link Service definitions 43
8.1 FC-4 Link Services for the Fibre Channel Protocol 43
8.2 Sequence Retransmission Request (SRR) 43
8.3 FCP FC-4 Link Service Reject (FCP_RJT) 45
9 FCP Information Unit (IU) usage and formats 47
9.1 FCP Information Unit (IU) usage 47
9.2 FCP_CMND IU 48
9.2.1 Overview and format of FCP_CMND IU 48
9.2.2 FCP_CMND IU field descriptions 49
9.2.2.1 fcp_lun field 49
9.2.2.2 COMMAND REFERENCE NUMBER field 49
9.2.2.3 priority field 50
9.2.2.4 task attribute field 50
9.2.2.5 TASK MANAGEMENT FLAGS FIELD 50
9.2.2.6 additional fcp_cdb length field 52
9.2.2.7 rddata and wrdata bits 52
9.2.2.8 fcp_cdb field 53
9.2.2.9 additional_fcp_cdb field 53
9.2.2.10 fcp_dl field 53
9.2.2.11 fcp_bidirectional_read_dl field 53
9.3 FCP_XFER_RDY IU 54
9.3.1 Overview and format of FCP_XFER_RDY IU 54
9.3.2 fcp_data_ro field 54
9.3.3 fcp_burst_len field 55
9.4 FCP_DATA IU 55
9.4.1 FCP_DATA IU overview 55
9.4.2 FCP_DATA IUs for read and write operations 56
9.4.3 FCP_DATA IUs for bidirectional commands 56
9.4.4 FCP_DATA IU use of fill bytes 57
9.5 FCP_RSP IU 57
9.5.1 Overview and format of FCP_RSP IU 57
9.5.2 retry delay timer field 59
9.5.3 fcp_bidi_rsp bit 59
9.5.4 fcp_bidi_read_resid_under bit 59
9.5.5 fcp_bidi_read_resid_over bit 59
9.5.6 FCP_CONF_REQ BIT 59
9.5.7 fcp_resid_under bit 59
9.5.8 fcp_resid_over bit 59
9.5.9 fcp_sns_len_valid bit 59
9.5.10 fcp_rsp_len_valid bit 59
9.5.11 SCSI status code field 60
9.5.12 fcp_resid field 60
9.5.13 fcp_bidirectional_read_resid field 61

9.5.14 fcp_sns_len field 61
9.5.15 fcp_rsp_len field 61
9.5.16 fcp_rsp_info field 61
9.5.17 fcp_sns_info field 62
9.6 FCP_CONF IU 63
10 SCSI mode parameters for the Fibre Channel Protocol 64
10.1 Overview of mode pages for the Fibre Channel Protocol 64
10.2 Disconnect-Reconnect mode page 64
10.2.1 Overview and format of Disconnect-Reconnect mode page for FCP 64
10.2.2 buffer full ratio field 65
10.2.3 buffer empty ratio field 65
10.2.4 bus inactivity limit field 66
10.2.5 disconnect time limit field 66
10.2.6 connect time limit field 66
10.2.7 maximum burst size field 66
10.2.8 emdp bit 66
10.2.9 FAA, FAB, FAC BITS 67
10.2.10 first burst size field 67
10.3 Fibre Channel Logical Unit Control mode page 68
10.4 Fibre Channel Port Control mode page 68
10.4.1 Overview and format of Fibre Channel Port Control mode page 68
10.4.2 DISABLE TARGET ORIGINATED LOOP INITIALIZATION (DTOLI) bit 69
10.4.3 DISABLE TARGET INITIATED PORT ENABLE (DTIPE) bit 69
10.4.4 ALLOW LOGIN WITHOUT LOOP INITIALIZATION (ALWLI) bit 69
10.4.5 REQUIRE HARD ADDRESS (RHA) bit 70
10.4.6 disable loop master (dlm) bit 70
10.4.7 DISABLE DISCOVERY (DDIS) bit 70
10.4.8 PREVENT LOOP PORT BYPASS (PLPB) bit 70
10.4.9 DISABLE TARGET FABRIC DISCOVERY (DTFD) bit 70
10.4.10 sequence initiative resource recovery timeout value (rr_tovseq_init) field 71
11 Timers for FCP operation and recovery 72
11.1 Summary of timers for the Fibre Channel Protocol 72
11.2 Error_Detect Timeout (E_D_TOV) 73
11.3 Resource Allocation Timeout (R_A_TOV) 73
11.4 Resource Recovery Timeout (RR_TOV) 73
11.5 Read Exchange Concise Timeout Value (REC_TOV) 73
11.6 Upper Level Protocol Timeout (ULP_TOV) 74
12 Link error detection and error recovery procedures 75
12.1 Error detection and error recovery overview 75
12.1.1 Exchange level 75
12.1.2 Sequence level 75
12.2 FCP error detection 75
12.2.1 Overview of FCP-3 error detection 75
12.2.2 FCP-3 error detection using protocol errors for all classes of service 75
12.2.3 Error detection mechanisms for acknowledged classes of service 76
12.3 Exchange level recovery using recovery abort 77
12.3.1 Recovery abort overview 77
12.3.2 Initiator FCP_Port invocation of recovery abort 77
12.3.3 Target FCP_Port response to recovery abort 77
12.3.4 Additional error recovery by initiator FCP_Port 78

12.3.5 Additional error recovery by target FCP_Port 78
12.4 Sequence level error detection and recovery 78
12.4.1 Using information from REC to perform Sequence level recovery 78
12.4.1.1 Polling Exchange state with REC 78
12.4.1.2 Detection of errors while polling with REC 79
12.4.1.3 FCP_CMND IU recovery 79
12.4.1.4 FCP_XFER_RDY IU recovery 79
12.4.1.5 FCP_RSP IU recovery 79
12.4.1.6 FCP_DATA IU recovery - write operations 80
12.4.1.7 FCP_DATA IU recovery - read operations 81
12.4.1.8 FCP_CONF IU recovery 81
12.4.2 Additional error recovery requirements 82
12.4.2.1 Error indicated in ACK 82
12.4.2.2 Missing ACK 82
12.4.2.3 Distinguishing Exchange to be aborted 82
12.5 Second-level error recovery 82
12.5.1 ABTS error recovery 82
12.5.2 REC error recovery 83
12.5.3 SRR error recovery 83
12.6 Responses to FCP type frames before PLOGI or PRLI 83
Annex A - FCP-3 mapping to SAM-3 84
A.1 Definition of procedure terms 84
Annex B - FCP examples 86
B.1 Examples of the use of FCP Information Units (IUs) 86
B.1.1 Overview of examples 86
B.1.2 SCSI FCP read operation 86
B.1.3 SCSI FCP write operation 87
B.1.4 SCSI FCP operation with no data transfer or with check condition 87
B.1.5 SCSI FCP read operation with multiple FCP_DATA IUs 88
B.1.6 SCSI FCP write operation with FCP_XFR_RDY disabled 88
B.1.7 SCSI FCP bidirectional command with write before read 89
B.1.8 SCSI FCP bidirectional command with read before write 89
B.1.9 SCSI FCP bidirectional command, write first, write FCP_XFER_RDY disabled . . 90
B.1.10 SCSI FCP bidirectional command with intermixed writes and reads 91
B.1.11 SCSI linked commands 92
B.1.12 SCSI WRITE command with confirmed completion 93
B.1.13 SCSI FCP task management function 93
B.2 FCP write example, frame level 94
B.3 FCP read example, frame level 96
Annex C - Error detection and recovery action examples 98
C.1 Introduction 98
Annex D - FCP Device Discovery Procedure 132
D.1 FCP Device Discovery Procedure 132
D.1.1 Initiator discovery of Fabric-attached target FCP_Ports 132
D.1.2 Initiator discovery of loop-attached target FCP_Ports 132
D.2 Fabric and Device Authentication 133
D.3 Logical unit authentication 133
Annex E - FCP-3 examples of link service usage 134
E.1 Formats for recovery link services 134
E.2 Abort Sequence (ABTS) Request 134

E.2.1 Abort Sequence (ABTS) Request fields 134
E.2.2 Basic Accept (BA_ACC) Frame to ABTS 135
E.2.3 Basic Reject (BA_RJT) Frame to ABTS 135
E.3 Reinstate Recovery Qualifier (RRQ) 136
E.3.1 RRQ request format 136

Table 1 - SCSI and Fibre Channel Protocol functions 23
Table 2 - Discovery of FCP-3 capabilities 28
Table 3 - Task management functions, SAM-3 to FCP-3 29
Table 4 - Clearing effects of link related functions 30
Table 5 - Clearing effects of initiator FCP_Port actions 31
Table 6 - FCP frame header 33
Table 7 - FCP Service Parameter page, PRLI request 37
Table 8 - FCP Service Parameter page, PRLI accept 40
Table 9 - FCP definition of FC-4 Feature bits 42
Table 10 - FCP FC-4 Link Service Requests and Responses 43
Table 11 - SRR Payload 44
Table 12 - SRR Accept Payload 44
Table 13 - FCP_RJT Payload 45
Table 14 - FCP_RJT reason codes 45
Table 15 - FCP_RJT reason code explanations 46
Table 16 - FCP Information Units (IUs) sent to target FCP_Ports 47
Table 17 - FCP Information Units (IUs) sent to initiator FCP_Ports 48
Table 18 - FCP_CMND IU Payload 49
Table 19 - TASK ATTRIBUTE field values 50
Table 20 - task management flags field 51
Table 21 - FCP_XFER_RDY IU payload 54
Table 22 - FCP_RSP IU Payload 58
Table 23 - FCP_RSP_INFO field format 62
Table 24 - RSP_CODE definitions 62
Table 25 - Mode pages for FCP 64
Table 26 - Disconnect-Reconnect mode page (02h) 65
Table 27 - Fibre Channel Logical Unit Control mode page (18h) 68
Table 28 - Fibre Channel Port Control mode page (19h) 69
Table 29 - Values for RR_TOV UNITS 71
Table 30 - Timer summary 72
Table 31 - Initiator FCP_Port REC_TOV Usage 74
Table 32 - Target FCP_Port REC_TOV usage 74
Table A.1 - FCP-3 procedure terms mapped to terms from SAM-3 standard 84
Table A.2 - Procedure terms 85
Table B.1 - FCP read operation, example 86
Table B.2 - FCP write operation, example 87
Table B.3 - FCP operation without data transfer, example 87
Table B.4 - FCP read operation, example 88
Table B.5 - FCP write operation with FCP_XFER_RDY disabled, example 88
Table B.6 - FCP bidirectional command with write before read, example 89
Table B.7 - FCP bidirectional command with read before write, example 89
Table B.8 - FCP bidirectional command, write FCP_XFER_RDY disabled, example 90
Table B.9 - FCP bidirectional command with intermixed writes and reads, example 91
Table B.10 - FCP linked commands, example 92
Table B.11 - FCP write command with confirmed completion 93
Table B.12 - FCP task management function, example 93
Table C.1 - Diagram Drawing Conventions 98
Table E.2 - BA_ACC Frame to ABTS 135
Table E.3 - BA_RJT Frame to ABTS 135
Table E.4 - Reinstate Recovery Qualifier 136

Figure B.1 - Example of class 2 FCP write operation 94
Figure B.2 - Example of class 2 FCP_DATA write 95
Figure B.3 - Example of class 2 FCP read operation 96
Figure B.4 - Example of class 2 FCP_DATA read 97
Figure C.1 - Lengthy FCP_CMND or Lost ACK 99
Figure C.2 - FCP_CMND Lost, Unacknowledged Classes 100
Figure C.3 - FCP_CMND Lost, Acknowledged Classes 101
Figure C.4 - FCP_CMND Acknowledgement Lost, Acknowledged Classes 102
Figure C.5 - FCP_XFER_RDY Lost, Unacknowledged Classes 103
Figure C.6 - FCP_XFER_RDY Lost, Acknowledged Classes 104
Figure C.7 - FCP_XFER_RDY Received, ACK Lost, Acknowledged Classes 105
Figure C.8 - FCP_RSP Lost, FCP_CONF not requested, Unacknowledged Classes 106
Figure C.9 - FCP_RSP Lost, FCP_CONF not requested, Acknowledged Classes 107
Figure C.10 - FCP_RSP Lost Read Command, no FCP_CONF, Acknowledged Classes . . . 108
Figure C.11 - FCP_RSP Received, ACK Lost, Acknowledged Classes, Example 1 109
Figure C.12 - FCP_RSP Received, ACK Lost, Acknowledged Classes, Example 2 110
Figure C.13 - Lost Write Data, Last Frame of Sequence, Unacknowledged Classes 111
Figure C.14 - Lost Write Data, Last Frame of Sequence, Acknowledged Classes 112
Figure C.15 - Lost Write Data, Not Last Frame of Sequence, Unacknowledged Classes . . . 113
Figure C.16 - Lost Write Data, Not Last Frame of Sequence, Acknowledged Classes 114
Figure C.17 - Lost Read Data, Last Frame of Sequence, Unacknowledged Classes 115
Figure C.18 - Lost Read Data, Last Frame of Sequence, Acknowledged Classes 116
Figure C.19 - Lost Read Data, Not Last Frame of Sequence, Unacknowledged Classes . . . 117
Figure C.20 - Lost Read Data, Not Last Frame of Sequence, Acknowledged Classes 118
Figure C.21 - ACK Lost on Read (Acknowledged Classes) 119
Figure C.22 - ACK Lost on Write (Acknowledged Classes) 120
Figure C.23 - FCP_CONF Lost, Unacknowledged Classes 121
Figure C.24 - FCP_CONF Lost, Acknowledged Classes 122
Figure C.25 - ACK lost on FCP_CONF, Acknowledged Classes 123
Figure C.26 - REC or REC Response Lost, Unacknowledged Classes 124
Figure C.27 - REC Lost, Acknowledged Classes 125
Figure C.28 - REC Response Lost, Acknowledged Classes 126
Figure C.29 - Two RECs Lost, Unacknowledged Classes, Abort the original Exchange . . . 127
Figure C.30 - SRR Lost, Unacknowledged Classes, Abort original Exchange 128
Figure C.31 - SRR Response Lost, Unacknowledged Classes 129
Figure C.32 - SRR Lost, Acknowledged Classes 130
Figure C.33 - SRR Response Lost, Acknowledged Classes 131