Information technology_- UPnP Device Architecture_- Part_4-12: Audio Video Device Control Protocol_- Level 2_- Content Directory Service

CONTENTS

FOREWORD 14
ORIGINAL UPNP DOCUMENTS (informative) 16
1 Overview and Scope 18
1.1 Introduction 18
1.2 Notation 18
1.2.1 Data Types 19
1.2.2 Strings Embedded in Other Strings 19
1.2.3 Extended Backus-Naur Form 19
1.2.3.1 Typographic conventions for EBNF 19
1.3 Derived Data Types 20
1.3.1 Comma Separated Value (CSV) Lists 20
1.4 Management of XML Namespaces in Standardized DCPs 21
1.4.1 Namespace Prefix Requirements 23
1.4.2 Namespace Names, Namespace Versioning and Schema Versioning 24
1.4.3 Namespace Usage Examples 25
1.5 Vendor-defined Extensions 25
1.6 References 26
2 Service Modeling Definitions 29
2.1 Service Type 29
2.2 Terms 29
2.2.1 object 29
2.2.2 property 29
2.2.2.1 Multi-valued property 30
2.2.2.2 Single-valued property 30
2.2.3 class 30
2.2.4 *item* 30
2.2.5 *container* 30
2.2.6 container modification 30
2.2.7 XML Document 31
2.2.8 XML Fragment 31
2.2.9 *ContainerUpdateID* 31
2.2.10 *reference*, *reference item*, *referenced item* 31
2.2.11 *CDS feature* 32
2.3 State Variables 32
2.3.1 State Variable Overview 33
2.3.2 *SearchCapabilities* 34
2.3.3 *SortCapabilities* 34
2.3.4 *SortExtensionCapabilities* 34
2.3.5 *SystemUpdateID* 35
2.3.6 *ContainerUpdateIDs* 35
2.3.7 *TransferIDs* 36
2.3.8 *FeatureList* 36
2.3.9 *A_ARG_TYPE_ObjectID* 37
2.3.10 *A_ARG_TYPE_Result* 37
2.3.11 *A_ARG_TYPE_SearchCriteria* 37
2.3.11.1 *SearchCriteria* String Syntax 37

2.3.11.2 SearchCriteria String Semantics and Examples 38
2.3.12 A_ARG_TYPE_BrowseFlag 39
2.3.13 A_ARG_TYPE_Filter 39
2.3.14 A_ARG_TYPE_SortCriteria 40
2.3.15 A_ARG_TYPE_Index 41
2.3.16 A_ARG_TYPE_Count 41
2.3.17 A_ARG_TYPE_UpdateID 41
2.3.18 A_ARG_TYPE_TransferID 42
2.3.19 A_ARG_TYPE_TransferStatus 42
2.3.20 A_ARG_TYPE_TransferLength 42
2.3.21 A_ARG_TYPE_TransferTotal 42
2.3.22 A_ARG_TYPE_TagValueList 42
2.3.23 A_ARG_TYPE_URI 42
2.4 Eventing and Moderation 43
2.5 Actions 44
2.5.1 GetSearchCapabilities() 45
2.5.1.1 Arguments 45
2.5.1.2 Dependency on State 45
2.5.1.3 Effect on State 45
2.5.1.4 Errors 45
2.5.2 GetSortCapabilities() 45
2.5.2.1 Arguments 45
2.5.2.2 Dependency on State 45
2.5.2.3 Effect on State 45
2.5.2.4 Errors 46
2.5.3 GetSortExtensionCapabilities() 46
2.5.3.1 Arguments 46
2.5.3.2 Dependency on State 46
2.5.3.3 Effect on State 46
2.5.3.4 Errors 46
2.5.4 GetFeatureList() 46
2.5.4.1 Arguments 46
2.5.4.2 Dependency on State 46
2.5.4.3 Effect on State 46
2.5.4.4 Errors 47
2.5.5 GetSystemUpdateID() 47
2.5.5.1 Arguments 47
2.5.5.2 Dependency on State 47
2.5.5.3 Effect on State 47
2.5.5.4 Errors 47
2.5.6 Browse() 47
2.5.6.1 Arguments 47
2.5.6.2 Dependency on State 48
2.5.6.3 Effect on State 48
2.5.6.4 Errors 49
2.5.7 Search() 49
2.5.7.1 Arguments 49
2.5.7.2 Dependency on State 50
2.5.7.3 Effect on State 50

2.5.7.4 Errors 50
2.5.8 *CreateObject()* 51
2.5.8.1 *res* Property Creation 51
2.5.8.2 Arguments 54
2.5.8.3 Dependency on State 54
2.5.8.4 Effect on State 54
2.5.8.5 Errors 55
2.5.9 *DestroyObject()* 55
2.5.9.1 Arguments 56
2.5.9.2 Dependency on State 56
2.5.9.3 Effect on State 56
2.5.9.4 Errors 56
2.5.10 *UpdateObject()* 56
2.5.10.1 Arguments 58
2.5.10.2 Dependency on State 58
2.5.10.3 Effect on State 58
2.5.10.4 Errors 59
2.5.11 *MoveObject()* 59
2.5.11.1 Arguments 60
2.5.11.2 Dependency on State 60
2.5.11.3 Effect on State 60
2.5.11.4 Errors 61
2.5.12 *ImportResource()* 61
2.5.12.1 Arguments 61
2.5.12.2 Dependency on State 62
2.5.12.3 Effect on State 62
2.5.12.4 Errors 62
2.5.13 *ExportResource()* 62
2.5.13.1 Arguments 62
2.5.13.2 Dependency on State 62
2.5.13.3 Effect on State 63
2.5.13.4 Errors 63
2.5.14 *DeleteResource()* 63
2.5.14.1 Arguments 63
2.5.14.2 Dependency on State 64
2.5.14.3 Effect on State 64
2.5.14.4 Errors 64
2.5.15 *StopTransferResource()* 64
2.5.15.1 Arguments 64
2.5.15.2 Dependency on State 64
2.5.15.3 Effect on State 64
2.5.15.4 Errors 64
2.5.16 *GetTransferProgress()* 65
2.5.16.1 Arguments 65
2.5.16.2 Dependency on State 65
2.5.16.3 Effect on State 65
2.5.16.4 Errors 65

2.5.17 *CreateReference()* 65
2.5.17.1 Arguments 66
2.5.17.2 Dependency on State 66
2.5.17.3 Effect on State 66
2.5.17.4 Errors 66
2.5.18 Non-Standard Actions Implemented by a UPnP Vendor 66
2.5.19 Common Error Codes 67
2.6 Theory of Operation (Informative) 69
2.6.1 Introduction 69
2.6.2 Content Setup for Browsing and Searching 69
2.6.3 Browsing 69
2.6.3.1 Retrieving Sort Capabilities 70
2.6.3.2 Browsing the Root Level Metadata 70
2.6.3.3 Browsing the Children of the Root Level 71
2.6.3.4 Browsing the Children of the My Music Folder 72
2.6.3.5 Browsing the Children of the Singles Soundtrack Music Album 72
2.6.3.6 Browsing the Children of the Album Art Folder 74
2.6.4 Searching 74
2.6.4.1 Retrieving Search Capabilities 75
2.6.4.2 Search for All Content Created by the performer Sting 75
2.6.4.3 Search for all Photos Taken During the Month of October 76
2.6.4.4 Search for All Objects in the My Photos Folder Containing the Word “Christmas” 77
2.6.4.5 Search for all *album* objects in the ContentDirectory service 77
2.6.5 Browsing, Searching, and References 79
2.6.5.1 Creating a reference to a photo in the Mexico Trip album inside the Christmas album 79
2.6.5.2 Search for All Photos Taken During the Month of October 79
2.6.5.3 Deletion of the Reference to the Photo in the Mexico Trip Album 80
2.6.6 Object Creation 80
2.6.6.1 Creating a New Object 80
2.6.6.2 Example: Creating a New MusicTrack in the Album1 (*@id* = 10) 80
2.6.7 Object Resource Binding (Importing a Resource) 81
2.6.7.1 Transfer Using the *ImportResource()* Action 81
2.6.7.2 Transfer Using Direct HTTP POST 82
2.6.8 Exporting ContentDirectory Resources 82
2.6.8.1 Transfer Using the *ExportResource()* Action 83
2.6.8.2 Transfer using HTTP GET 84
2.6.9 Playlist Manipulation 84
2.6.9.1 Playlist File Representation in the ContentDirectory Service 84
2.6.9.2 Playlist File Generation 84
2.6.10 Internet Content Representation 85
2.6.11 Bookmark Manipulation 86
2.6.11.1 *bookmarkItem* Example 86
2.6.11.2 Creating and Destroying Bookmarks 88
2.6.11.3 Browsing Bookmarks 92
2.6.12 Vendor Metadata Extensions 98
3 XML Service Description 99
4 Test 108

Annex A (normative) **Schemas** **109**
A.1 DIDL-Lite 109
A.2 UPnP Elements 109
A.3 Dublin Core Subset Elements 109
A.4 *FeatureList* State Variable Schema 109
Annex B (normative) **AV Working Committee Properties** **110**
B.1 Base Properties 110
B.1.1 *@id* 111
B.1.2 *@parentID* 111
B.1.3 *@refID* 111
B.1.4 *@restricted* 111
B.1.5 *@searchable* 111
B.1.6 *@childCount* 111
B.1.7 *dc:title* 112
B.1.8 *dc:creator* 112
B.1.9 *res* 112
B.1.10 *upnp:class* 112
B.1.10.1 allowedValueList for the *upnp:class* Property 113
B.1.10.2 *upnp:class@name* 114
B.1.11 *upnp:searchClass* 114
B.1.11.1 *upnp:searchClass@name* 114
B.1.11.2 *upnp:searchClass@includeDerived* 114
B.1.12 *upnp:createClass* 114
B.1.12.1 *upnp:createClass@name* 115
B.1.12.2 *upnp:createClass@includeDerived* 115
B.1.13 *upnp:writeStatus* 115
B.1.13.1 allowedValueList for the *upnp:writeStatus* Property 115
B.2 Resource Encoding Characteristics Properties 116
B.2.1 *res* 116
B.2.1.1 *res@protocolInfo* 116
B.2.1.2 *res@importUri* 117
B.2.1.3 *res@size* 117
B.2.1.4 *res@duration* 117
B.2.1.5 *res@protection* 117
B.2.1.6 *res@bitrate* 118
B.2.1.7 *res@bitsPerSample* 118
B.2.1.8 *res@sampleFrequency* 118
B.2.1.9 *res@nrAudioChannels* 118
B.2.1.10 *res@resolution* 118
B.2.1.11 *res@colorDepth* 118
B.2.1.12 *res@tspec* 119
B.2.1.13 *res@allowedUse* 119
B.2.1.14 *res@validityStart* 119
B.2.1.15 *res@validityEnd* 119
B.2.1.16 *res@remainingTime* 120
B.2.1.17 *res@usageInfo* 120
B.2.1.18 *res@rightsInfoURI* 120
B.2.1.19 *res@contentInfoURI* 120
B.2.1.20 *res@recordQuality* 120

B.3 Contributor-related Properties 121
B.3.1 upnp:artist 121
B.3.1.1 upnp:artist@role 121
B.3.2 upnp:actor 121
B.3.2.1 upnp:actor@role 121
B.3.3 upnp:author 121
B.3.3.1 upnp:author@role 122
B.3.4 upnp:producer 122
B.3.5 upnp:director 122
B.3.6 dc:publisher 122
B.3.7 dc:contributor 122
B.4 Affiliation-related Properties 122
B.4.1 upnp:genre 123
B.4.1.1 upnp:genre@id 123
B.4.1.2 upnp:genre@extended 123
B.4.2 upnp:album 123
B.4.3 upnp:playlist 123
B.5 Associated Resources Properties 123
B.5.1 upnp:albumArtURI 124
B.5.2 upnp:artistDiscographyURI 124
B.5.3 upnp:lyricsURI 124
B.5.4 dc:relation 124
B.6 Storage-Related Properties 124
B.6.1 upnp:storageTotal 124
B.6.2 upnp:storageUsed 124
B.6.3 upnp:storageFree 125
B.6.4 upnp:storageMaxPartition 125
B.6.5 upnp:storageMedium 125
B.6.5.1 allowedValueList for the upnp:storageMedium Property 125
B.7 General Description (mainly for UI purposes) Properties 125
B.7.1 dc:description 126
B.7.2 upnp:longDescription 126
B.7.3 upnp:icon 126
B.7.4 upnp:region 126
B.7.5 upnp:rights 126
B.7.6 dc:date 126
B.7.7 dc:language 127
B.7.8 upnp:playbackCount 127
B.7.9 upnp:lastPlaybackTime 127
B.7.10 upnp:lastPlaybackPosition 127
B.7.11 upnp:recordedStartDateTime 127
B.7.12 upnp:recordedDuration 127
B.7.13 upnp:recordedDayOfWeek 128
B.7.13.1 allowedValueList for the upnp:recordedDayOfWeek Property 128
B.7.14 upnp:srsRecordScheduleID 128
B.7.15 upnp:srsRecordTaskID 128
B.7.16 upnp:recordable 128

B.8 Recorded Object-related Properties 129
B.8.1 upnp:programTitle 129
B.8.2 upnp:seriesTitle 129
B.8.3 upnp:programID 130
B.8.3.1 upnp:programID@type 130
B.8.4 upnp:seriesID 130
B.8.4.1 upnp:seriesID@type 130
B.8.5 upnp:channelID 131
B.8.5.1 upnp:channelID@type 131
B.8.6 upnp:episodeCount 131
B.8.7 upnp:episodeNumber 131
B.8.8 upnp:programCode 132
B.8.8.1 upnp:programCode@type 132
B.8.9 upnp:rating 132
B.8.9.1 upnp:rating@type 132
B.8.10 upnp:episodeType 132
B.9 User Channel and EPG Related Properties 133
B.9.1 upnp:channelGroupName 133
B.9.1.1 upnp:channelGroupName@id 133
B.9.2 upnp:callSign 133
B.9.3 upnp:networkAffiliation 134
B.9.4 upnp:serviceProvider 134
B.9.5 upnp:price 134
B.9.5.1 upnp:price@currency 134
B.9.6 upnp:payPerView 134
B.9.7 upnp:epgProviderName 134
B.9.8 upnp:dateTimeRange 134
B.10 Radio Broadcast Properties 135
B.10.1 upnp:radioCallSign 135
B.10.2 upnp:radioStationID 135
B.10.3 upnp:radioBand 135
B.10.3.1 allowedValueList for the upnp:radioBand Property 135
B.11 Video Broadcast Properties 135
B.11.1 upnp:channelNr 136
B.11.2 upnp:channelName 136
B.11.3 upnp:scheduledStartTime 136
B.11.4 upnp:scheduledEndTime 136
B.12 Physical Tuner Status-related Properties 136
B.12.1 upnp:signalStrength 137
B.12.2 upnp:signalLocked 137
B.12.3 upnp:tuned 137
B.13 Bookmark-related Properties 137
B.13.1 @neverPlayable 138
B.13.2 upnp:bookmarkID 138
B.13.3 upnp:bookmarkedObjectID 138
B.13.4 upnp:deviceUDN 138
B.13.4.1 upnp:deviceUDN@serviceType 138
B.13.4.2 upnp:deviceUDN@serviceId 138
B.13.5 upnp:stateVariableCollection 139

B.13.5.1 *upnp:stateVariableCollection@serviceName* 139
B.13.5.2 *upnp:stateVariableCollection@rcsInstanceType* 139
B.14 Miscellaneous Properties 140
B.14.1 *upnp:DVDRegionCode* 140
B.14.2 *upnp:originalTrackNumber* 140
B.14.3 *upnp:toc* 140
B.14.4 *upnp:userAnnotation* 140
Annex C (normative) **AV Working Committee Class Definitions 141**
C.1 Class Hierarchy 141
C.1.1 Class name syntax 142
C.1.2 Class Properties Overview 143
C.2 *object* (Base Class) 147
C.2.1 *item:object* 147
C.2.1.1 *imageItem:item* 147
C.2.1.2 *audioItem:item* 148
C.2.1.3 *videoItem:item* 149
C.2.1.4 *playlistItem:item* 151
C.2.1.5 *textItem:item* 152
C.2.1.6 *bookmarkItem:item* 153
C.2.1.7 *epgItem:item* 153
C.2.2 *container:object* 155
C.2.2.1 *person:container* 155
C.2.2.2 *playlistContainer:container* 156
C.2.2.3 *album:container* 157
C.2.2.4 *genre:container* 158
C.2.2.5 *channelGroup:container* 158
C.2.2.6 *epgContainer:container* 159
C.2.2.7 *storageSystem:container* 160
C.2.2.8 *storageVolume:container* 161
C.2.2.9 *storageFolder:container* 162
C.2.2.10 *bookmarkFolder:container* 162
Annex D (normative) **EBNF Syntax Definitions 163**
D.1 Date&time Syntax 163
Annex E (normative) ***CDS features*** **..... 164**
E.1 Requirements for the *EPG feature*, Version 1 165
E.2 Requirements for the *TUNER feature*, Version 1 166
E.3 Requirements for the *BOOKMARK feature*, Version 1 167

LIST OF TABLES

Table 1-1: EBNF Operators 20
Table 1-2: CSV Examples 21
Table 1-3: Namespace Definitions 22
Table 1-4: Schema-related Information 23
Table 1-5: Default Namespaces for the AV Specifications 24
Table 2-1: Properties in XML 29
Table 2-2: State variables 33
Table 2-3: Sort Modifiers 34
Table 2-4: ContainerUpdateIDs Example 36
Table 2-5: Event moderation 43
Table 2-6: Actions 44
Table 2-7: Arguments for *GetSearchCapabilities()* 45
Table 2-8: Error Codes for *GetSearchCapabilities()* 45
Table 2-9: Arguments for *GetSortCapabilities()* 45
Table 2-10: Error Codes for *GetSortCapabilities()* 46
Table 2-11: Arguments for *GetSortExtensionCapabilities()* 46
Table 2-12: Error Codes for *GetSortExtensionCapabilities()* 46
Table 2-13: Arguments for *GetFeatureList()* 46
Table 2-14: Error Codes for *GetFeatureList()* 47
Table 2-15: Arguments for *GetSystemUpdateID()* 47
Table 2-16: Error Codes for *GetSystemUpdateID()* 47
Table 2-17: Arguments for *Browse()* 48
Table 2-18: Error Codes for *Browse()* 49
Table 2-19: Arguments for *Search()* 50
Table 2-20: Error Codes for *Search()* 50
Table 2-21: Arguments for *CreateObject()* 54
Table 2-22: Error codes for *CreateObject()* 55
Table 2-23: Arguments for *DestroyObject()* 56
Table 2-24: Error Codes for *DestroyObject()* 56
Table 2-25: Update examples 58
Table 2-26: Arguments for *UpdateObject()* 58
Table 2-27: Error Codes for *UpdateObject()* 59
Table 2-28: Arguments for *MoveObject()* 60
Table 2-29: Error Codes for *MoveObject()* 61
Table 2-30: Arguments for *ImportResource()* 61
Table 2-31: Error Codes for *ImportResource()* 62
Table 2-32: Arguments for *ExportResource()* 62

Table 2-33: Error Codes for *ExportResource()* 63
Table 2-34: Arguments for *DeleteResource()* 63
Table 2-35: Error Codes for *DeleteResource()* 64
Table 2-36: Arguments for *StopTransferResource()* 64
Table 2-37: Error Codes for *StopTransferResource()* 64
Table 2-38: Arguments for *GetTransferProgress()* 65
Table 2-39: Error Codes for *GetTransferProgress()* 65
Table 2-40: Arguments for *CreateReference()* 66
Table 2-41: Error Codes for *CreateReference()* 66
Table 2-42: Common error codes 67
Table B-1: Base Properties Overview 110
Table B-2: allowedValueList for the *upnp:class* Property 113
Table B-3: allowedValueList for the upnp:writeStatus Property 115
Table B-4: Resource Encoding Characteristics Properties Overview 116
Table B-5: Contributor-related Properties Overview 121
Table B-6: Affiliation-related Properties Overview 122
Table B-7: Associated Resources Properties Overview 123
Table B-8: Storage-Related Properties Overview 124
Table B-9: General Description (mainly for UI purposes) Properties Overview 125
Table B-10: allowedValueList for the upnp:recordedDayOfWeek Property 128
Table B-11: Recorded Object-related Properties Overview 129
Table B-12: User Channel and EPG Related Properties Overview 133
Table B-13: Radio Broadcast Properties Overview 135
Table B-14: allowedValueList for the upnp:radioBand Property 135
Table B-15: Video Broadcast Properties Overview 135
Table B-16: Physical Tuner Status-related Properties Overview 136
Table B-17: Bookmark-related Properties Overview 137
Table B-18: allowedValueList for the upnp:stateVariableCollection@rcsInstanceType Property 139
Table B-19: Miscellaneous Properties Overview 140
Table C-1: Class Properties Overview 143
Table C-2: *object* Properties 147
Table C-3: *item* Properties 147
Table C-4: *imageItem:item* Properties 147
Table C-5: *photo:imageItem* Properties 148
Table C-6: *audioItem:item* Properties 148
Table C-7: *musicTrack:audioItem* Properties 148
Table C-8: *audioBroadcast:audioItem* Properties 149
Table C-9: *audioBook:audioItem* Properties 149

Table C-10: *videoItem:item* Properties 150
Table C-11: *movie:videoItem* Properties 150
Table C-12: *videoBroadcast:videoItem* Properties 151
Table C-13: *musicVideoClip:videoItem* Properties 151
Table C-14: *playlistItem:item* Properties 152
Table C-15: *textItem:item* Properties 152
Table C-16: *bookmarkItem:item* Properties 153
Table C-17: *epgItem:item* Properties 153
Table C-18: *audioProgram:epgItem* Properties 155
Table C-19: *videoProgram:epgItem* Properties 155
Table C-20: *container* Properties 155
Table C-21: *person:container* Properties 155
Table C-22: *musicArtist:person* Properties 156
Table C-23: *playlistContainer:container* Properties 156
Table C-24: *album:container* Properties 157
Table C-25: *musicAlbum:album* Properties 157
Table C-26: *photoAlbum:album* Properties 157
Table C-27: *genre:container* Properties 158
Table C-28: *channelGroup:container* Properties 159
Table C-29: *epgContainer:container* Properties 160
Table C-30: *storageSystem:container* Properties 161
Table C-31: *storageVolume:container* Properties 161
Table C-32: *storageFolder:container* Properties 162
Table C-33: genre:container Properties 162
Table E-1: *CDS features* 164
Table E-2: REQUIRED characteristics of the *EPG Feature* element 165
Table E-3: REQUIRED characteristics of the *TUNER Feature* element 166
Table E-4: REQUIRED characteristics ofthe *BOOKMARK feature* element 167

LIST OF FIGURES

Figure 1: Class hierarchy for the item base class. 141
Figure 2: Class hierarchy for the container base class. 142