

### CONTENTS

FOREWORD .....	14
ORIGINAL UPNP DOCUMENTS (informative) .....	16
<b>1 Overview and Scope .....</b>	<b>18</b>
1.1 Introduction .....	18
1.2 Notation .....	18
1.2.1 Data Types .....	19
1.2.2 Strings Embedded in Other Strings .....	19
1.2.3 Extended Backus-Naur Form .....	19
1.2.3.1 Typographic conventions for EBNF .....	19
1.3 Derived Data Types .....	20
1.3.1 Comma Separated Value (CSV) Lists .....	20
1.4 Management of XML Namespaces in Standardized DCPs .....	21
1.4.1 Namespace Prefix Requirements .....	23
1.4.2 Namespace Names, Namespace Versioning and Schema Versioning .....	24
1.4.3 Namespace Usage Examples .....	25
1.5 Vendor-defined Extensions .....	25
1.6 References .....	26
<b>2 Service Modeling Definitions .....</b>	<b>29</b>
2.1 Service Type .....	29
2.2 Terms .....	29
2.2.1 object .....	29
2.2.2 property .....	29
2.2.2.1 Multi-valued property .....	30
2.2.2.2 Single-valued property .....	30
2.2.3 class .....	30
2.2.4 <i>item</i> .....	30
2.2.5 <i>container</i> .....	30
2.2.6 container modification .....	30
2.2.7 XML Document .....	31
2.2.8 XML Fragment .....	31
2.2.9 <i>ContainerUpdateID</i> .....	31
2.2.10 <i>reference, reference item, referenced item</i> .....	31
2.2.11 <i>CDS feature</i> .....	32
2.3 State Variables .....	32
2.3.1 State Variable Overview .....	33
2.3.2 <i>SearchCapabilities</i> .....	34
2.3.3 <i>SortCapabilities</i> .....	34
2.3.4 <i>SortExtensionCapabilities</i> .....	34
2.3.5 <i>SystemUpdateID</i> .....	35
2.3.6 <i>ContainerUpdateIDs</i> .....	35
2.3.7 <i>TransferIDs</i> .....	36
2.3.8 <i>FeatureList</i> .....	36
2.3.9 <i>A_ARG_TYPE ObjectID</i> .....	37
2.3.10 <i>A_ARG_TYPE Result</i> .....	37
2.3.11 <i>A_ARG_TYPE SearchCriteria</i> .....	37
2.3.11.1 <i>SearchCriteria</i> String Syntax .....	37

2.3.11.2	<a href="#"><u>SearchCriteria</u></a> String Semantics and Examples	38
2.3.12	<a href="#"><u>A ARG TYPE BrowseFlag</u></a>	39
2.3.13	<a href="#"><u>A ARG TYPE Filter</u></a>	39
2.3.14	<a href="#"><u>A ARG TYPE SortCriteria</u></a>	40
2.3.15	<a href="#"><u>A ARG TYPE Index</u></a>	41
2.3.16	<a href="#"><u>A ARG TYPE Count</u></a>	41
2.3.17	<a href="#"><u>A ARG TYPE UpdateID</u></a>	41
2.3.18	<a href="#"><u>A ARG TYPE TransferID</u></a>	42
2.3.19	<a href="#"><u>A ARG TYPE TransferStatus</u></a>	42
2.3.20	<a href="#"><u>A ARG TYPE TransferLength</u></a>	42
2.3.21	<a href="#"><u>A ARG TYPE TransferTotal</u></a>	42
2.3.22	<a href="#"><u>A ARG TYPE TagValueList</u></a>	42
2.3.23	<a href="#"><u>A ARG TYPE URI</u></a>	42
2.4	Eventing and Moderation	43
2.5	Actions	44
2.5.1	<a href="#"><u>GetSearchCapabilities()</u></a>	45
2.5.1.1	Arguments	45
2.5.1.2	Dependency on State	45
2.5.1.3	Effect on State	45
2.5.1.4	Errors	45
2.5.2	<a href="#"><u>GetSortCapabilities()</u></a>	45
2.5.2.1	Arguments	45
2.5.2.2	Dependency on State	45
2.5.2.3	Effect on State	45
2.5.2.4	Errors	46
2.5.3	<a href="#"><u>GetSortExtensionCapabilities()</u></a>	46
2.5.3.1	Arguments	46
2.5.3.2	Dependency on State	46
2.5.3.3	Effect on State	46
2.5.3.4	Errors	46
2.5.4	<a href="#"><u>GetFeatureList()</u></a>	46
2.5.4.1	Arguments	46
2.5.4.2	Dependency on State	46
2.5.4.3	Effect on State	46
2.5.4.4	Errors	47
2.5.5	<a href="#"><u>GetSystemUpdateID()</u></a>	47
2.5.5.1	Arguments	47
2.5.5.2	Dependency on State	47
2.5.5.3	Effect on State	47
2.5.5.4	Errors	47
2.5.6	<a href="#"><u>Browse()</u></a>	47
2.5.6.1	Arguments	47
2.5.6.2	Dependency on State	48
2.5.6.3	Effect on State	48
2.5.6.4	Errors	49
2.5.7	<a href="#"><u>Search()</u></a>	49
2.5.7.1	Arguments	49
2.5.7.2	Dependency on State	50
2.5.7.3	Effect on State	50

2.5.7.4	Errors	50
2.5.8	<a href="#"><u>CreateObject()</u></a>	51
2.5.8.1	<i>res</i> Property Creation	51
2.5.8.2	Arguments	54
2.5.8.3	Dependency on State	54
2.5.8.4	Effect on State	54
2.5.8.5	Errors	55
2.5.9	<a href="#"><u>DestroyObject()</u></a>	55
2.5.9.1	Arguments	56
2.5.9.2	Dependency on State	56
2.5.9.3	Effect on State	56
2.5.9.4	Errors	56
2.5.10	<a href="#"><u>UpdateObject()</u></a>	56
2.5.10.1	Arguments	58
2.5.10.2	Dependency on State	58
2.5.10.3	Effect on State	58
2.5.10.4	Errors	59
2.5.11	<a href="#"><u>MoveObject()</u></a>	59
2.5.11.1	Arguments	60
2.5.11.2	Dependency on State	60
2.5.11.3	Effect on State	60
2.5.11.4	Errors	61
2.5.12	<a href="#"><u>ImportResource()</u></a>	61
2.5.12.1	Arguments	61
2.5.12.2	Dependency on State	62
2.5.12.3	Effect on State	62
2.5.12.4	Errors	62
2.5.13	<a href="#"><u>ExportResource()</u></a>	62
2.5.13.1	Arguments	62
2.5.13.2	Dependency on State	62
2.5.13.3	Effect on State	63
2.5.13.4	Errors	63
2.5.14	<a href="#"><u>DeleteResource()</u></a>	63
2.5.14.1	Arguments	63
2.5.14.2	Dependency on State	64
2.5.14.3	Effect on State	64
2.5.14.4	Errors	64
2.5.15	<a href="#"><u>StopTransferResource()</u></a>	64
2.5.15.1	Arguments	64
2.5.15.2	Dependency on State	64
2.5.15.3	Effect on State	64
2.5.15.4	Errors	64
2.5.16	<a href="#"><u>GetTransferProgress()</u></a>	65
2.5.16.1	Arguments	65
2.5.16.2	Dependency on State	65
2.5.16.3	Effect on State	65
2.5.16.4	Errors	65

2.5.17	<a href="#"><i>CreateReference()</i></a>	65
2.5.17.1	Arguments	66
2.5.17.2	Dependency on State	66
2.5.17.3	Effect on State	66
2.5.17.4	Errors	66
2.5.18	Non-Standard Actions Implemented by a UPnP Vendor	66
2.5.19	Common Error Codes	67
2.6	Theory of Operation (Informative)	69
2.6.1	Introduction	69
2.6.2	Content Setup for Browsing and Searching	69
2.6.3	Browsing	69
2.6.3.1	Retrieving Sort Capabilities	70
2.6.3.2	Browsing the Root Level Metadata	70
2.6.3.3	Browsing the Children of the Root Level	71
2.6.3.4	Browsing the Children of the My Music Folder	72
2.6.3.5	Browsing the Children of the Singles Soundtrack Music Album	72
2.6.3.6	Browsing the Children of the Album Art Folder	74
2.6.4	Searching	74
2.6.4.1	Retrieving Search Capabilities	75
2.6.4.2	Search for All Content Created by the performer Sting	75
2.6.4.3	Search for all Photos Taken During the Month of October	76
2.6.4.4	Search for All Objects in the My Photos Folder Containing the Word "Christmas"	77
2.6.4.5	Search for all <i>album</i> objects in the ContentDirectory service	77
2.6.5	Browsing, Searching, and References	79
2.6.5.1	Creating a reference to a photo in the Mexico Trip album inside the Christmas album	79
2.6.5.2	Search for All Photos Taken During the Month of October	79
2.6.5.3	Deletion of the Reference to the Photo in the Mexico Trip Album	80
2.6.6	Object Creation	80
2.6.6.1	Creating a New Object	80
2.6.6.2	Example: Creating a New MusicTrack in the Album1 ( <i>@id</i> = 10)	80
2.6.7	Object Resource Binding (Importing a Resource)	81
2.6.7.1	Transfer Using the <a href="#"><i>ImportResource()</i></a> Action	81
2.6.7.2	Transfer Using Direct HTTP POST	82
2.6.8	Exporting ContentDirectory Resources	82
2.6.8.1	Transfer Using the <a href="#"><i>ExportResource()</i></a> Action	83
2.6.8.2	Transfer using HTTP GET	84
2.6.9	Playlist Manipulation	84
2.6.9.1	Playlist File Representation in the ContentDirectory Service	84
2.6.9.2	Playlist File Generation	84
2.6.10	Internet Content Representation	85
2.6.11	Bookmark Manipulation	86
2.6.11.1	<a href="#"><i>bookmarkItem</i></a> Example	86
2.6.11.2	Creating and Destroying Bookmarks	88
2.6.11.3	Browsing Bookmarks	92
2.6.12	Vendor Metadata Extensions	98
<b>3</b>	<b>XML Service Description</b>	<b>99</b>
<b>4</b>	<b>Test</b>	<b>108</b>

<b>Annex A (normative) Schemas</b> .....	<b>109</b>
A.1 DIDL-Lite .....	109
A.2 UPnP Elements .....	109
A.3 Dublin Core Subset Elements .....	109
A.4 <i>FeatureList</i> State Variable Schema.....	109
<b>Annex B (normative) AV Working Committee Properties</b> .....	<b>110</b>
B.1 Base Properties .....	110
B.1.1 <i>@id</i> .....	111
B.1.2 <i>@parentID</i> .....	111
B.1.3 <i>@refID</i> .....	111
B.1.4 <i>@restricted</i> .....	111
B.1.5 <i>@searchable</i> .....	111
B.1.6 <i>@childCount</i> .....	111
B.1.7 <i>dc:title</i> .....	112
B.1.8 <i>dc:creator</i> .....	112
B.1.9 <i>res</i> .....	112
B.1.10 <i>upnp:class</i> .....	112
B.1.10.1 allowedValueList for the <i>upnp:class</i> Property .....	113
B.1.10.2 <i>upnp:class@name</i> .....	114
B.1.11 <i>upnp:searchClass</i> .....	114
B.1.11.1 <i>upnp:searchClass@name</i> .....	114
B.1.11.2 <i>upnp:searchClass@includeDerived</i> .....	114
B.1.12 <i>upnp:createClass</i> .....	114
B.1.12.1 <i>upnp:createClass@name</i> .....	115
B.1.12.2 <i>upnp:createClass@includeDerived</i> .....	115
B.1.13 <i>upnp:writeStatus</i> .....	115
B.1.13.1 allowedValueList for the <i>upnp:writeStatus</i> Property.....	115
B.2 Resource Encoding Characteristics Properties.....	116
B.2.1 <i>res</i> .....	116
B.2.1.1 <i>res@protocolInfo</i> .....	116
B.2.1.2 <i>res@importUri</i> .....	117
B.2.1.3 <i>res@size</i> .....	117
B.2.1.4 <i>res@duration</i> .....	117
B.2.1.5 <i>res@protection</i> .....	117
B.2.1.6 <i>res@bitrate</i> .....	118
B.2.1.7 <i>res@bitsPerSample</i> .....	118
B.2.1.8 <i>res@sampleFrequency</i> .....	118
B.2.1.9 <i>res@nrAudioChannels</i> .....	118
B.2.1.10 <i>res@resolution</i> .....	118
B.2.1.11 <i>res@colorDepth</i> .....	118
B.2.1.12 <i>res@tspec</i> .....	119
B.2.1.13 <i>res@allowedUse</i> .....	119
B.2.1.14 <i>res@validityStart</i> .....	119
B.2.1.15 <i>res@validityEnd</i> .....	119
B.2.1.16 <i>res@remainingTime</i> .....	120
B.2.1.17 <i>res@usageInfo</i> .....	120
B.2.1.18 <i>res@rightsInfoURI</i> .....	120
B.2.1.19 <i>res@contentInfoURI</i> .....	120
B.2.1.20 <i>res@recordQuality</i> .....	120

B.3	Contributor-related Properties .....	121
B.3.1	<a href="#"><u>upnp:artist</u></a> .....	121
B.3.1.1	<a href="#"><u>upnp:artist@role</u></a> .....	121
B.3.2	<a href="#"><u>upnp:actor</u></a> .....	121
B.3.2.1	<a href="#"><u>upnp:actor@role</u></a> .....	121
B.3.3	<a href="#"><u>upnp:author</u></a> .....	121
B.3.3.1	<a href="#"><u>upnp:author@role</u></a> .....	122
B.3.4	<a href="#"><u>upnp:producer</u></a> .....	122
B.3.5	<a href="#"><u>upnp:director</u></a> .....	122
B.3.6	<a href="#"><u>dc:publisher</u></a> .....	122
B.3.7	<a href="#"><u>dc:contributor</u></a> .....	122
B.4	Affiliation-related Properties .....	122
B.4.1	<a href="#"><u>upnp:genre</u></a> .....	123
B.4.1.1	<a href="#"><u>upnp:genre@id</u></a> .....	123
B.4.1.2	<a href="#"><u>upnp:genre@extended</u></a> .....	123
B.4.2	<a href="#"><u>upnp:album</u></a> .....	123
B.4.3	<a href="#"><u>upnp:playlist</u></a> .....	123
B.5	Associated Resources Properties .....	123
B.5.1	<a href="#"><u>upnp:albumArtURI</u></a> .....	124
B.5.2	<a href="#"><u>upnp:artistDiscographyURI</u></a> .....	124
B.5.3	<a href="#"><u>upnp:lyricsURI</u></a> .....	124
B.5.4	<a href="#"><u>dc:relation</u></a> .....	124
B.6	Storage-Related Properties .....	124
B.6.1	<a href="#"><u>upnp:storageTotal</u></a> .....	124
B.6.2	<a href="#"><u>upnp:storageUsed</u></a> .....	124
B.6.3	<a href="#"><u>upnp:storageFree</u></a> .....	125
B.6.4	<a href="#"><u>upnp:storageMaxPartition</u></a> .....	125
B.6.5	<a href="#"><u>upnp:storageMedium</u></a> .....	125
B.6.5.1	allowedValueList for the <a href="#"><u>upnp:storageMedium</u></a> Property .....	125
B.7	General Description (mainly for UI purposes) Properties .....	125
B.7.1	<a href="#"><u>dc:description</u></a> .....	126
B.7.2	<a href="#"><u>upnp:longDescription</u></a> .....	126
B.7.3	<a href="#"><u>upnp:icon</u></a> .....	126
B.7.4	<a href="#"><u>upnp:region</u></a> .....	126
B.7.5	<a href="#"><u>upnp:rights</u></a> .....	126
B.7.6	<a href="#"><u>dc:date</u></a> .....	126
B.7.7	<a href="#"><u>dc:language</u></a> .....	127
B.7.8	<a href="#"><u>upnp:playbackCount</u></a> .....	127
B.7.9	<a href="#"><u>upnp:lastPlaybackTime</u></a> .....	127
B.7.10	<a href="#"><u>upnp:lastPlaybackPosition</u></a> .....	127
B.7.11	<a href="#"><u>upnp:recordedStartDateTime</u></a> .....	127
B.7.12	<a href="#"><u>upnp:recordedDuration</u></a> .....	127
B.7.13	<a href="#"><u>upnp:recordedDayOfWeek</u></a> .....	128
B.7.13.1	allowedValueList for the <a href="#"><u>upnp:recordedDayOfWeek</u></a> Property .....	128
B.7.14	<a href="#"><u>upnp:srsRecordScheduleID</u></a> .....	128
B.7.15	<a href="#"><u>upnp:srsRecordTaskID</u></a> .....	128
B.7.16	<a href="#"><u>upnp:recordable</u></a> .....	128

B.8	Recorded Object-related Properties	129
B.8.1	<a href="#"><u>upnp:programTitle</u></a>	129
B.8.2	<a href="#"><u>upnp:seriesTitle</u></a>	129
B.8.3	<a href="#"><u>upnp:programID</u></a>	130
B.8.3.1	<a href="#"><u>upnp:programID@type</u></a>	130
B.8.4	<a href="#"><u>upnp:seriesID</u></a>	130
B.8.4.1	<a href="#"><u>upnp:seriesID@type</u></a>	130
B.8.5	<a href="#"><u>upnp:channelID</u></a>	131
B.8.5.1	<a href="#"><u>upnp:channelID@type</u></a>	131
B.8.6	<a href="#"><u>upnp:episodeCount</u></a>	131
B.8.7	<a href="#"><u>upnp:episodeNumber</u></a>	131
B.8.8	<a href="#"><u>upnp:programCode</u></a>	132
B.8.8.1	<a href="#"><u>upnp:programCode@type</u></a>	132
B.8.9	<a href="#"><u>upnp:rating</u></a>	132
B.8.9.1	<a href="#"><u>upnp:rating@type</u></a>	132
B.8.10	<a href="#"><u>upnp:episodeType</u></a>	132
B.9	User Channel and EPG Related Properties	133
B.9.1	<a href="#"><u>upnp:channelGroupName</u></a>	133
B.9.1.1	<a href="#"><u>upnp:channelGroupName@id</u></a>	133
B.9.2	<a href="#"><u>upnp:callSign</u></a>	133
B.9.3	<a href="#"><u>upnp:networkAffiliation</u></a>	134
B.9.4	<a href="#"><u>upnp:serviceProvider</u></a>	134
B.9.5	<a href="#"><u>upnp:price</u></a>	134
B.9.5.1	<a href="#"><u>upnp:price@currency</u></a>	134
B.9.6	<a href="#"><u>upnp:payPerView</u></a>	134
B.9.7	<a href="#"><u>upnp:epgProviderName</u></a>	134
B.9.8	<a href="#"><u>upnp:dateTimeRange</u></a>	134
B.10	Radio Broadcast Properties	135
B.10.1	<a href="#"><u>upnp:radioCallSign</u></a>	135
B.10.2	<a href="#"><u>upnp:radioStationID</u></a>	135
B.10.3	<a href="#"><u>upnp:radioBand</u></a>	135
B.10.3.1	allowedValueList for the <a href="#"><u>upnp:radioBand</u></a> Property	135
B.11	Video Broadcast Properties	135
B.11.1	<a href="#"><u>upnp:channelNr</u></a>	136
B.11.2	<a href="#"><u>upnp:channelName</u></a>	136
B.11.3	<a href="#"><u>upnp:scheduledStartTime</u></a>	136
B.11.4	<a href="#"><u>upnp:scheduledEndTime</u></a>	136
B.12	Physical Tuner Status-related Properties	136
B.12.1	<a href="#"><u>upnp:signalStrength</u></a>	137
B.12.2	<a href="#"><u>upnp:signalLocked</u></a>	137
B.12.3	<a href="#"><u>upnp:tuned</u></a>	137
B.13	Bookmark-related Properties	137
B.13.1	<a href="#"><u>@neverPlayable</u></a>	138
B.13.2	<a href="#"><u>upnp:bookmarkID</u></a>	138
B.13.3	<a href="#"><u>upnp:bookmarkedObjectID</u></a>	138
B.13.4	<a href="#"><u>upnp:deviceUDN</u></a>	138
B.13.4.1	<a href="#"><u>upnp:deviceUDN@serviceType</u></a>	138
B.13.4.2	<a href="#"><u>upnp:deviceUDN@serviceId</u></a>	138
B.13.5	<a href="#"><u>upnp:stateVariableCollection</u></a>	139

B.13.5.1	<a href="#"><u>upnp:stateVariableCollection@serviceName</u></a>	139
B.13.5.2	<a href="#"><u>upnp:stateVariableCollection@rcsInstanceType</u></a>	139
B.14	Miscellaneous Properties	140
B.14.1	<a href="#"><u>upnp:DVDRegionCode</u></a>	140
B.14.2	<a href="#"><u>upnp:originalTrackNumber</u></a>	140
B.14.3	<a href="#"><u>upnp:toc</u></a>	140
B.14.4	<a href="#"><u>upnp:userAnnotation</u></a>	140
<b>Annex C</b>	<b>(normative) AV Working Committee Class Definitions</b>	<b>141</b>
C.1	Class Hierarchy	141
C.1.1	Class name syntax	142
C.1.2	Class Properties Overview	143
C.2	<a href="#"><u>object</u></a> (Base Class)	147
C.2.1	<a href="#"><u>item:object</u></a>	147
C.2.1.1	<a href="#"><u>imageItem:item</u></a>	147
C.2.1.2	<a href="#"><u>audioItem:item</u></a>	148
C.2.1.3	<a href="#"><u>videoItem:item</u></a>	149
C.2.1.4	<a href="#"><u>playlistItem:item</u></a>	151
C.2.1.5	<a href="#"><u>textItem:item</u></a>	152
C.2.1.6	<a href="#"><u>bookmarkItem:item</u></a>	153
C.2.1.7	<a href="#"><u>epgItem:item</u></a>	153
C.2.2	<a href="#"><u>container:object</u></a>	155
C.2.2.1	<a href="#"><u>person:container</u></a>	155
C.2.2.2	<a href="#"><u>playlistContainer:container</u></a>	156
C.2.2.3	<a href="#"><u>album:container</u></a>	157
C.2.2.4	<a href="#"><u>genre:container</u></a>	158
C.2.2.5	<a href="#"><u>channelGroup:container</u></a>	158
C.2.2.6	<a href="#"><u>epgContainer:container</u></a>	159
C.2.2.7	<a href="#"><u>storageSystem:container</u></a>	160
C.2.2.8	<a href="#"><u>storageVolume:container</u></a>	161
C.2.2.9	<a href="#"><u>storageFolder:container</u></a>	162
C.2.2.10	<a href="#"><u>bookmarkFolder:container</u></a>	162
<b>Annex D</b>	<b>(normative) EBNF Syntax Definitions</b>	<b>163</b>
D.1	Date&time Syntax	163
<b>Annex E</b>	<b>(normative) CDS features</b>	<b>164</b>
E.1	Requirements for the <i>EPG feature</i> , Version 1	165
E.2	Requirements for the <i>TUNER feature</i> , Version 1	166
E.3	Requirements for the <i>BOOKMARK feature</i> , Version 1	167

## LIST OF TABLES

Table 1-1:	EBNF Operators .....	20
Table 1-2:	CSV Examples .....	21
Table 1-3:	Namespace Definitions .....	22
Table 1-4:	Schema-related Information .....	23
Table 1-5:	Default Namespaces for the AV Specifications .....	24
Table 2-1:	Properties in XML .....	29
Table 2-2:	State variables .....	33
Table 2-3:	Sort Modifiers .....	34
Table 2-4:	ContainerUpdateIDs Example .....	36
Table 2-5:	Event moderation .....	43
Table 2-6:	Actions .....	44
Table 2-7:	Arguments for <a href="#"><u>GetSearchCapabilities()</u></a> .....	45
Table 2-8:	Error Codes for <a href="#"><u>GetSearchCapabilities()</u></a> .....	45
Table 2-9:	Arguments for <a href="#"><u>GetSortCapabilities()</u></a> .....	45
Table 2-10:	Error Codes for <a href="#"><u>GetSortCapabilities()</u></a> .....	46
Table 2-11:	Arguments for <a href="#"><u>GetSortExtensionCapabilities()</u></a> .....	46
Table 2-12:	Error Codes for <a href="#"><u>GetSortExtensionCapabilities()</u></a> .....	46
Table 2-13:	Arguments for <a href="#"><u>GetFeatureList()</u></a> .....	46
Table 2-14:	Error Codes for <a href="#"><u>GetFeatureList()</u></a> .....	47
Table 2-15:	Arguments for <a href="#"><u>GetSystemUpdateID()</u></a> .....	47
Table 2-16:	Error Codes for <a href="#"><u>GetSystemUpdateID()</u></a> .....	47
Table 2-17:	Arguments for <a href="#"><u>Browse()</u></a> .....	48
Table 2-18:	Error Codes for <a href="#"><u>Browse()</u></a> .....	49
Table 2-19:	Arguments for <a href="#"><u>Search()</u></a> .....	50
Table 2-20:	Error Codes for <a href="#"><u>Search()</u></a> .....	50
Table 2-21:	Arguments for <a href="#"><u>CreateObject()</u></a> .....	54
Table 2-22:	Error codes for <a href="#"><u>CreateObject()</u></a> .....	55
Table 2-23:	Arguments for <a href="#"><u>DestroyObject()</u></a> .....	56
Table 2-24:	Error Codes for <a href="#"><u>DestroyObject()</u></a> .....	56
Table 2-25:	Update examples .....	58
Table 2-26:	Arguments for <a href="#"><u>UpdateObject()</u></a> .....	58
Table 2-27:	Error Codes for <a href="#"><u>UpdateObject()</u></a> .....	59
Table 2-28:	Arguments for <a href="#"><u>MoveObject()</u></a> .....	60
Table 2-29:	Error Codes for <a href="#"><u>MoveObject()</u></a> .....	61
Table 2-30:	Arguments for <a href="#"><u>ImportResource()</u></a> .....	61
Table 2-31:	Error Codes for <a href="#"><u>ImportResource()</u></a> .....	62
Table 2-32:	Arguments for <a href="#"><u>ExportResource()</u></a> .....	62

Table 2-33:	Error Codes for <a href="#">ExportResource()</a> .....	63
Table 2-34:	Arguments for <a href="#">DeleteResource()</a> .....	63
Table 2-35:	Error Codes for <a href="#">DeleteResource()</a> .....	64
Table 2-36:	Arguments for <a href="#">StopTransferResource()</a> .....	64
Table 2-37:	Error Codes for <a href="#">StopTransferResource()</a> .....	64
Table 2-38:	Arguments for <a href="#">GetTransferProgress()</a> .....	65
Table 2-39:	Error Codes for <a href="#">GetTransferProgress()</a> .....	65
Table 2-40:	Arguments for <a href="#">CreateReference()</a> .....	66
Table 2-41:	Error Codes for <a href="#">CreateReference()</a> .....	66
Table 2-42:	Common error codes.....	67
Table B-1:	Base Properties Overview.....	110
Table B-2:	allowedValueList for the <a href="#">upnp:class</a> Property.....	113
Table B-3:	allowedValueList for the upnp:writeStatus Property.....	115
Table B-4:	Resource Encoding Characteristics Properties Overview.....	116
Table B-5:	Contributor-related Properties Overview.....	121
Table B-6:	Affiliation-related Properties Overview.....	122
Table B-7:	Associated Resources Properties Overview.....	123
Table B-8:	Storage-Related Properties Overview.....	124
Table B-9:	General Description (mainly for UI purposes) Properties Overview.....	125
Table B-10:	allowedValueList for the upnp:recordedDayOfWeek Property.....	128
Table B-11:	Recorded Object-related Properties Overview.....	129
Table B-12:	User Channel and EPG Related Properties Overview.....	133
Table B-13:	Radio Broadcast Properties Overview.....	135
Table B-14:	allowedValueList for the upnp:radioBand Property.....	135
Table B-15:	Video Broadcast Properties Overview.....	135
Table B-16:	Physical Tuner Status-related Properties Overview.....	136
Table B-17:	Bookmark-related Properties Overview.....	137
Table B-18:	allowedValueList for the upnp:stateVariableCollection@rcsInstanceType Property.....	139
Table B-19:	Miscellaneous Properties Overview.....	140
Table C-1:	Class Properties Overview.....	143
Table C-2:	<a href="#">object</a> Properties.....	147
Table C-3:	<a href="#">item</a> Properties.....	147
Table C-4:	<a href="#">imageItem:item</a> Properties.....	147
Table C-5:	<a href="#">photo:imageItem</a> Properties.....	148
Table C-6:	<a href="#">audioItem:item</a> Properties.....	148
Table C-7:	<a href="#">musicTrack:audioItem</a> Properties.....	148
Table C-8:	<a href="#">audioBroadcast:audioItem</a> Properties.....	149
Table C-9:	<a href="#">audioBook:audioItem</a> Properties.....	149

Table C-10:	<a href="#"><u>videoItem:item</u></a> Properties.....	150
Table C-11:	<a href="#"><u>movie:videoItem</u></a> Properties.....	150
Table C-12:	<a href="#"><u>videoBroadcast:videoItem</u></a> Properties.....	151
Table C-13:	<a href="#"><u>musicVideoClip:videoItem</u></a> Properties.....	151
Table C-14:	<a href="#"><u>playlistItem:item</u></a> Properties .....	152
Table C-15:	<a href="#"><u>textItem:item</u></a> Properties .....	152
Table C-16:	<a href="#"><u>bookmarkItem:item</u></a> Properties .....	153
Table C-17:	<a href="#"><u>epgItem:item</u></a> Properties .....	153
Table C-18:	<a href="#"><u>audioProgram:epgItem</u></a> Properties .....	155
Table C-19:	<a href="#"><u>videoProgram:epgItem</u></a> Properties.....	155
Table C-20:	<a href="#"><u>container</u></a> Properties .....	155
Table C-21:	<a href="#"><u>person:container</u></a> Properties .....	155
Table C-22:	<a href="#"><u>musicArtist:person</u></a> Properties .....	156
Table C-23:	<a href="#"><u>playlistContainer:container</u></a> Properties.....	156
Table C-24:	<a href="#"><u>album:container</u></a> Properties .....	157
Table C-25:	<a href="#"><u>musicAlbum:album</u></a> Properties.....	157
Table C-26:	<a href="#"><u>photoAlbum:album</u></a> Properties.....	157
Table C-27:	<a href="#"><u>genre:container</u></a> Properties .....	158
Table C-28:	<a href="#"><u>channelGroup:container</u></a> Properties.....	159
Table C-29:	<a href="#"><u>epgContainer:container</u></a> Properties.....	160
Table C-30:	<a href="#"><u>storageSystem:container</u></a> Properties .....	161
Table C-31:	<a href="#"><u>storageVolume:container</u></a> Properties.....	161
Table C-32:	<a href="#"><u>storageFolder:container</u></a> Properties.....	162
Table C-33:	genre:container Properties .....	162
Table E-1:	<i>CDS features</i> .....	164
Table E-2:	REQUIRED characteristics of the <i>EPG Feature</i> element .....	165
Table E-3:	REQUIRED characteristics of the <i>TUNER Feature</i> element.....	166
Table E-4:	REQUIRED characteristics of the <i>BOOKMARK feature</i> element .....	167

## LIST OF FIGURES

Figure 1:	Class hierarchy for the item base class. ....	141
Figure 2:	Class hierarchy for the container base class. ....	142