

ISO/IEC 29341-5-11:2008-11 (E)

Information technology_ - UPnP Device Architecture_ - Part_5-11: Digital Security Camera Device Control Protocol_ - Digital Security Camera Settings Service

CONTENTS

- FOREWORD4
- ORIGINAL UPNP DOCUMENTS (informative)6
- 1. Overview and Scope8**
- 2. Service Modeling Definitions9**
 - 2.1. ServiceType9
 - 2.2. State Variables9
 - 2.2.1. AutomaticWhiteBalance9
 - 2.2.2. FixedWhiteBalance9
 - 2.2.3. AvailableRotations9
 - 2.2.4. DefaultRotation10
 - 2.2.5. Brightness10
 - 2.2.6. ColorSaturation10
 - 2.3. Eventing and Moderation11
 - 2.4. Actions12
 - 2.4.1. SetAutomaticWhiteBalance12
 - 2.4.2. GetAutomaticWhiteBalance12
 - 2.4.3. SetFixedWhiteBalance13
 - 2.4.4. GetFixedWhiteBalance13
 - 2.4.5. GetAvailableRotations13
 - 2.4.6. SetDefaultRotation14
 - 2.4.7. GetDefaultRotation14
 - 2.4.8. SetBrightness14
 - 2.4.9. GetBrightness15
 - 2.4.10. IncreaseBrightness15
 - 2.4.11. DecreaseBrightness15
 - 2.4.12. SetColorSaturation16
 - 2.4.13. GetColorSaturation16
 - 2.4.14. IncreaseColorSaturation16
 - 2.4.15. DecreaseColorSaturation17
 - 2.4.16. Non-Standard Actions Implemented by a UPnP Vendor17
 - 2.4.17. Common Error Codes17
 - 2.5. Theory of Operation18
- 3. XML Service Description19**
- 4. Test22**

LIST OF TABLES

Table 1: State Variables	9
Table 2: Event Moderation.....	11
Table 3: Actions	12
Table 4: Arguments for <u>SetAutomaticWhiteBalance</u>	12
Table 5: Arguments for <u>GetAutomaticWhiteBalance</u>	13
Table 6: Arguments for <u>SetFixedWhiteBalance</u>	13
Table 7: Arguments for <u>GetFixedWhiteBalance</u>	13
Table 8: Arguments for <u>GetAvailableRotations</u>	13
Table 9: Arguments for <u>SetDefaultRotation</u>	14
Table 10: Arguments for <u>GetDefaultRotation</u>	14
Table 11: Arguments for <u>SetBrightness</u>	14
Table 12: Arguments for <u>GetBrightness</u>	15
Table 13: Arguments for <u>SetColorSaturation</u>	16
Table 14: Arguments for <u>GetColorSaturation</u>	16
Table 15: Common Error Codes.....	17