ISO/IEC 29341-8-19:2008-11 (E)

Information technology_- UPnP Device Architecture_- Part_8-19: Internet Gateway Device Control Protocol_- Wide Area Network Plain Old Telephone Service Link Configuration Service

CONTENTS

FOREWORD 4

ORIGINAL UPNP DOCUMENTS (informative) 6

1. Overview and Scope 8

2. Service Modeling Definitions 9

2.1. ServiceType 9

2.2. State Variables 9

2.2.1. ISPPhoneNumber 10
2.2.2. ISPInfo 10
2.2.3. LinkType 10
2.2.4. NumberOfRetries 11
2.2.5. DelayBetweenRetries 11
2.2.6. Fclass 11
2.2.7. DataModulationSupported 11
2.2.8. DataProtocol 11
2.2.9. DataCompression 11
2.2.10. PlusVTRCommandSupported 11
2.2.11. Relationships Between State Variables 11

2.3. Eventing and Moderation 12

2.3.1. Event Model 12

2.4. Actions 13

2.4.1. SetISPInfo 13
2.4.2. SetCallRetryInfo 14
2.4.3. GetISPInfo 14
2.4.4. GetCallRetryInfo 15
2.4.5. GetFclass 15
2.4.6. GetDataModulationSupported 16
2.4.7. GetDataProtocol 16
2.4.8. GetDataCompression 17
2.4.9. GetPlusVTRCommandSupported 17
2.4.10. Non-Standard Actions Implemented by a UPnP Vendor 18
2.4.11. Relationships Between Actions 18
2.4.12. Common Error Codes 18

2.5. Theory of Operation 18

3. XML Service Description 19

4. Test 23

LIST OF TABLES

Table 1: State Variables 9
Table 1.1: AllowedValueList for `LinkType` 9
Table 1.2: AllowedValueList for `DataModulationSupported` 10
Table 1.3: AllowedValueList for `DataProtocol` 10
Table 1.4: AllowedValueList for `DataCompression` 10
Table 2: Event Moderation 12
Table 3: Actions 13
Table 4: Arguments for `SetISPInfo` 13
Table 5: Arguments for `SetCallRetryInfo` 14
Table 6: Arguments for `GetISPInfo` 14
Table 7: Arguments for `GetCallRetryInfo` 15
Table 8: Arguments for `GetFclass` 15
Table 9: Arguments for `GetDataModulationSupported` 16
Table 10: Arguments for `GetDataProtocol` 16
Table 11: Arguments for `GetDataCompression` 17
Table 12: Arguments for `GetPlusVTRCommandSupported` 17
Table 13: Common Error Codes 18