Information technology_- UPnP Device Architecture_- Part_8-21: Internet Gateway Device Control Protocol_- Wireless Local Area Network Configuration Service

CONTENTS

FOREWORD 6
ORIGINAL UPNP DOCUMENTS (informative) 8
1. Overview and Scope 10
2. Service Modeling Definitions 10
2.1. ServiceType 10
2.2. State Variables 10
2.2.1. InsecureOOBAccessEnabled 12
2.2.2. SSID 12
2.2.3. BSSID 12
2.2.4. BeaconType 13
2.2.5. BeaconAdvertisementEnabled 13
2.2.6. RadioEnabled 13
2.2.7. LocationDescription 13
2.2.8. RegulatoryDomain 14
2.2.9. TotalPSKFailures 14
2.2.10. TotalIntegrityFailures 14
2.2.11. Channel 14
2.2.12. PossibleChannels 14
2.2.13. ChannelsInUse 14
2.2.14. DeviceOperationMode 15
2.2.15. DistanceFromRoot 15
2.2.16. PeerBSSID 15
2.2.17. BasicDataTransmitRates 15
2.2.18. OperationalDataTransmitRates 15
2.2.19. PossibleDataTransmitRates 16
2.2.20. AutoRateFallBackEnabled 16
2.2.21. TotalBytesSent 16
2.2.22. TotalBytesReceived 16
2.2.23. TotalPacketsSent 16
2.2.24. TotalPacketsReceived 16
2.2.25. TotalAssociations 16
2.2.26. AssociatedDeviceMACAddress 16
2.2.27. AssociatedDeviceIPAddress 16
2.2.28. AssociatedDeviceAuthState 17
2.2.29. AuthenticationServiceMode 17
2.2.30. WEPKeyIndex 17
2.2.31. WEPKey 17
2.2.32. KeyPassphrase 17
2.2.33. WEPEncryptionLevel 18
2.2.34. PreSharedKey 18
2.2.35. PreSharedKeyIndex 18
2.2.36. BasicEncryptionModes 18
2.2.37. BasicAuthenticationMode 19
2.2.38. WPAEncryptionModes 19
2.2.39. WPAAuthenticationMode 19
2.2.40. IEEE11iEncryptionModes 20
2.2.41. IEEE11iAuthenticationMode 20
2.2.42. LastRequestedUnicastCipher 20
2.2.43. LastRequestedMulticastCipher 20
2.2.44. LastPMKId 21
2.3. Eventing and Moderation 21
2.3.1. Event Model 21
2.4. Actions 21
2.4.1. SetInsecureOutOfBandAccessMode 23
2.4.2. GetInsecureOutOfBandAccessMode 23

2.4.3. SetSSID 24
2.4.4. GetSSID 24
2.4.5. GetBSSID 25
2.4.6. SetBeaconType 25
2.4.7. GetBeaconType 26
2.4.8. SetBeaconAdvertisement 26
2.4.9. GetBeaconAdvertisement 27
2.4.10. SetRadioMode 27
2.4.11. GetRadioMode 28
2.4.12. SetLocationDescription 28
2.4.13. GetLocationDescription 29
2.4.14. SetRegulatoryDomain 29
2.4.15. GetRegulatoryDomain 30
2.4.16. GetFailureStatusInfo 30
2.4.17. SetChannel 31
2.4.18. GetChannelInfo 31
2.4.19. GetChannelsInUse 32
2.4.20. SetDeviceOperationMode 32
2.4.21. GetDeviceOperationMode 33
2.4.22. SetDataTransmitRates 34
2.4.23. GetDataTransmitRateInfo 35
2.4.24. SetAutoRateFallBackMode 35
2.4.25. GetAutoRateFallBackMode 36
2.4.26. GetByteStatistics 36
2.4.27. GetPacketStatistics 37
2.4.28. GetByteStatsForAssociatedDev 37
2.4.29. GetPacketStatsForAssociatedDev 38
2.4.30. GetTotalAssociations 38
2.4.31. GetGenericAssociatedDeviceInfo 39
2.4.32. GetSpecificAssociatedDeviceInfo 39
2.4.33. GetSpecificAssociatedDev11iInfo 40
2.4.34. SetAuthenticationServiceMode 41
2.4.35. GetAuthenticationServiceMode 41
2.4.36. SetSecurityKeys 42
2.4.37. GetSecurityKeys 43
2.4.38. SetDefaultWEPKeyIndex 43
2.4.39. GetDefaultWEPKeyIndex 44
2.4.40. SetPreSharedKey 44
2.4.41. GetPreSharedKey 45
2.4.42. SetBasBeaconSecurityProperties 45
2.4.43. GetBasBeaconSecurityProperties 46
2.4.44. SetWPABeaconSecurityProperties 46
2.4.45. GetWPABeaconSecurityProperties 47
2.4.46. Set11iBeaconSecurityProperties 48
2.4.47. Get11iBeaconSecurityProperties 48
2.4.48. FactoryDefaultReset 49
2.4.49. ResetAuthentication 49
2.4.50. Non-Standard Actions Implemented by a UPnP Device Vendor 49
2.4.51. Common Error Codes 50
2.5. Theory of Operation 51
2.5.1. Initialization of the AP Device 51
2.5.2. Operation of the AP Device 51
3. XML Service Description 58
4. Test 71

LIST OF TABLES

Table 1: State Variables 11
Table 2: Event Moderation 21
Table 3: Actions 22
Table 4: Arguments for SetInsecureOutOfBandAccessMode 23
Table 5: Arguments for SetInsecureOutOfBandAccessMode 23
Table 6: Arguments for SetSSID 24
Table 7: Arguments for GetSSID 24
Table 8: Arguments for GetBSSID 25
Table 9: Arguments for SetBeaconType 25
Table 10: Arguments for GetBeaconType 26
Table 11: Arguments for SetBeaconAdvertisement 26
Table 12: Arguments for GetBeaconAdvertisement 27
Table 13: Arguments for SetRadioMode 27
Table 14: Arguments for GetRadioMode 28
Table 15: Arguments for SetLocationDescription 28
Table 16: Arguments for GetLocationDescription 29
Table 17: Arguments for SetRegulatoryDomain 29
Table 18: Arguments for GetRegulatoryDomain 30
Table 19: Arguments for GetFailureStatusInfo 30
Table 20: Arguments for SetChannel 31
Table 21: Arguments for GetChannelInfo 31
Table 22: Arguments for GetChannelsInUse 32
Table 23: Arguments for SetDeviceOperationMode 33
Table 24: Arguments for GetDeviceOperationMode 34
Table 25: Arguments for SetDataTransmitRates 34
Table 26: Arguments for GetDataTransmitRateInfo 35
Table 27: Arguments for SetAutoRateFallBackMode 35
Table 28: Arguments for GetAutoRateFallBackMode 36
Table 29: Arguments for GetByteStatistics 36
Table 30: Arguments for GetPacketStatistics 37
Table 31: Arguments for GetByteStatsForAssociatedDev 37
Table 32: Arguments for GetPacketStatsForAssociatedDev 38
Table 33: Arguments for GetTotalAssociations 38
Table 34: Arguments for GetGenericAssociatedDeviceInfo 39
Table 35: Arguments for GetSpecificAssociatedDeviceInfo 40
Table 36: Arguments for GetSpecificAssociatedDeviceInfo 40
Table 37: Arguments for SetAuthenticationServiceMode 41
Table 38: Arguments for GetAuthenticationServiceMode 41
Table 39: Arguments for SetSecurityKeys 42

Table 40: Arguments for GetSecurityKeys 43
Table 41: Arguments for SetDefaultWEPKeyIndex 43
Table 42: Arguments for GetDefaultWEPKeyIndex 44
Table 43: Arguments for SetPreSharedKey 44
Table 44: Argument for GetPreSharedKey 45
Table 45: Arguments for SetBasBeaconSecurityProperties 45
Table 46: Arguments for GetBasBeaconSecurityProperties 46
Table 47: Arguments for SetWPABeaconSecurityProperties 47
Table 48: Arguments for GetWPABeaconSecurityProperties 47
Table 49: Arguments for Set11iBeaconSecurityProperties 48
Table 50: Arguments for Get11iBeaconSecurityProperties 48
Table 51: Common Error Codes for all actions 50