

ISO/IEC 29341-12-10:2008-11 (E)

Information technology_ - UPnP Device Architecture_ - Part_12-10: Remote User Interface Device Control Protocol_ - Remote User Interface Client Service

CONTENTS

FOREWORD	4
ORIGINAL UPNP DOCUMENTS (informative)	6
1. Overview and Scope.....	8
2. Service Modeling Definitions	9
2.1. ServiceType	9
2.2. State Variables	9
2.2.1. CompatibleUIsUpdateIDEvent	9
2.2.2. CurrentConnections	9
2.2.3. CurrentConnectionsEvent.....	10
2.2.4. DeviceProfile	10
2.2.5. A_ARG_TYPE_CompatibleUIs.....	10
2.2.6. A_ARG_TYPE_DisplayMessageType	10
2.2.7. A_ARG_TYPE_InputDataType	10
2.2.8. A_ARG_TYPE_Int	10
2.2.9. A_ARG_TYPE_String	11
2.3. Eventing and Moderation	11
2.3.1. Relationships Between State Variables	11
2.4. Actions.....	12
2.4.1. Connect.....	12
2.4.2. Disconnect	13
2.4.3. GetCurrentConnections	14
2.4.4. GetDeviceProfile	15
2.4.5. GetUIListing	15
2.4.6. AddUIListing.....	16
2.4.7. RemoveUIListing.....	17
2.4.8. DisplayMessage.....	18
2.4.9. ProcessInput	19
2.4.10. Non-Standard Actions Implemented by a UPnP Vendor.....	19
2.4.11. Relationships Between Actions	19
2.4.12. Common Error Codes	20
3. Theory of Operation	21
3.1. Example Values of State Variables.....	21
3.1.1. A_ARG_TYPE_URI	21
3.1.2. CurrentConnections	22
3.1.3. A_ARG_TYPE_CompatibleUIs.....	22
3.1.4. DeviceProfile	23
3.2. Remote UI Scenarios for the Basic DCP	24
3.2.1. Connect, Disconnect and GetCurrentConnections.....	24
3.2.2. Add, Get and Remove UI Listings.....	24
3.2.3. Display Message.....	24
3.2.4. Process Input.....	24
3.3. Remote UI Scenarios for the Advanced DCP	24
3.3.1. Mirror.....	24
3.3.2. Move	25
3.3.3. Reconnect.....	25

3.4.	Types of Client Devices.....	25
3.4.1.	Autonomous Remote UI Clients	25
3.4.2.	Fully Remoted Remote UI Clients.....	26
4.	DeviceProfile XSD Schema	27
5.	A_ARG_TYPE_CompatibleUIs XSD Schema.....	28
6.	XML Service Description.....	29

LIST OF TABLES

Table 1:	Service State Variables	9
Table 2:	Allowed value list for state variable A_ARG_TYPE_DisplayMessageType.....	10
Table 3:	Allowed value list for state variable A_ARG_TYPE_InputDataType	10
Table 4:	Event moderation.....	11
Table 5:	Actions	12
Table 6:	Arguments for Connect ()	12
Table 7:	Arguments for Disconnect ()	13
Table 8:	Arguments for GetCurrentConnections ()	14
Table 9:	Arguments for GetDeviceProfile ()	15
Table 10:	Arguments for GetUIListing ()	15
Table 11:	Arguments for AddUIListing ()	16
Table 12:	Arguments for RemoveUIListing ()	17
Table 13:	Arguments for DisplayMessage ()	18
Table 14:	Arguments for ProcessInput ()	19
Table 15:	Common Error Codes.....	20