ISO/IEC TR 14165-372: 2011-02(E)

Information technology_- Fibre Channel_- Part_372: Methodologies for interconnects-2 (FC-MI-2)

CONTENTS

FOREWORD 5

INTRODUCTION 7

1 Scope 8

2 Normative references 8

3 Terms, definitions, abbreviations and other conventions 9
- 3.1 Overview 9
- 3.2 Terms and definitions 9
- 3.3 Editorial conventions 14
- 3.4 Abbreviations and acronyms 15
- 3.5 Symbols 16
- 3.6 Keywords 16
- 3.7 Applicability and use of this Technical Report 18
- 3.8 Feature Set table terms, definitions, and abbreviations 18
  - 3.8.1 Overview 18
  - 3.8.2 Feature Set table terms and definitions 19
  - 3.8.3 Feature Set table abbreviations 19
- 3.9 Feature testing compliance 20
- 3.10 Timing Constraints 20

4 Structure and concepts 21

5 Loop behaviors 21
- 5.1 Loop Initialization 21
  - 5.1.1 Power On Behavior 21
  - 5.1.2 Loop Failure 21
  - 5.1.3 Initialization at Power-on 22
  - 5.1.4 FL_Port Time-out during Initialization 22
  - 5.1.5 LIP Generation 22
  - 5.1.6 Response to LIP 22
  - 5.1.7 Origination of LISM Frames 22
  - 5.1.8 Forwarding of LISM frames 22
  - 5.1.9 Address Selection 23
  - 5.1.10 Multi-port Initialization 23
  - 5.1.11 AL_PA Position Map Support 23
  - 5.1.12 Availability after LIP 23
- 5.2 Post Initialization 24
  - 5.2.1 LIP Generation 24
  - 5.2.2 FL_Port Unfair behavior and Transfer behavior 24
  - 5.2.3 Responses to OPN 24
  - 5.2.4 No response to OPN 25

6 Fx_Port Behaviors 26
- 6.1 Fx_Port Login responses 26
  - 6.1.1 FLOGI ACC features and parameters for Fx_Ports 26
  - 6.1.2 Nx_Port PLOGI 26
  - 6.1.3 Fx_Port Common Service Parameters (FLOGI ACC) 27
  - 6.1.4 Fx_Port Class 2 Service Parameters (FLOGI ACC) 29

6.1.5 Fx_Port Class 3 Service Parameters (FLOGI ACC) 30
6.2 Link Services 32
6.2.1 Basic Link Services 32
6.2.2 ELS requirements for well-known addresses 32
6.2.3 Extended Link Service Replies 32
6.3 FC-AL-2 features for FL_Ports 33
6.4 Loop Fabric Address 35

7 Fabric Behaviors 36
7.1 Overview 36
7.2 Switch-to-Switch Requirements 37
7.2.1 Overview 37
7.2.2 Switch Port Types 40
7.2.3 Exchange Link Parameters (ELP) 40
7.2.4 Principal Switch Selection 42
7.2.5 Fabric Shortest Path First (FSPF) 42
7.2.6 Distributed Services 43
7.2.7 Zoning 48
7.2.8 Distributed Event Notification 50
7.2.9 Additional Switch Requirements 50
7.3 Fabric Service Requirements 51
7.3.1 Overview 51
7.3.2 Name Server 51
7.3.3 Fabric Configuration Server 55
7.3.4 Fabric Zone Server 56
7.3.5 Registered State Change Notification 58
7.4 Domain Controller and Well-Known Addresses 60
7.4.1 Domain controller and well-known address support requirements for fabrics 60
7.4.2 N_Port domain controller and well-known address usage 61
7.4.3 Domain controller and well-known address (WKA) ELS login and address assignment requirements 63

8 Discovery and Management 67
8.1 Overview 67
8.2 Management of Interconnect Components 67
8.2.1 Overview 67
8.2.2 Switch 67
8.2.3 Managed Hub 68
8.2.4 Gateway/Bridge 68

9 Conformance Environments 69
Bibliography 70

Tables

Table 1 ISO/IEC and American Conventions 15
Table 2 Feature Set table terms and definitions 19
Table 3 Feature Set table key abbreviations 19
Table 4 Feature testing compliance relationship to definitions 20
Table 5 FLOGI ACC features and parameters for Fx_Ports 26
Table 6 Fx_Port Common Service Parameters (FLOGI ACC) 27
Table 7 Class 2 Service Parameters (FLOGI ACC) 29
Table 8 Class 3 Service Parameters (FLOGI ACC) 30
Table 9 Extended Link Service Replies 32
Table 10 FC-AL features for FL_Ports 33
Table 11 FC-SW-3 Fabric Support Summary 37
Table 12 Switch Port Type Usage 40
Table 13 ELP SW_ILS Parameters 40
Table 14 Flow Control Parameters 42
Table 15 FC-SW-3 Defined Name Server Requests 43
Table 16 FC-GS-4 Defined Name Server Requests 43
Table 17 FC-GS-4 Common Requests 45
Table 18 Name Server Object Usage Summary 46
Table 19 FC-SW-3 Defined Management Server Requests 46
Table 20 FC-GS-4 Defined Management Server Requests 47
Table 21 Zoning Support 48
Table 22 FC-GS-4 Fabric Support 51
Table 23 Name Server Request Support 51
Table 24 Common Request Support 53
Table 25 Fabric Configuration Server Request Support 55
Table 26 Fabric Zone Server Basic Zoning Request Support 56
Table 27 Fabric Zone Server Enhanced Zoning Request Support 57
Table 28 Domain Controller and Well-Known Address Support Requirements for Fabrics 60
Table 29 ELS requirements for domain controller and well-known addresses 61
Table 30 Broadcast WKA (FFFFFFh) ELS login requirements 63
Table 31 Fabric F_Port WKA (FFFFFEh) ELS address assignment requirements 64
Table 32 Fabric Controller WKA (FFFFFDh) ELS login requirements 65
Table 33 Directory Service WKA (FFFFFCh) ELS login requirements 65
Table 34 Management Service WKA (FFFFFAh) ELS login requirements 66
Table 35 Domain Controller (FFFCxxh) ELS login requirements 66
Table 36 Loop Fabric Address ELS login requirements 67
Table 37 Switch Support Summary 67
Table 38 Conformance Environments 69