

ISO/IEC TR 14165-372: 2011-02(E)

Information technology - Fibre Channel - Part_372: Methodologies for interconnects-2 (FC-MI-2)

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms, definitions, abbreviations and other conventions	9
3.1 Overview	9
3.2 Terms and definitions	9
3.3 Editorial conventions	14
3.4 Abbreviations and acronyms	15
3.5 Symbols	16
3.6 Keywords	16
3.7 Applicability and use of this Technical Report	18
3.8 Feature Set table terms, definitions, and abbreviations	18
3.8.1 Overview	18
3.8.2 Feature Set table terms and definitions	19
3.8.3 Feature Set table abbreviations	19
3.9 Feature testing compliance	20
3.10 Timing Constraints	20
4 Structure and concepts	21
5 Loop behaviors	21
5.1 Loop Initialization	21
5.1.1 Power On Behavior	21
5.1.2 Loop Failure	21
5.1.3 Initialization at Power-on	22
5.1.4 FL_Port Time-out during Initialization	22
5.1.5 LIP Generation	22
5.1.6 Response to LIP	22
5.1.7 Origination of LISM Frames	22
5.1.8 Forwarding of LISM frames	22
5.1.9 Address Selection	23
5.1.10 Multi-port Initialization	23
5.1.11 AL_PA Position Map Support	23
5.1.12 Availability after LIP	23
5.2 Post Initialization	24
5.2.1 LIP Generation	24
5.2.2 FL_Port Unfair behavior and Transfer behavior	24
5.2.3 Responses to OPN	24
5.2.4 No response to OPN	25
6 Fx_Port Behaviors	26
6.1 Fx_Port Login responses	26
6.1.1 FLOGI ACC features and parameters for Fx_Ports	26
6.1.2 Nx_Port PLOGI	26
6.1.3 Fx_Port Common Service Parameters (FLOGI ACC)	27
6.1.4 Fx_Port Class 2 Service Parameters (FLOGI ACC)	29

6.1.5 Fx_Port Class 3 Service Parameters (FLOGI ACC)	30
6.2 Link Services	32
6.2.1 Basic Link Services	32
6.2.2 ELS requirements for well-known addresses	32
6.2.3 Extended Link Service Replies	32
6.3 FC-AL-2 features for FL_Ports	33
6.4 Loop Fabric Address	35
7 Fabric Behaviors	36
7.1 Overview	36
7.2 Switch-to-Switch Requirements	37
7.2.1 Overview	37
7.2.2 Switch Port Types	40
7.2.3 Exchange Link Parameters (ELP)	40
7.2.4 Principal Switch Selection	42
7.2.5 Fabric Shortest Path First (FSPF)	42
7.2.6 Distributed Services	43
7.2.7 Zoning	48
7.2.8 Distributed Event Notification	50
7.2.9 Additional Switch Requirements	50
7.3 Fabric Service Requirements	51
7.3.1 Overview	51
7.3.2 Name Server	51
7.3.3 Fabric Configuration Server	55
7.3.4 Fabric Zone Server	56
7.3.5 Registered State Change Notification	58
7.4 Domain Controller and Well-Known Addresses	60
7.4.1 Domain controller and well-known address support requirements for fabrics	60
7.4.2 N_Port domain controller and well-known address usage	61
7.4.3 Domain controller and well-known address (WKA) ELS login and address assignment requirements	63
8 Discovery and Management	67
8.1 Overview	67
8.2 Management of Interconnect Components	67
8.2.1 Overview	67
8.2.2 Switch	67
8.2.3 Managed Hub	68
8.2.4 Gateway/Bridge	68
9 Conformance Environments	69
Bibliography	70

Tables

Table 1 ISO/IEC and American Conventions	15
Table 2 Feature Set table terms and definitions	19
Table 3 Feature Set table key abbreviations	19
Table 4 Feature testing compliance relationship to definitions	20
Table 5 FLOGI ACC features and parameters for Fx_Ports	26
Table 6 Fx_Port Common Service Parameters (FLOGI ACC)	27
Table 7 Class 2 Service Parameters (FLOGI ACC)	29
Table 8 Class 3 Service Parameters (FLOGI ACC)	30
Table 9 Extended Link Service Replies	32
Table 10 FC-AL features for FL_Ports	33
Table 11 FC-SW-3 Fabric Support Summary	37
Table 12 Switch Port Type Usage	40
Table 13 ELP SW_ILS Parameters	40
Table 14 Flow Control Parameters	42
Table 15 FC-SW-3 Defined Name Server Requests	43
Table 16 FC-GS-4 Defined Name Server Requests	43
Table 17 FC-GS-4 Common Requests	45
Table 18 Name Server Object Usage Summary	46
Table 19 FC-SW-3 Defined Management Server Requests	46
Table 20 FC-GS-4 Defined Management Server Requests	47
Table 21 Zoning Support	48
Table 22 FC-GS-4 Fabric Support	51
Table 23 Name Server Request Support	51
Table 24 Common Request Support	53
Table 25 Fabric Configuration Server Request Support	55
Table 26 Fabric Zone Server Basic Zoning Request Support	56
Table 27 Fabric Zone Server Enhanced Zoning Request Support	57
Table 28 Domain Controller and Well-Known Address Support Requirements for Fabrics	60
Table 29 ELS requirements for domain controller and well-known addresses	61
Table 30 Broadcast WKA (FFFFFFh) ELS login requirements	63
Table 31 Fabric F_Port WKA (FFFFFFEh) ELS address assignment requirements	64
Table 32 Fabric Controller WKA (FFFFFFDh) ELS login requirements	65
Table 33 Directory Service WKA (FFFFFFCh) ELS login requirements	65
Table 34 Management Service WKA (FFFFFFAh) ELS login requirements	66
Table 35 Domain Controller (FFFCxxh) ELS login requirements	66
Table 36 Loop Fabric Address ELS login requirements	67
Table 37 Switch Support Summary	67
Table 38 Conformance Environments	69