

ISO/IEC 29341-17-13:2011-08 (E)

Information technology - UPnP Device Architecture - Part 17-13: Quality of Service Device Control Protocol - Level 3 - Quality of Service Device Service - Underlying Technology Interfaces

Contents	Page
1 Overview and Scope.....	2
1.1 Referenced Specifications	3
1.1.1 Normative References	3
1.1.2 Informative References	3
2 (Normative) Requirements on the QoSDevice Service and interactions that are specific for the Underlying Network Technologies	3
2.1 DSCP.....	4
2.1.1 References	4
2.1.2 Priority Mapping.....	4
2.2 <i>HomePlug AV</i>	4
2.2.1 References	4
2.2.2 Priority Mapping.....	4
2.2.3 QoSSegmentId formation.....	4
2.2.4 Layer2StreamId representation	5
2.2.5 Mapping of UPnP QoS Parameters to HomePlug CSPEC Parameters.....	5
2.2.6 Blocking traffic stream identification	6
2.2.7 Responsibility for Stream Setup.	6
2.2.8 Mapping of <i>HomePlug AV</i> Returned Parameters to <i>ProtoTspec</i> Parameters.....	6
2.2.9 Mapping of <i>HomePlug AV</i> Returned Parameters to <i>AdmitTrafficQosExtendedResult</i> and <i>AllocatedResources</i> Parameters.....	6
2.3 HPNA.....	6
2.3.1 References	6
2.3.2 Priority Mapping.....	7
2.4 IEEE 802.1Q, Annex G	7
2.4.1 References	7
2.4.2 Priority Mapping.....	7
2.5 <i>MoCA</i>	7
2.5.1 References	7
2.5.2 Priority Mapping.....	8
2.5.3 <i>QosSegmentId</i> formation.....	8
2.5.4 <i>Layer2StreamId</i> representation	8
2.5.5 Mapping of UPnP QoS Parameters to <i>MoCA</i> Parameters.....	8
2.5.6 Blocking traffic stream identification	9
2.5.7 Responsibility for QoS Setup	9
2.5.8 Mapping of <i>MoCA</i> Returned Parameters to <i>ProtoTspec</i> Parameters.....	9
2.5.9 Mapping of <i>MoCA</i> Returned Parameters to <i>AdmitTrafficQosExtendedResult</i> and <i>AllocatedResources</i> Parameters.....	10

2.6	Wi-Fi WMM-AC.....	10
2.6.1	References	10
2.6.2	Priority Mapping.....	10
2.6.3	QosSegmentId formation.....	11
2.6.4	Layer2StreamId representation	11
2.6.5	Mapping of UPnP QoS Parameters to WMM Parameters	11
2.6.6	Blocking traffic stream identification	11
2.6.7	Responsibility for QoS Setup	12
2.6.8	Mapping of WMM Returned Parameters to ProtoTspec Parameters	12
2.6.9	Mapping of WMM Returned Parameters to AdmitTrafficQosExtendedResult and AllocatedResources Parameters	13
2.7	UPA	13
2.7.1	References	13
2.7.2	Priority Mapping.....	13
2.7.3	QosSegmentId formation.....	14
2.7.4	Layer2StreamId representation	14
2.7.5	Mapping of UPnP QoS Parameters to UPA Parameters	14
2.7.6	Blocking traffic stream identification	15
2.7.7	Responsibility for QoS Setup	15
2.7.8	Mapping of UPA Returned Parameters to ProtoTspec Parameters	15
2.7.9	Mapping of UPA Returned Parameters to AdmitTrafficQosExtendedResult and AllocatedResources Parameters	16

Table 2.1-1	— Priority Mapping.....	4
Table 2.2-1	— Priority Mapping.....	4
Table 2.2-2	— Traffic Specification Parameters.....	5
Table 2.2-3	— ProtoTspec Parameters	6
Table 2.3-1	— Priority Mapping.....	7
Table 2.4-1	— Priority Mapping.....	7
Table 2.5-1	— Priority Mapping.....	8
Table 2.5-2	— Traffic Specification Parameters.....	9
Table 2.5-3	— ProtoTspec Parameters	9
Table 2.5-4	— AllocatedResource Parameters	10
Table 2.6-1	— Priority Mapping.....	11
Table 2.6-2	— Traffic Specification Parameters.....	11
Table 2.6-3	— ProtoTspec Parameters	13
Table 2.6-4	— AllocatedResource Parameters	13
Table 2.7-1	— Priority Mapping.....	14
Table 2.7-2	— Traffic Specification Parameters.....	15
Table 2.7-3	— ProtoTspec Parameters	16
Table 2.7-4	— AllocatedResource Parameters	16